DAILY RAINFALL BEDFORDSHIRE 1911 - 1920

ARLESEY THREE COUNTIES MENTAL HOSPITAL	1911 - 1920
BARFORD GREAT.	1911 - 1920
BEDFORD CASTLE RD	1912, 16 1919.
BEDFORD WARWICK AVE.	1919 - 1920
BEDFORD PARK	1911 - 1920
BIGGLESWADE W. W.	1911 - 1915
CARDINGTON	1918 - 1919
CRANFIELD SCHOOL	1911 - 1914
DUNSTABLE THE GRAMMAR SCH.	1912 - 1920
HARLINGTON VIC.	1914 - 1915.
HIGHAM BURY	1911 - 1920
HOLWELL BURY	1911 - 1912
KENSWORTH	1911 - 1912
KENSWORTH VIC.	1913 - 1920
LIDLINGTON WHITE LODGE	1918 - 1920
LUTON S.W.	1911 - 1920
LUTON WHITTLESEY	1911 - 1920
LUTON THE DOWNS	1911 - 1920
LUTON WARDOWN PK.	1920.
MILTON BRYANT MANOR GDNS	1911 - 1920

OLD WALDEN PARK	1911-1912, 1914-1915.
SANDY RECTORY	1911, 1913
SANDY BEESTON GRANGE	1911 - 1920
SHARNBROOK COLWORTH GDNS	1911 - 1920.
SHARNBROOK	1916, 1918.
SHEFFORD	1911 - 1920
SHILLINGTON	1911 - 1920
STONDON MANOR	1911 - 1920
WOBURN	1911 - 1920
WOBURN FRUIT FARM	1911 - 1920
WRESTLING WORTH	1911.

ARLESEY
THREE COUNTIES MENTAL
HOSPITAL
BEDFORDSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

REGIS

Kept at Three Count
in the County of ~~Herts~~ Bed
by L. O. Fuller

in.
nd 1 ft. in.
evel 220 ft.
n Three Counties
ce 1 mile Direction S.W.

IMPORTANT NOTE.—Ra … result entered to the previous day. If an Observer … rule, he is earnestly requested to add the reading at … the space provided for it at the end of this parag… of rain, the selection and placing of … Rainfall Organization are given in "Rule… sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·01	·14	—	—	—	·13	—	—	—	—	1
2	·04	—	—	·20	·05	—	—	·02	—	—	·09	·05	2
3	·[illegible]	·02	—	·01	·08	—	—	·01	—	—	·02	·06	3
4	·06	·03	·03	·30	—	—	—	—	—	·06	·08	·27	4
5	·01	·01	—	·05	—	—	—	·05	—	·03	·01	·20	5
6	·18	—	·02	·01	—	—	—	—	—	—	—	·35	6
7	·01	—	—	—	—	—	—	—	—	·16	·28	·20	7
8	·14	—	·13	—	—	—	—	—	—	·02	·04	·13	8
9	·14	—	·01	·01	—	—	—	—	—	—	—	—	9
10	·01	·08	·03	·03	—	—	—	—	—	—	·11	·32	10
11	·24	—	·01	—	·12	·05	—	—	—	—	·38	·01	11
12	·08	—	·38	—	—	—	—	—	·03	·94	·22	—	12
13	—	—	·11	—	·67	—	—	—	·19	·11	·01	·29	13
14	—	·01	·06	—	·38	—	—	—	—	—	—	·38	14
15	—	·02	·20	—	—	—	—	—	—	·03	·08	·01	15
16	—	—	·09	—	—	·06	—	—	—	·02	·22	·03	16
17	—	—	·01	—	—	·02	—	—	—	—	·04	·13	17
18	—	·22	—	—	—	·04	—	—	—	—	·35	07	18
19	—	—	—	—	—	·22	—	—	·08	·03	·30	·04	19
20	·03	·01	·01	—	—	—	—	·58	·18	·01	—	·50	20
21	·01	·08	—	—	—	—	—	·45	—	·33	—	·10	21
22	·02	—	·28	—	—	·06	—	·01	—	·06	—	·44	22
23	—	·13	·27	—	—	·97	·01	·01	·21	—	—	·10	23
24	—	·03	·02	—	—	·10	—	·01	—	·28	—	·19	24
25	—	·13	·03	·01	—	·20	·04	·18	—	—	—	—	25
26	—	—	—	·08	—	·08	—	·01	—	·11	·06	·10	26
27	—	·18	·05	·03	—	—	·08	—	·14	—	—	·03	27
28	—	·16	—	·17	—	—	·01	·08	—	—	03	·02	28
29	—	—	·01	—	—	·12	·14	—	·20	·11	—	—	29
30	—		01	04	—	—	—	—	·02	·14	—	·01	30
31	—		—		·35		—	—		—		·01	31
Total	·99	1·11	1·77	1·08	1·65	1·92	·28	1·54	1·05	2.44	2·32	4.04	TOTAL for year 20·19
No. of Rain Days.	14	14	21	13	6	11	5	12	8	16	17	26	162

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

REGIS

Kept at Three Counties asylum.

in the County of ~~Herts~~ Beds. 3

by L. O. Fuller

RAIN GAUGE	Diameter in.
	Height of top above Ground 1 ft. in.
	" " " Sea Level 220 ft.

Time of Observation 9 a.m

Nearest Railway Station { Name Three Counties
Distance 1 mile Direction S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	–	·01	·14	–	–	–	·13	–	–	–	–	1
2	·04	–	–	·20	·05	–	–	·02	–	–	·09	·05	2
3	[illegible]	·02	–	·01	·08	–	–	·01	–	–	·02	·06	3
4	·06	·03	·03	·30	–	–	–	–	–	·06	·08	·27	4
5	·01	·01	–	·05	–	–	–	·05	–	·03	·01	·20	5
6	·18	–	·02	·01	–	–	–	–	–	–	–	·35	6
7	·01	–	–	–	–	–	–	–	–	·16	·28	·20	7
8	·14	–	·13	–	–	–	–	–	–	·02	·04	·13	8
9	·14	–	·01	·01	–	–	–	–	–	–	–	–	9
10	·01	·08	·03	·03	–	–	–	–	–	–	·11	·32	10
11	·24	–	·01	–	·12	·05	–	–	–	–	·38	·01	11
12	·08	–	·38	–	–	–	–	–	·03	·94	·22	–	12
13	–	–	·11	–	·67	–	–	–	·19	·11	·01	·29	13
14	–	·01	·06	–	·38	–	–	–	–	–	–	·38	14
15	–	·02	·20	–	–	–	–	–	–	·03	·08	·01	15
16	–	–	·09	–	–	·06	–	–	–	·02	·22	·03	16
17	–	–	·01	–	–	·02	–	–	–	–	·04	·13	17
18	–	·22	–	–	–	·04	–	–	–	–	·35	07	18
19	–	–	–	–	–	·22	–	–	·08	·03	·30	·04	19
20	·03	·01	·01	–	–	–	–	·58	·18	·01	–	·50	20
21	·01	·08	–	–	–	–	–	·45	–	·33	–	·10	21
22	·02	–	·28	–	–	·06	–	·01	–	·06	–	·44	22
23	–	·13	·27	–	–	·97	·01	·01	·21	–	–	·10	23
24	–	·03	·02	–	–	·10	–	·01	–	·28	–	·19	24
25	–	·13	·03	·01	–	·20	·04	·18	–	–	–	–	25
26	–	–	–	·08	–	·08	–	·01	–	·11	·06	·10	26
27	–	·18	·05	·03	–	–	·08	–	·14	–	–	·03	27
28	–	·16	–	·17	–	–	·01	·08	–	–	03	·02	28
29	–	–	·01	–	–	·12	·14	–	·20	·11	–	–	29
30	–		·01	04	–	–	–	–	·02	·14	–	·01	30
31	–		–		·35		–	–		–		·01	31
Total	·99	1·11	1·77	1·08	1·65	1·92	·28	1·54	1·05	2.44	2·32	4.04	TOTAL for year 20·19
No. of Rain Days.	14	14	21	13	6	11	5	12	8	16	17	26	163

W. 8,000, X. '11.

cod pr arith 11-11-13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

6 JAN 1913

Kept at Three Counties Asylum

in the County of Bedford. 3

by L. O. Fuller

RAIN GAUGE
Pattern
Diameter of top 9 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 220 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Three Counties
Distance 1 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·01	–	–	–	·07	–	·12	·32	–	·14	1
2	–	·02	·02	05	–	·16	·53	–	·02	–	–	·01	2
3	·08	·12	–	–	·28	·12	·01	·15	·01	–	–	·05	3
4	·09	–	·50	–	·11	·35	–	·04	–	–	·22	–	4
5	·08	·06	·27	–	–	·01	–	·09	·05	–	·09	–	5
6	·24	·07	–	–	·01	·24	·13	·21	–	–	–	·03	6
7	·03	–	–	–	·02	·86	·01	·36	–	–	01	·01	7
8	·23	·21	·11	–	–	·01	–	·35	·12	–	–	·01	8
9	·03	·04	–	05	–	·15	–	–	–	–	–	·13	9
10	–	·01	08	–	–	–	–	·33	·17	–	·10	05	10
11	·13	·06	–	–	–	·02	–	–	·05	–	·01	09	11
12	·11	·12	05	–	·02	·11	·03	·05	–	–	·05	–	12
13	·01	·01	–	–	–	·06	·02	·28	–	–	·16	–	13
14	·02	–	·01	–	05	·01	–	·02	–	·01	·01	–	14
15	–	·02	·16	–	17	13	–	·01	–	–	·01	·10	15
16	·27	–	·01	–	08	09	–	·02	–	·01	·07	–	16
17	·18	–	·15	–	–	06	–	·04	–	–	–	·01	17
18	·19	–	·14	–	–	–	–	·23	–	·01	·03	·10	18
19	·13	·10	·14	–	–	04	·45	·75	–	–	·01	–	19
20	02	–	·09	–	·01	–	·03	·12	–	·22	–	–	20
21	01	01	·48	–	·34	–	–	·45	–	·25	05	–	21
22	61	05	02	–	·04	–	·05	·15	–	·03	–	·01	22
23	45	38	21	–	·01	–	1·26	·41	·01	·01	·20	·09	23
24	·18	–	–	–	–	–	·23	·21	–	–	·01	·08	24
25	–	–	–	–	–	·08	–	·50	–	–	·24	·22	25
26	–	·01	–	–	–	·01	·29	·62	–	·26	·22	·35	26
27	–	–	–	–	–	·02	·05	·01	–	·14	–	·11	27
28	–	01	–	–	–	·01	·03	·02	·04	21	24	·37	28
29	–	02	02	–	–	·25	·25	·31	·89	·19	01	–	29
30	02		–	–	21	·10	–	·01	·60	·08	–	–	30
31	–		04		01		·15	·27		·01		·01	31
Total	3·11	1·32	2·51	·10	1·36	2·89	3·59	6·01	2·08	1·75	1·74	1·97	TOTAL for year 2843 28·43
No. of Rain Days.	21	18	19	2	14	22	17	27	11	15	19	20	204

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

REGISTER OF RAINFALL IN 1913

3

Kept at Three Counties Asylum

in the County of Bedford.

by L. O. Miller.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Three Counties

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·12	·07	·15	–	–	–	–	·54	–	·05	·04	1
2	·01	·75	–	·01	·05	–	·15	–	·07	·15	·01	–	2
3	–	·72	·11	·04	·65	–	–	–	·01	–	–	·02	3
4	·10	·72	·01	–	·04	–	·06	–	–	·17	·01	·18	4
5	·07	·78	–	–	–	·01	·07	–	–	·07	·01	·18	5
6	–	–	·11	–	·09	·16	·14	–	01	·11	–	–	6
7	–	·01	–	–	·06	–	–	·01	–	·61	·03	–	7
8	–	·09	·01	·01	·15	·02	–	–	–	·15	·03	–	8
9	–	·44	·02	·03	·02	·13	–	–	·11	–	·01	·04	9
10	–	·21	·02	·10	–	–	·25	·01	–	–	·36	–	10
11	·70	–	–	·40	·05	–	–	–	–	·18	·24	–	11
12	–	–	–	–	·06	–	–	·01	–	–	·20	–	12
13	–	–	–	–	–	–	–	·03	·03	–	·40	–	13
14	·04	·01	·12	·01	–	–	·61	·02	–	17	·05	–	14
15	·06	·03	·21	·19	–	–	04	–	·02	–	–	–	15
16	·04	–	·25	·11	–	–	–	–	·02	–	01	–	16
17	·03	·02	·05	·08	–	·20	·07	–	·01	–	01	·04	17
18	·01	·02	·09	·10	–	–	–	–	–	–	–	–	18
19	·22	·4	·08	–	–	–	·15	–	·49	–	–	·06	19
20	·03	–	·06	–	–	–	–	–	·01	·19	–	–	20
21	·02	–	·09	·06	·07	–	·01	–	–	09	·21	–	21
22	29	–	·22	·17	–	–	·01	·07	·12	–	–	–	22
23	–	·36	–	–	–	·05	·01	·04	·02	–	–	·06	23
24	·01	–	–	·01	–	·01	–	·04	–	–	·01	–	24
25	–	·02	–	·11	–	·05	·01	–	–	–	–	·01	25
26	–	·03	·24	·07	–	–	–	·11	–	·56	·01	·13	26
27	–	–	·02	·04	–	–	–	–	–	·02	–	–	27
28	·14	·03	·17	·07	–	–	–	–	–	·08	–	·03	28
29	·03	·04	09	·46	·25	–	–	·09	–	·02	–	·04	29
30	·17	0	–	·01	–	–	–	09	–	·18	·19	·01	30
31	–		–		–		–	43		·01		–	31
Total	2·00	·69	2·04	2.23	1.49	·63	1.58	·95	1·46	2.76	1·84	·84	YEAR'S TOTAL 18·51
Rain Days.	18	10	20	21	11	8	13	12	13	16	18	13	173

W. 7,500, XI. 12

ExLMCC.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Three Counties Asylum

in the County of Bedford 3

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Three Counties

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	1.42	·37	–	–	05	·01	1
2	–	–	·02	·04	–	–	·03	·04	–	–	04	12	2
3	·01	–	·03	–	·12	–	·55	·17	–	–	16	–	3
4	·18	–	–	·13	·01	–	–	09	–	–	37	25	4
5	·01	–	·05	23	·01	·07	·53	29	–	–	–	–	5
6	–	·04	–	–	·01	·08	·13	03	–	–	18	06	6
7	–	11	·18	09	·17	–	·05	–	–	–	–	·33	7
8	·08	·08	·45	05	·03	·70	·01	07	–	–	–	–	8
9	·25	–	·48	07	·01	·55	–	–	·05	–	–	·77	9
10	·11	·15	·01	10	·08	–	–	–	·09	–	–	–	10
11	–	·08	·27	01	·09	·37	–	–	·04	–	30	·24	11
12	·02	·01	·08	–	–	–	–	–	·44	·01	–	·38	12
13	·01	·21	·13	–	–	–	–	–	·07	·20	·04	·18	13
14	–	·01	·21	–	–	–	02	–	–	·40	·09	·59	14
15	·09	·02	·18	–	–	–	–	01	–	·01	·07	·07	15
16	01	–	04	–	–	–	–	–	–	–	·04	–	16
17	–	·28	02	–	–	–	–	–	03	·01	–	·10	17
18	–	·01	05	–	–	–	–	–	–	–	–	·41	18
19	–	·03	12	–	–	–	01	–	01	–	·20	·04	19
20	–	·17	30	–	–	–	02	–	–	–	–	·04	20
21	–	·40	08	–	–	·14	–	–	–	·01	–	·10	21
22	–	·02	07	01	·20	·02	04	03	–	·38	–	–	22
23	–	·03	03	–	·08	–	–	–	–	·18	–	·02	23
24	·01	–	08	02	–	–	06	–	–	·18	·11	–	24
25	·01	–	10	–	–	–	–	0.6	–	·20	–	·07	25
26	–	–	01	–	–	–	–	04	–	·02	·07	·36	26
27	·03	–	–	–	–	–	–	01	–	–	–	·15	27
28	–	·03	–	–	·04	–	02	–	–	08	·45	1·52	28
29	–		04	–	–	–	–	–	–	31	·07	–	29
30	–	X	04	–	–	–	–	–	–	04	·30	·30	30
31	–	X	–	X	·16	X	02	–	X	–	X	·03	31
Total	·82	1.68	3·07	·75	1.01	1·93	2.91	1·21	·73	2.03	2.54	6·14	YEAR'S TOTAL 24·82
Rain Days.	13	17	25	10	13	7	14	12	7	14	16	23	171

W. 8,000. X. 14.

[illegible]

1269

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
7 JAN 1916

Kept at Three Counties Asylum.
in the County of Bedford. 3
by Dr. L. C. Fuller

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Three Counties.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·05	·08	–	·07	–	–	–	·05	·01	·05	·21	1
2	·19	·10	·16	·06	–	·03	–	·35	·01	·02	·02	·04	2
3	·30	–	·01	·17	–	–	·04	·12	·03	–	–	·23	3
4	·08	–	–	–	–	–	–	·05	–	–	·01	·43	4
5	·01	·39	–	–	–	–	–	·01	–	–	–	·19	5
6	·17	·03	–	·15	–	–	1·05	–	–	–	–	·02	6
7	·05	·25	·06	–	–	–	·30	·05	–	–	–	·13	7
8	–	·32	–	·01	–	–	·03	–	–	–	–	–	8
9	–	·01	·01	·01	–	·06	–	·01	–	–	·16	·47	9
10	·15	–	·05	–	–	–	–	·12	–	–	·02	·05	10
11	·02	–	·03	–	·01	–	–	–	–	–	·74	·01	11
12	·05	–	·01	·29	·27	–	–	·37	–	·02	·71	·04	12
13	·02	·38	–	–	1·23	–	–	–	–	–	–	–	13
14	–	·03	–	–	–	–	·25	·05	·05	–	–	·24	14
15	·13	–	–	–	·03	–	–	·10	–	–	·12	·09	15
16	–	·20	–	–	–	–	·41	·14	–	·01	–	·06	16
17	–	·21	–	–	·15	–	·18	–	–	–	–	–	17
18	–	·07	·20	–	–	–	–	–	–	–	·10	–	18
19	–	–	·13	–	–	–	·14	–	–	–	–	–	19
20	·22	–	–	·07	–	–	–	–	–	–	–	·29	20
21	·13	–	–	–	·01	–	·01	–	–	–	–	·05	21
22	·81	–	·47	01	–	–	·47	–	–	–	–	·12	22
23	·01	·25	·45	–	–	·05	·29	–	·14	·17	–	·17	23
24	–	·02	·28	–	–	·07	·11	–	·21	·02	–	·06	24
25	–	–	·01	02	–	·07	·02	–	–	–	–	·21	25
26	–	·06	–	–	–	–	·08	–	–	–	–	·18	26
27	–	·05	·02	–	–	·14	·10	–	·01	·38	–	·05	27
28	–	·19	01	–	–	–	–	–	·80	·05	–	–	28
29	–		–	–	–	·16	·03	·17	–	–	·06	·09	29
30	·02		–	–	–	·38	01	–	–	–	·01	·01	30
31	·01		–		–		–	·02		·37		·13	31
Total	2.76	2.61	1·98	·79	1·77	·96	3.52	1·56	1.30	1.05	2.00	3.57	YEAR'S TOTAL in 23.87
Rain Days.	18	17	16	9	7	8	17	13	8	9	11	25	158

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

16. JAN. 1917

Kept at Three Counties Asylum.
in the County of Bedford.
by Dr L. O. Fuller

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Three Counties
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	–	.05	–	.06	–	–	–	–	–	.20	–	1
2	.26	.02	.12	–	.20	–	–	–	.12	.36	.02	–	2
3	–	.38	.03	–	–	–	–	–	.20	.18	.07	–	3
4	.17	.09	.01	–	.01	.18	–	–	–	.18	.26	–	4
5	.02	–	.01	.04	.04	.17	–	–	–	.03	.35	01	5
6	–	03	.24	.25	–	.15	.04	–	–	.02	.38	–	6
7	.08	–	.42	–	.06	.08	.25	–	–	.13	.28	.04	7
8	–	–	.06	–	.23	.02	–	–	–	–	–	.19	8
9	–	–	.03	–	.16	–	–	–	–	.01	–	.05	9
10	.01	.07	.12	.07	–	.22	.03	–	–	.01	–	.01	10
11	.05	.18	.13	.09	.04	.12	–	–	–	–	–	.06	11
12	.02	.05	.01	.02	.45	.20	.09	.02	.02	.17	–	–	12
13	.01	.41	.22	.08	.14	.12	.20	.06	–	.01	–	–	13
14	–	.20	–	.05	.02	–	–	.01	–	.02	–	.06	14
15	–	.35	.36	.04	–	–	.03	.04	–	–	–	.02	15
16	–	.10	.15	.20	.05	–	.13	.12	–	.02	–	–	16
17	.05	.05	–	.18	–	–	.05	.50	.19	.22	–	–	17
18	.01	.08	.06	.13	–	–	–	.12	.11	–	.50	–	18
19	.01	.02	.20	.03	–	–	–	.10	.38	–	.70	.07	19
20	.15	–	.35	.03	–	–	–	.02	–	–	.05	.32	20
21	–	–	.80	–	–	–	.47	–	–	–	–	.59	21
22	–	.10	.01	–	.16	–	–	–	–	.02	–	45	22
23	–	.67	–	–	–	.08	–	.02	–	–	03	11	23
24	–	.20	.03	–	–	.29	–	–	–	.05	02	30	24
25	–	27	.12	–	.03	–	–	.16	–	.15	05	11	25
26	–	20	.01	–	–	.08	–	.03	–	.03	02	–	26
27	.07	12	.95	–	–	.79	–	.05	05	.06	–	–	27
28	–	31	.34	–	–	.21	–	–	02	.02	–	.14	28
29	–	12	–	–	–	.08	–	.95	–	.24	–	.06	29
30	–	╳	–	–	–	–	–	.27	–	.29	–	–	30
31	–	╳	–	╳	–	╳	–	.01	╳	.09	╳	02	31
Total	.94	4.02	4.83	1.21	1.65	2.79	1.29	2.48	1.09	2.31	2.93	2.61	YEAR'S TOTAL 28.15
Rain Days.	14	22	25	13	14	15	9	16	8	22	14	18	190

W. 8,000, VIII. 16

1202

BRITISH RAINFALL.
FORMS
7 JAN 1918

corr for auth

REGISTER OF RAINFALL IN 1917

Kept at *Three Counties asylum*

in the County of *Bedford.*

by *L. O. Fuller.*

Lat. Long.

Time of Observation *9 a.m.*

Nearest Railway Station *Three Counties G.N.*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *-* in.

" " " " Sea Level *220* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·04	-	·14	-	-	-	1·17	·06	-	·26	-	1
2	02	·03	-	·20	-	·02	-	·11	-	-	·04	-	2
3	-	-	-	·01	-	-	-	·49	-	·41	·10	-	3
4	-	·15	·02	-	-	-	-	·08	-	·64	-	-	4
5	·10	-	·03	·25	-	-	-	·11	·23	·07	·05	-	5
6	-	-	-	-	-	·07	-	-	·02	-	·03	-	6
7	·19	-	·02	-	-	·05	·27	-	-	·44	-	-	7
8	·26	-	-	·04	-	-	1·75	·79	-	·17	·06	·03	8
9	·04	-	·06	·08	-	-	·18	·40	·03	-	·08	·10	9
10	·29	-	·09	·14	-	-	-	09	-	-	·01	-	10
11	·09	-	·35	·13	-	-	-	-	-	·22	-	-	11
12	·08	-	·01	-	·02	-	-	·11	-	·18	-	-	12
13	·14	-	-	-	-	-	-	·09	01	·08	-	-	13
14	·04	-	-	·09	·02	-	-	·11	-	-	-	-	14
15	·06	-	-	-	·01	-	-	·03	-	·01	-	-	15
16	·08	·12	-	·10	-	·50	·03	-	-	·60	-	·06	16
17	·02	-	-	·14	·80	-	·21	-	·30	·50	-	-	17
18	·05	-	-	·16	·02	·10	·40	06	·53	-	-	-	18
19	·01	·10	·06	·01	·08	·05	-	-	·22	-	-	-	19
20	02	·13	·13	-	1·37	-	-	-	-	-	·10	-	20
21	-	·03	·03	·01	·01	-	-	-	-	-	·02	-	21
22	-	-	·07	-	-	·01	-	·03	-	·17	-	-	22
23	-	·10	-	-	·08	-	-	·11	-	·07	-	·03	23
24	-	·02	-	-	-	16	-	·06	-	·06	·04	-	24
25	-	·02	·07	-	-	-	-	-	-	-	·06	-	25
26	-	-	·09	-	-	·01	-	·29	·04	-	·23	·01	26
27	-	-	·01	-	-	·10	-	·54	-	-	-	·03	27
28	-	02	·02	-	-	·75	-	·04	-	-	·01	·05	28
29	-	-	-	-	-	1·21	·59	·04	-	·25	-	·18	29
30	·04	X	-	-	-	-	1·07	·13	-	-	-	·02	30
31	·02	X	·33	X	-	X	·46	·05	X	·01	X	·02	31
Total	1·55	·76	1·39	1·50	2·41	3·03	4·96	4·93	1·44	3.88	1·09	·53	YEAR'S TOTAL 27·47 27·47
Rain Days.	18	11	16	14	9	12	9	22	9	16	14	10	160.

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL
7.1.19

REGISTER OF RAINFALL IN 1918

Kept at Three Counties asylum
in the County of Bedford
by J. R Woodhouse

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Three Counties
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	·01	—	—	—	—	—	·01	·12	·06	1
2	·02	·09	·06	·19	·37	—	—	·06	—	·01	·03	·08	2
3	—	·02	·05	—	—	—	—	·08	·10	—	·59	·03	3
4	—	·02	—	—	·22	—	—	·02	·40	—	·28	—	4
5	—	·01	—	—	·01	—	—	·06	·22	·02	—	—	5
6	·07	·05	·01	·17	·04	—	—	·01	—	—	—	·02	6
7	·08	·06	—	·04	—	·02	—	—	·01	·05	·09	—	7
8	—	·02	—	—	—	—	—	—	·31	—	·15	—	8
9	·07	·02	—	·01	—	—	·15	—	·33	·07	—	·04	9
10	·05	—	—	·03	·01	—	·20	—	·15	—	·02	·11	10
11	—	—	—	·02	·21	—	·5	—	·04	·48	—	·03	11
12	02	·08	—	—	·31	—	·13	—	·11	—	—	·01	12
13	—	—	—	—	—	—	—	—	·03	—	—	·10	13
14	·17	—	—	·01	—	·16	·05	—	·25	·12	—	·11	14
15	·60	—	—	1·26	—	·02	·20	—	·11	—	—	·10	15
16	·30	—	—	·67	·09	·09	—	·01	·65	—	—	—	16
17	35	—	—	·16	—	—	·35	—	·01	—	—	·07	17
18	34	—	—	—	—	·09	·15	—	·27	—	—	·23	18
19	01	·02	·07	·26	—	·04	·16	—	—	·08	—	·12	19
20	01	·03	—	·39	—	·03	02	—	·05	·12	·05	·03	20
21	04	—	—	·21	·05	—	—	—	·70	·05	—	—	21
22	03	—	—	—	·57	—	·03	—	·07	—	—	·21	22
23	01	—	—	—	·05	·02	·20	·03	·09	—	02	·03	23
24	—	·15	—	—	—	·15	—	—	·05	—	05	—	24
25	—	—	—	—	—	—	·02	·19	—	—	09	—	25
26	—	01	—	—	—	—	·10	·09	—	—	14	·07	26
27	—	—	—	·11	—	—	·13	·17	·05	—	11	·02	27
28	—	·06	08	·07	—	—	—	·01	—	—	30	·07	28
29	—	X	—	—	—	—	—	—	1·34	—	02	—	29
30	—	X	·28	—	—	—	—	—	03	—	08	08	30
31	—	X	·10	X	—	X	—	—	X	04	X	01	31
Total	2.17	·64	·66	3.61	1.95	·42	1.94	·73	5.37	1·05	2.14	1·63	YEAR'S TOTAL 22·51
Rain Days.	16	14	8	16	11	9	15	11	23	11	16	22	172

W, 6,500, VII. 18. W W C.

1133

for RR

6 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 19[illegible].

Kept at Three Counties Asylum
in the County of Bedford
by C D Hunter acting Med Supt.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Three Counties
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·03	—	—	·06	·43	·25	—	—	·04	·01	1.20	1
2	·16	—	·01	—	·08	—	·36	—	·36	—	·18	·53	2
3	·39	—	·28	—	—	—	·07	—	·05	—	·13	·15	3
4	·09	—	·23	—	—	07	·33	·04	·01	—	—	·16	4
5	·09	·24	·37	—	—	—	·34	·01	·28	—	—	·15	5
6	·01	—	·05	—	·22	—	—	—	—	·02	·05	·05	6
7	·02	—	·25	—	—	—	—	—	—	—	·09	—	7
8	·13	—	·04	·09	—	—	—	—	—	—	·01	—	8
9	—	—	·04	·06	—	—	—	—	—	—	·04	·01	9
10	·01	—	·27	·04	—	—	—	—	—	—	·05	·03	10
11	·04	—	·06	·13	—	—	·49	—	—	—	—	—	11
12	—	—	·28	·02	—	·07	·15	—	—	·06	·16	·01	12
13	·06	—	—	·22	—	—	—	—	·02	·04	·03	—	13
14	·17	—	—	·20	—	—	·02	—	·12	—	—	·29	14
15	·30	·02	·12	·14	—	—	—	—	—	·06	—	·08	15
16	·01	58	—	·04	—	—	—	—	—	—	·16	·03	16
17	—	52	—	—	—	—	—	—	—	—	·18	·05	17
18	—	21	·04	—	—	—	—	·15	·03	—	—	05	18
19	—	10	·41	—	—	·20	·13	·31	·12	—	·03	·01	19
20	·17	03	·04	—	—	·75	·37	·37	—	—	·02	·07	20
21	·43	28	·02	—	—	—	·50	—	—	—	·01	·30	21
22	—	20	—	—	—	—	·16	—	·05	—	·02	·14	22
23	—	—	—	—	—	·04	·02	·01	·07	—	·01	·01	23
24	—	—	—	·30	—	·02	·06	—	—	06	·02	·01	24
25	·10	—	—	—	01	·02	—	·09	—	—	—	·27	25
26	·20	·21	·10	·02	—	—	·03	·12	05	—	—	·04	26
27	·85	·09	·02	1·21	—	—	—	·18	—	—	·04	·21	27
28	—	—	·03	·05	—	—	—	·75	—	·02	·12	·05	28
29	·06		—	·03	—	·01	—	·18	—	·25	—	·21	29
30	—		04	·29	—	·18	—	·09	—	07	·22	—	30
31	·02		—		—		—	—		02		—	31
TOTAL	3.58	2.51	2.70	2.84	·37	1·79	3.28	2.30	1.16	·64	1.58	4.01	YEAR'S TOTAL 26·76
Days with ·01 in. or more	21	12	20	15	4	10	15	12	11	10	21	25	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1074

4 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Three Counties Mental Hospital

in the County of Bedford.

by L. O. Fuller

MEDICAL SUPERINTENDENT,
THREE COUNTIES MENTAL HOSPITAL,
ARLESEY, BEDS.

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Three Counties G.N.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ..... ft. 9 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·55	·09	–	·12	·09	–	·72	·06	·11	1
2	–	–	–	·07	·01	–	·01	11	·06	·09	–	·05	2
3	–	·04	–	·05	–	·02	·04	–	·07	·03	–	–	3
4	–	–	–	·11	–	–	–	·11	–	·09	–	·03	4
5	–	–	·05	–	·03	–	·68	01	·07	–	–	–	5
6	–	–	·12	–	·08	–	·58	–	–	–	–	–	6
7	–	–	·09	·07	·01	–	·09	–	–	–	–	·06	7
8	·30	–	–	·33	–	–	·03	–	–	–	–	–	8
9	·27	–	–	·29	–	–	–	·03	–	–	–	–	9
10	·11	·03	·10	–	–	–	·05	–	–	–	–	·02	10
11	·40	–	·02	·21	·06	–	·03	–	–	–	–	–	11
12	·03	–	·06	·07	–	·17	–	–	–	–	·01	·04	12
13	–	·03	·06	·16	–	·03	–	–	–	–	·02	·03	13
14	·01	·01	·16	·15	–	·03	·06	–	·09	·16	·19	·02	14
15	–	01	·26	·04	–	–	–	–	·02	–	·06	–	15
16	–	–	–	·02	–	–	–	–	·15	·03	–	–	16
17	·01	–	01	–	·07	·12	·02	–	·39	·02	–	·03	17
18	·09	–	–	–	·01	–	–	·20	·05	–	–	·04	18
19	·11	01	–	·13	–	·01	–	·15	–	–	–	·01	19
20	·07	15	–	·22	–	·48	–	–	[illegible]	–	–	–	20
21	–	–	–	·05	–	–	·32	·10	28	–	–	·04	21
22	–	–	–	·07	–	–	–	–	27	–	–	·24	22
23	–	–	–	–	–	–	·31	–	–	–	–	·25	23
24	·02	–	·12	–	–	–	–	–	–	–	–	·02	24
25	–	08	·04	–	–	–	·21	–	–	–	–	–	25
26	·10	–	·07	01	·10	–	·07	–	–	–	–	·01	26
27	·19	–	·01	20	–	23	·06	–	–	01	·60	·06	27
28	·40	–	·10	–	·20	–	·01	–	–	–	·02	·01	28
29	·04	–	·08	–	–	–	·04	–	–	–	·06	·24	29
30	02		·01	–	–	04	·18	–	·15	–	·13	·10	30
31	01		–		·02		–	–		·27		·11	31
TOTAL	2.18	·36	1·36	2.80	·68	1.13	2.91	·80	1.60	1.42	1.15	1.42	YEAR'S TOTAL 17.81 ✓
Days with ·01 in. or more	17	8	17	19	11	9	19	8	11	9	9	21	158 ✓
Days with ·04 in. or more	11	3	13	17	6	5	14	6	10	5	6	12	108 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BARFORD GT
BEDFORDSHIRE
1911 - 1920

R 11

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at GREAT B
in the County of BE
by J. Arnold T

owdon
5 in.
ove Ground 1 ft. in.
,, Sea Level 120 ft.
7a.m
Name Blunham
Distance 2¼ Direction SSE

IMPORTANT NO nd the result entered to the previous day. If an O niversal rule, he is earnestly requested to add the re year in the space provided for it at the end of th rement of rain, the selection and plac British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·13			·02	·02		·07	·01	·01	1
2				·06	·04			·04			·10	·05	2
3		·02			·13	·13					·02	·11	3
4	·03	·08	·08	·04					·02		·11	·40	4
5	·02			·01				·13				·03	5
6	28		·02									·12	6
7											·23	·18	7
8	·05		·11	·04							·11	·14	8
9	·20											·04	9
10		·10									·13	·13	10
11	·21										·44		11
12	·01		·30						·03	·19	·25		12
13			·14		·61				·27	·03		·48	13
14		·02								·01			14
15		·01	·12							·01	·10	·21	15
16			·03			·03				·01	·26	·12	16
17			·05			·07					·08	·09	17
18		·23				·04					·25	·08	18
19		·02				·24	·02		·22	·05	·26	·01	19
20								·14		·04		·40	20
21		·05		·02				·60	·20	·06		·36	21
22			·23			·03				·18		·23	22
23		·07	·27			·82	·19					·01	23
24		·03				·37		·01	·26	·28		·08	24
25			·06	·05	·14	·13		·03				·04	25
26				·23		·08				·11	·01	·22	26
27		·20	·19	·04				·04		·02		·05	27
28		·16		·34			·07	·17	·14	·01	·13	·05	28
29				·08		·39	·10	·01	·16	·06			29
30						·06				·17		·02	30
31					·06					·04			31
Total	·80	·99	1·60	1·04	·98	2·39	·40	1·19	1·30	1·34	2·49	3·66	TOTAL (for year) 18·18
No. of Rain Days.	7	12	12	11	5	12	5	10	8	17	16	26	141

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at GREAT BARFORD HOUSE

in the County of BEDFORD 3

by J. Arnold Whitchurch

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 120 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Blunham
Distance 2¼ Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·13			·02	·02		·07	·01	·01	1
2				·06	·04			·04			·10	·05	2
3		·02			·13	·13					·02	·11	3
4	·03	·08	·08	·04					·02		·11	·40	4
5	·02			·01				·13				·03	5
6	28		·02									·12	6
7											·23	·18	7
8	·05		·11	·04							·11	·14	8
9	·20											·04	9
10		·10									·13	·13	10
11	·21										·44		11
12	·01		·30						·03	·19	·25		12
13			·14		·61				·27	·03		·48	13
14		·02								·01			14
15		·01	·12							·01	·10	·21	15
16			·03			·03				·01	·26	·12	16
17			·05			·07					·08	·09	17
18		·23				·04					·25	·08	18
19		·02				·24	·02		·22	·05	·26	·01	19
20								·14		·04		·40	20
21		·05		·02				·60	·20	·06		·36	21
22			·23			·03				·18		·23	22
23		·07	·27			·82	·19					·01	23
24		·03				·37		·01	·26	·28		·08	24
25			·06	·05	·14	·13		·03				·04	25
26				·23		·08				·11	·01	·22	26
27		·20	·19	·04				·04		·02		·05	27
28		·16		·34			·07	·17	·14	·01	·13	·05	28
29				·08		·39	·10	·01	·16	·06			29
30						·06				·17		·02	30
31					·06					·04			31
Total	·80	·99	1·60	1·04	·98	2·39	·40	1·19	1·30	1·34	2·49	3·66	18·18
No. of Rain Days.	7	12	12	11	5	12	5	10	8	17	16	26	141

W. 8,000, X. '11.

Ed Ds

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
2 JAN 19

Kept at GREAT BARFORD

in the County of BEDFORD 3

by J. Arnold Whitchurch

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station BLUNHAM (LNWR)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·		·02	·02		·17	·01		·06	·26		·07	1
2			·03	·05		·15	·35		·01			·05	2
3	·07				·19	·43	·04	·15	·01			·09	3
4	·07		·70		·10	·33		·29			·32		4
5	·15	·10	·15			·15		·11	·32		·03		5
6	·26	·06				·06		·52				·01	6
7		·04				·62		·07				·02	7
8	·26	·16	·02			·28		·11	·17			·03	8
9		·03	·01	·08		·32		·01				·14	9
10						·02		·17	·15		·10		10
11	·19							·08	·02		·02	·08	11
12	·16	·11	·07			·13				·06	·07		12
13		·02	·02				·04	·13			·12	·11	13
14					·15	·10		·08		·02	·01		14
15	·07	·04	·10		·42	·15		·03				·32	15
16	·30				·04	·03		·02			·04		16
17	·58		·12			·10		·08			·06	·14	17
18	·15		·20					·20			·01		18
19	·19		·08				·03	·42		·04	·02	·01	19
20	·02		·12	ABSOLUTE DROUGHT.			·05	·43		·29			20
21	·01		·18		·45			·92		·39	·02	·04	21
22	·55	·07					·61	·39		·04		·05	22
23	·20	·40	·29				·92	·32	·01		·20	·12	23
24	·35	·04				·02		·11				·21	24
25						·07	·15	·63			·29	·17	25
26		·05	·03				·27	1·01		·35	·10	·31	26
27							·08	·08		·24		·28	27
28			·01			·03		·07	·05	·16	·17	·57	28
29		·05				·10	·24	·11	·32	·23	·04	·02	29
30						·03	·	·	·60				30
31					·38		·26	·27		·03		·01	31
Total	3·58	1·17	2·15	·15	1·73	3·29	3·05	6·81	1·42	2·11	1·62	2·85	YEAR'S TOTAL 29·93
Rain Days.	17	13	17	3	7	20	13	27	11	12	17	22	179

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL

2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Great Barford
in the County of Bedford 3
by J. Arnold Whitchurch

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Blunham.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·16	·05	·13			·16		·75		·09	·09	1
2		·15			·04				·10				2
3	·03		·27		·76				·03	·04		·06	3
4	·15					·07				·02	·05	·30	4
5			~~·05~~			·05	·21		·02	·41	·05		5
6		·02			·15	·12	·15			·16			6
7		·09			·06					·72	·09		7
8			·05		·09					·08	·04		8
9		·05	·03			·16			·06		·07	·05	9
10			·02	·08	·02		·80	·04			·32		10
11	·84			·40	·04					·13	·27		11
12		·01			·19								12
13		·01						·04			·30		13
14	·02		·06	·03			·17	·02		·13	·04		14
15	·20	·03	·12	·17			·08		·02				15
16	·03		·46	·22									16
17	·08		·06	·12		·15			·03			·03	17
18	·03		·06	·06			·02		·05			·03	18
19	·15		·04						·26			·03	19
20	·13		·08							·25	·03		20
21	·03		·18		·06		·02			·06			21
22	·31		·07					·06					22
23							·01	·01	·14			·03	23
24	·03			·04				·01	·05				24
25				·14			·02				·01		25
26			·20	·08				·10		·49	·04	·14	26
27		·04	·09	·04	·47								27
28	·36		·16	·01								·01	28
29			·13	·59	·25						·02	·02	29
30	·28			·05				·12		·16	·10	·02	30
31					·01			·66					31
Total	2·70	·56	2·13	2·16	2·14	·55	1·64	1·06	1·51	2·65	1·52	·81	YEAR'S TOTA 19·43
Rain Days.	16	9	18	15	12	5	10	9	11	12	15	12	144.

W.7,000, XI. 13

Ex LMcC.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
6 - JAN 1915

Kept at GREAT BARFORD
in the County of BEDFORD 3
by J. Arnold Whitchurch

Lat. 52° 9′ Long. 0° 20′
Time of Observation 9 a.m
Nearest Railway Station Blunham [illegible]
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·05	·05			·11		1
2			·02	·02				·08		·02	·05	·12	2
3					·11		·36	·21			·32		3
4	·21		·05	·15								·20	4
5			·02	·13	·05	·06	·40	·17					5
6		·02	·08			·03	·14	·04			·12	·08	6
7		·06	·30	·01	·14	·14	·11	·02			·02	·14	7
8	·12	·07	·41	·02	·04	·53	·03	·08					8
9	·31		·25	·08	·02	·56			·05			·20	9
10	·17	·06	·02		·09							·02	10
11		·10	·25	·07		·32			·10		·30	·26	11
12		·04	·11				·05		·43		·06	·20	12
13		·19	·24							·18	·04	·24	13
14			·18							1·42	·08	·30	14
15	·02	·08	·30				·02	·02	·15			·14	15
16	·05		·05				·01		·10				16
17	·03	·23	·02						·04	·03		·10	17
18		·05	·02				·02					·38	18
19		·05	·13			·55	·01		·04		·15	·01	19
20		·08	·31										20
21		·31	·09			·14		·12		·02	·03	·16	21
22		·04			·11		·15	·07		·34			22
23		·02	·06		·08		·01			·10		·04	23
24	·09		·04	·03			·05			·41	·17		24
25		·02						·13		·38		·08	25
26			·04					·07		·03	·15	·38	26
27	·06	·07	·03									·04	27
28			·02		·06					·04	·31	1·22	28
29										·14			29
30	·02	╳	·02							·05	·20	·15	30
31		╳		╳	·13	╳	·05		╳		╳	·06	31
Total	1·08	1·49	3·06	·51	·83	2·33	1·46	1·06	·91	3·16	2·11	4·52	YEAR'S TOTAL 22·52
Rain Days.	10	17	25	8	10	8	15	12	7	13	15	22	162

W. 8,000. X. 14.

1281

Cop. pr ault. 1.3.16

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at G^T BARFORD

in the County of BEDFORD 3

by J. A. Whitchurch

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Blunham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·02	·11		·08		·04	·02	·16		·02		1
2	·09	·17	·20	·08		·03		·28	·03	·04	·04	·15	2
3	·25		·02	·21			·11	·17	·12			·20	3
4	·06						·56	·33				·49	4
5	·02							·18				·21	5
6	·23	·14	·03	·13			·77	·04				·11	6
7	·02	·22	·10		·07		·19	·09				·13	7
8		·24		·02				·04					8
9			·02			·06					·20	·56	9
10	·25		·06				·05	·07			·06		10
11	·05		·04		·09						·70	·06	11
12	·07			·23	·18			·04		·04	·82		12
13		·30			1·13								13
14							·04	·05	·07			·33	14
15	·08				·07		·08	·03			·24	·11	15
16		·20					·43	·25					16
17		·16	·02		·03		·16	·26					17
18		·05	·12								·05		18
19		·07	·03				·27			·02			19
20				·08								·31	20
21	·30						·16					·11	21
22	·58		·46				·54						22
23		·12	·28			·06	·46		·05	·20		·12	23
24						·07	·14		·40	·06		·20	24
25						·03	·40			·03		·26	25
26		·10					·17						26
27		·13				·24	·06			·41		·12	27
28		·06					·05		·48	·06		·05	28
29						·20		·09			·11	·15	29
30	·04	X				·54			·01	·05		·03	30
31	·02	X		X		X		·09	X	·04	X	·04	31
Total	2·41	1·98	1·49	·75	1·65	1·23	4·68	2·03	1·32 ~~1·42~~	·95	2·24	3·74	YEAR'S TOTAL 24·47 24·87
Rain Days.	15	14	13	6	7	8	19	16	8	10	9	20	145

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Great Barford House
in the County of Bedford
by J. Arnold Whitchurch

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station BLUNHAM
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13				·18	·04	·04				·26		1
2	·27				·21				·10	·31			2
3		·16				·02			·17	·16	·07		3
4	·28	·17				·06				·03	·15		4
5	·03		·04	·04		·03	·30				·30	·01	5
6		·06	·22	·24	·08		·31			·06			6
7	·06		·26		·09	·04	·15			·10	·38		7
8			·63		·26	·28						·24	8
9					·22	·13						·04	9
10		·07	·04			·25	·14	·12					10
11	·08	·15	·26	·12	·06	·16						·06	11
12		·02	·10	·04	·32	·18	·07	·06		·14			12
13	·01	·32	·23	·04	·10	·08	·42	·03		·15			13
14		·38		·02	·09			·10		·04			14
15		·05	·40		·04			·09					15
16	·04	·02	·24	·02	·09		·15						16
17	·08	·15		·28			·06	·23	·22	·33			17
18		·07	·07	·15				·73			·61		18
19	·01	·03	·22	·08					·13		·77	·05	19
20	·18		·20	·06							·12	·57	20
21			·70				·42					·30	21
22		·01	·02		·13					·03			22
23		·67				·18		·09			·02	·50	23
24		·04	·06	·02		·02		·18			·04	·31	24
25			·16		·04		[illegible]	·23		·04	·05		25
26	·03	·04	·09					·02					26
27	·01	·01	·71			·21		·06	·04	·17			27
28		·30	·68	·01		·11			·03	·03		·08	28
29		·12				·06		·61		·18			29
30		X			·12	·03		·15		·23			30
31		X		X		X			X	·06	X		31
Total	1·21	2·84	4·73	1·12	2·03	1·88	2·06	2·70	·69	2·06	2·77	2·10	YEAR'S TOTAL 26·19
Rain Days.	13	20	20	13	15	17	10	14	6	16	11	10	165

W. 8,000, VIII. 16

1211

FORM A.
BRITISH RAINFALL
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at GREAT BARFORD HOUSE
in the County of BEDFORD
by J. Arnold Whitchurch

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Blunham L N W R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·10				1·01	·10		·21	·01	1
2	·05	·02		·13		·11		·21			·11		2
3	·02							·13		·42	·12		3
4		·04	·01					·08		·15			4
5	·12		·02	·06					·14		·04		5
6						·10			·07	·18			6
7	·23		·01			× ·48				·42			7
8	·41			·06			·07	·41		·24	·05		8
9			·20	·09			·64	·13	·02	·02	·25	·03	9
10	·38	·01	·05	·12			·04	·08			·04		10
11		·03	·21	·29				·04		·21			11
12	·08		·05		·07			·27		·22			12
13	·06							·15	·04				13
14	·04		·01	·07				·30					14
15	·02			·01				·08				·02	15
16	·01			·13		⊕ ·73	·06			·76			16
17				·06	·64		·21	·03	·38	·40			17
18				·18	·08	·12	·18		·91	·02			18
19		·23	·11		·30				·19				19
20	·01	·18	·14		·63		·02						20
21				·03	·04						·12		21
22			·07						·03	·21	·02		22
23		·15						·20					23
24	·02	·01				·20		·03		·11	·07		24
25		·03				·02	·60				·08		25
26			·02					·34	·07		·14	·01	26
27			·03			·13		·35					27
28		·05	·12			·53		·02				·01	28
29			·06		·08	·61	·42	·15		·32		·24	29
30		X					·45	·10					30
31		X	·09	X		X	·28	·10	X		X	·04	31
Total	1·45	·75	1·20	1·33	1·84	3·03	2·97	4·21	1·95	368	1·25	·36	YEAR'S TOTAL 24·02
Rain Days.	13	10	16	13	7	10	11	21	10	14	12	7	144.

× June 7 - ·48 fell in 25 minutes

⊕ June 16 · ·73 in 2 hrs 6·45 - 8·45 p.m

W. 8,000, IX. 17.

Exd. E.F.E.

FORM A.
BRITISH RAINFALL.
3 1 1

REGISTER OF RAINFALL IN 1918

Kept at GREAT BARFORD
in the County of BEDFORD
by J. Arnold Whitchurch

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Blunham LNWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
				(1)·03									
1				(2)·21							·14	·20	1
2		·18						·08		·01	·35	·10	2
3		·04	·06		·46			·04	·23	·04	·39	·06	3
4		·02	·06		·14		·04		·47		·45		4
5		·02						·17	·24	·05			5
6		·09		·16									6
7	·03			·06	·08	·05							7
8									·13	·04	·20	·02	8
9	·04	·02		·01		·06	·15		·42	·13		·01	9
10				·01			·20		·11	·04		·08	10
11					·21		·12		·30	·05		·10	11
12		·04	·03		·09		·09		·06				12
13		·06			·18		·13		·03			·01	13
14	·22					·09	·21		·43	·28		·14	14
15	·72			1·02			·60		·04	·03		·02	15
16	·06			·77					·82	·03			16
17	·37			·10	·38		·95	·03				·20	17
18	·34					·03	·10		·16			·28	18
19	·02		·07	·09		·09	·07		·02	·05		·02	19
20		·05		·20		·05	·01		·09	·13			20
21				·31	·09	·01			·59	+·05		·09	21
22	·09	·01			·52		·07		·10			·31	22
23	·03						·12	·03	·10	·05		·09	23
24		·15				·05	·05		·07	·02	·06	·04	24
25						·07	·12	·21		·06	·14		25
26							·14	·07	·03		·10	·03	26
27				·08			·07	·20	·06			·12	27
28		·10	·07								·20	·05	28
29									1·23		·08		29
30		X	·38						·04			·05	30
31		X	·04	X		X			X	·12	X	·04	31
Total	1·92	·78	·71	3·05	2·15	·50	3·24	·83	5·77	1·18	2·11	2·06	YEAR'S TOTAL 24·30
Rain Days.	10	12	7	13	9	9	18	8	23	17	10	22	158

1144

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at GREAT BARFORD

in the County of BEDFORD

by J. Arnold Whitchurch

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Blunham LNWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·01	·04		·05		·04			·05		1·01	1
2	·14		·03		·02	·02	·10				·15	·22	2
3	·55		·06				·10		·26		·10	·14	3
4	·12		·44			·07	·04	·10			·03	·12	4
5	·04	·25	·27				·25		1·11			·15	5
6	·03		·06		·61					·02	[illegible]	·03	6
7	·01		·23								·01		7
8	·05		·06	·24							·01		8
9			·04	·06					·01				9
10			·26	·03							·08	·15	10
11	·11		·11	·06	·11		·52				·02		11
12			·26	·07			·11			·05			12
13	·15			·13					·01				13
14	·20			·18			·02		·26	·04			14
15	·10		·09	·12						·11	·01	·23	15
16	·08	·55		·03							·13	·06	16
17	·02	·46		·01							·23		17
18		·08	·09					·24			·06	·08	18
19	·04	·03	·98		*	·13	·26	·26	·11		·02		19
20	·37	·07	·07			·40	·29	·11	[illegible]			·22	20
21	·38	·47	·02				·42					·10	21
22		·11	·03				·10		·23		·04	·32	22
23				·04		·01	·05	·01		04 ·06			23
24				·29						·22			24
25	·07				·07	·02		·23		·02		·02	25
26	·14	·06	·09	·04				·02				·31	26
27	·44	·07	·01	·50				·15				·04	27
28				·02			·04	·83	·02			·21	28
29	·04			·05				·17		·08		·25	29
30		╳		·31		·30				·06	·10	·06	30
31	·04	╳		╳		╳			╳	·02	╳	·02	31
TOTAL	3·33 ✓	2·16 ✓	3·24 ✓	2·18 ✓	·86 ✓	·95 ✓	2·34 ✓	2·12 ✓	2·01 ✓	·73 ✓	·99 ✓	3·74 ✓	YEAR'S TOTAL 24·65 ✓
Days with ·01 in. or more	22 ✓	11 ✓	20 ✓	17 ✓	5 ✓	7 ✓	14 ✓	10 ✓	8 ✓	11 ✓	14 ✓	20 ✓	159 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1086

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192.........

Kept at GREAT BARFORD
in the County of BEDFORD
by J Arnold Whitchurch

Lat.............. Long..............
Time of Observation 9 a.m
Nearest Railway Station Blunham LNWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·15	·11		·24	·02	·02	·42	·02	·10	1
2			·01	+ ✓			·03	·14	·10	·09		·04	2
3				+			·23					·02	3
4		·03	·07	+ ✓			·26	·22	·04	·07		·05	4
5			·17		·20		·57	·04	·06			·04	5
6			·14	+	·02		·38						6
7		·02	·11	+ ✓	·02		·10					·02	7
8	·10			+ ✓ ·98			·08						8
9	·05			·10			·02	·07					9
10	·41	·01	·04	·15							·01		10
11	·11			·15								·03	11
12	·10		·06		·12							·18	12
13			·05	·15		·57			·23			·01	13
14		·01	·23	·30			·04		·02	·10	·14		14
15			·20	·15					·07	·01	·07		15
16				·03		·08			·22		·04		16
17			·02	·05	·13	·05	·04		·14			·13	17
18	·06				·03		·03	·18	·08			·06	18
19	·07	·03		·30				·02					19
20	·03	·15		·15		·53						·02	20
21	·04						·03	·18	·23				21
22				·25					·55				22
23		·01					·20					·36	23
24	·12		·04									·06	24
25				·04	·09	·02	·41						25
26	·17			·16	·31		·07						26
27	·11	·03				·31	·23				·46	·07	27
28	·44		·11		·27	·01	·48			·01	·02		28
29	·10		·14		·14		·07				·08	·41	29
30	·06	╳		·09	·04	·08	·11		·34		·15	·17	30
31	·07	╳	·05	╳		╳			╳	·24	╳	·08	31
													YEAR'S TOTAL
TOTAL	2·04	·29	1·44	3·20	1·48	1·65	3·16	·87	2·10	·94	·99	1·77	19·93
Days with ·01 in. or more	16	8	15	(21) ~~16~~	12	8	20	8	13	7	9	18	(155) ~~150~~
Days with ·04 in. or more	15	1	13	(18) ~~15~~	9	6	16	6	11	5	6	13	(119) ~~116~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

REGI

FORM A.
BRITISH RAINFALL.

18 FEB 1913

Kept at 58 Castle Ro

in the County of B

by Mary E Hew

5 in.

e Ground 7 ft. in.

Sea Level ft.

BEDFORD
CASTLE RD
BEDFORDSHIRE
1912, 16, 19

IMPORTANT NOTI the result entered to the previous day. If an Obs versal rule, he is earnestly requested to add the read ir in the space provided for it at the end of this ment of rain, the selection and placing ritish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.				ct.	Nov.	Dec.	Date
1													1
2													2
3								.23					3
4								.21					4
5								.10					5
6								.55					6
7								.06					7
8								.17					8
9								.01					9
10								.22					10
11								.36					11
12													12
13								.10					13
14								.04					14
15								.01					15
16								09					16
17													17
18								.03					18
19								.54					19
20								.44					20
21								.72					21
22								.40					22
23								.41					23
24								.14					24
25								.46					25
26								.86					26
27								01					27
28								06					28
29								.12					29
30								.04					30
31								.24					31
Total								6.62					YEAR'S TOTAL
Rain Days.								27					

W. 7,500, XI. 12

✓

REGI

FORM A.
BRITISH RAINFALL.

18 FEB 1913

Kept at 58 Castle Road Bedford

in the County of Bedfordshire 3

by Mary E Hewbery

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 7 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1													1
2													2
3								.23					3
4								.21					4
5								.10					5
6								.55					6
7								.06					7
8								.17					8
9								.01					9
10								.22					10
11								.36					11
12													12
13								.10					13
14								.04					14
15								.01					15
16								09					16
17													17
18								.03					18
19								.54					19
20								.44					20
21								.72					21
22								.40					22
23								.41					23
24								.14					24
25								.46					25
26								.86					26
27								01					27
28								06					28
29								.12					29
30								.04					30
31								.24					31
Total								6.62					YEAR'S TOTAL
Rain Days.								27					

W. 7,500, XI. '12

corr for author by mm stats ~~[illegible]~~ RL

1259

✓

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

1917

Kept at 58 Castle Road

in the County of Bedford

by M. E. Newbery

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 7 ft. 0 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✕

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05		·06		·14	·01	·03				·38		1
2	·32	·02	·06		·20	·04				·40	·01		2
3		·31			·01				·13	·16	·30		3
4	·27	·16			·01	·16				·01	·11		4
5	·02			·02	·04	·12	·25			·08	·20		5
6		·13	·18	·24		·01	·23			·05	·23	·02	6
7	·08		·24		·15	·03	·25			·06	·17		7
8					·17	·09						·04	8
9	·02		·10		·91	·30						·24	9
10		·10		·06		·24	·07						10
11	·03	·14	·08	·13	·05	·14	·08					·08	11
12	·02		·07	·02	·37	·15				·20			12
13		·33	·16		·14	·16	·60	·10					13
14		·54		·05	·02					·11			14
15		·12	·39		·07		·14	·08					15
16		·04	·19	·20	·04		·10	·03					16
17	·09	·05		·12			·03	·19	·11	·26			17
18		·11	·04	·03				·54	·17		·69		18
19	·05		·24	·05				·05	·04		·81	·08	19
20	·14	·01	·26	·03				·03			·03	·65	20
21			·60				·19			·03		·28	21
22					·12	·01							22
23		·63				·25		·04		·01	·03	·62	23
24	·03	·12	·10			·24		·02		·07	·04	·29	24
25		·15	·13		·03	·04		·23			·04		25
26		·12	·07			·01			·02	·02	·02		26
27	·05	·06	1·19			·03		·04	·03	·30			27
28		·33	·67			·07		·84				·13	28
29		·07				·02		·13		·19		·06	29
30		✕						·02		·20			30
31		✕		✕		✕			✕	·04	✕		31
Total	1·17	3·54	4·83 4·83	·95	1·77	2·11	1·97	2·34	·50	2·19	3·06	2·49	YEAR'S TOTAL 26·92 26·92
Rain Days.	13	20	19	11	16	20	11	14	6	17	14	11	192

W. 8,000, VIII. 16

B mode

1142

19 MAR 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at 58 Castle Road
in the County of Bedfordshire
by Miss Newbery

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30												1
2	·16												2
3	·70		·17										3
4	·08		·29										4
5	·03		·23										5
6			·04										6
7	·01		·23										7
8	·08		·06										8
9			·02										9
10			·32										10
11	·11		·20										11
12			·09										12
13													13
14	·30												14
15	·10		·12										15
16	·06												16
17													17
18			·08										18
19	·03		1·05										19
20	·30		·06										20
21	·34		·01										21
22													22
23													23
24													24
25	·13												25
26	·08		·10										26
27	·64		·02										27
28													28
29													29
30			·06										30
31	·05												31
TOTAL	3·50	2·23	3·15										YEAR'S TOTAL
Days with ·01 in. or more	18	11	18										

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

BEDFORDSHIRE.

BEDFORD

"41, WARWICK AVENUE"

1919 -1920

Form A. 1. METEOROLOG ORGANIZATION.

REG 1919.

Kept at 41. Warw ing 9 am.

in the County of B on Bedford.

Rain Gauge 5 in.

by Leonard Bla e above Ground 4 ft 6. in.

,, Sea Level 120. ft.

IMPORTANT NOTE.—Rain shou ult entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	21	1	1		1		6			1		82	1
2	15		1		1		4		17	1	21	49	2
3	72		16				10		5		18	15	3
4	8		32			7	7	4				11	4
5	4	34(s)	30				16		1·00			16	5
6			4		50					2	1	1	6
7	1		24		1						7		7
8	10		6	9							6		8
9			1	4									9
10			35	3							7	10	10
11	13		22	5			50					1	11
12			12	1		4	6			1	1		12
13	9			19					1				13
14	22			16			1		20	3			14
15	10	6	15	11							6	15	15
16	6	65	8	1							15		16
17		44	91								17	2	17
18		8	8		1			23			1	10	18
19	1	26	1			21	22	14	12		2	1	19
20	32	2	1			30	30	36	1		2	1	20
21	34	37					48				1	8	21
22		22							16		1	38	22
23						2	3	2	5	20		2	23
24				32	1		2	3		22		1	24
25	5			5	5	2		17	9			2	25
26	13	3	10	2				1				28	26
27	80	10	2	70(s)				39			2	5	27
28	1		1	6				59		1	16(s)	26	28
29	2			8		3		16		30	10(s)	21.	29
30		╳	7	26		23		1		3	18	13	30
31	1	╳		╳		╳			╳	1	╳	1	31
TOTAL	3·60	2·58 ~~2·26~~	3·28	2·18	·60	·92	2·04	2·15	1·86	·85	1·52	3·59	YEAR'S TOTAL 25·17 ~~25·19~~
Days with ·01 in. or more	21	12	22.	16	7	8	13	12	10	11	19.	24	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W,

FORM A. 1. **METEOROLOG ... ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at 41. Warwick Avenue Bedford
in the County of Bedford.
by Leonard Alston Fawssett

Lat. — Long. —
Time of Observation 9 Am.
Nearest Railway Station Bedford.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft 6. in.
" " " " Sea Level 120. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	21	1	1		1		6			1		82	1
2	15		1		1		4		17	1	21	49	2
3	72		16				10		5		18	15	3
4	8		32			7	7	4				11	4
5	4	34(s)	30				16		1.00			16	5
6			4		50					2	1	1	6
7	1		24		1						7		7
8	10		6	9							6		8
9			1	4									9
10			35	3							7	10	10
11	13		22	5			50					1	11
12			12	1		4	6			1	1		12
13	9			19					1				13
14	22			16			1		20	3			14
15	10	6	15	11							6	15	15
16	6	65	8	1							15		16
17		44	91								17	2	17
18		8	8		1			23			1	10	18
19	1	26	1			21	22	14	12		2	1	19
20	32	2	1			30	30	36	1		2	1	20
21	34	37					48				1	8	21
22		22							16		1	38	22
23						2	3	2	5	20		2	23
24				32	1		2	3		22		1	24
25	5			5	5	2		17	9			2	25
26	13	3	10	2				1				28	26
27	80	10	2	70(s)				39			2	5	27
28	1		1	6				59		1	16(s)	26	28
29	2			8		3		16		30	10(s)	21.	29
30		×	7	26		23		1		3	18	13	30
31	1	×		×		×			×	1	×	1	31
TOTAL	3.60	2.58 ~~2.28~~	3.28	2.18	.60	.92	2.04	2.15	1.86	.85	1.52	3.59	YEAR'S TOTAL 25.17 ~~25.19~~
Days with ·01 in. or more	21	12	22.	16	7	8	13	12	10	11	19.	24	175 ✓

Cor B7 1083

18 JAN 1921

FORM A/1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 41. Warwick Avenue Bedford

in the County of Bedford

by L. A. Fawcett

Lat. ~~Long.~~ Same as before!

Time of Observation 9 A.m.

Nearest Railway Station Bedford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·21	·17		·21	·01		·40	·02	·11	1
2				·08				·21	·09	·02		·04	2
3		·02		·03	·02		·19		·03	·03		·02	3
4			·05	·07			·21	·25	·08	·27		·01	4
5			·05		·09		·79	·01				·02	5
6			·09		·10		·32					·01	6
7			·11	·13	·01		·12					·01	7
8	·19	·01		·37			·07						8
9	·31			·22			·01	·06					9
10	·10	·01	·05				·11					Ⓢ ·09	10
11	·31		·03	·26	·12	·08	·02					·02	11
12	·02		·07	·05		·30	·01					·12	12
13			·03	·12		·01			·12		·02	·02	13
14	·01	·01	·27	·15		·26			·17	·13	·15	·01	14
15		·02	·29	·16			·01		·03	·01	·10	·01	15
16				·03		·02			·21	·05	·09	·01	16
17	·01		·02	·08	·10	·02	·01		·15			·03	17
18	·09			·01	·02			·17	·11		·01	·05	18
19	·08	·01		·15		·11		·07					19
20	·07	Ⓢ ·27		·26		·41							20
21				·01			·05	·09	·23			·03	21
22				·20					·55			·07	22
23		·01					·24					·30	23
24	·04		·14									·03	24
25		·06	·01	·02	·06	·01	·40						25
26	·16		·01	·01	·15	·04	·01						26
27	·17	·01		·15		·23	·07				·50	·10	27
28	·42		·19		·21		·01				·04		28
29	·05		·05		·16		·06				·06	·36	29
30	·03	X		·03		·05	·11		·30		·10	·13	30
31	·05	X	·01	X	0·1	X			X	·25	X	·04	31
													YEAR'S TOTAL
TOTAL	2·11	·43	1·47	2·80	1·22	1·54	2·97	·87	2·07	1·16	1·09	1·64	19·37
Days with ·01 in. or more	17	10	17	23	13	12	21	8	12	8	10	24	175
Days with ·04 in. or more	12	2	11	16	9	8	13	6	10	5	7	11	111

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Section A **for the ent** on No. 1180

METFORM 1090
(*Rev. Feb. 1965*)
REC 11
Kept at Bedford Pa
in the County of Bedford
Diameter of funnel of gauge
Height of top of gauge above g
Height of ground above sea lev
THE MORNING MEASUREM 7
An observer who does not confo *the following*
year in the space on the right of t af

Jan. 1, following

BEDFORD PK

BEDFORDSHIRE

1911 - 1920

Date	Jan.	Feb.	Mar.							v.	Dec.		Date
	in.	in.	in.								in.	†	
1	01									1	01		1
2	04			05	06		11	01			03	11		2
3					16			01			02	04		3
4	03		10	06						11	04	26		4
5								14			02	06		5
6	13										01	27		6
7	05			01						08	17	10		7
8	12		10							02	10	13		8
9	12			01							08	02		9
10		09	06								17	20		10
11	21	01									50			11
12	01		37		05				01		22			12
13	05		07		32				26	15		28		13
14			02		32							21		14
15		03	15								12	05		15
16						10					30	04		16
17			06			07					05	13		17
18		26				01					07	03		18
19						44	05		24	01	28	02		19
20		03	05					45	40	04	04	38		20
21		06						17		21	02	16		21
22	01		15			02				16		37		22
23		03	27			83	18		08			10		23
24		05	03			26				26		11		24
25		04	02	02	08	11		03		05		05		25
26		04		20	05	04				11	05	16		26
27		16	10	05			10	01		02		05		27
28		09		23				21	10		07	02		28
29		X		10		32	08			10		04		29
30		x				03			04	09		01		30
31		x		x	22	x			x	03	x			31
TOTAL	0·78	0·89	1·55	0·90	1·26	2·23	0·52	1·03	1·13	1·44	2·37	3·41	Year's Total 17·51	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)................................ (P.T.O.)

Section A **for the ent** **on No.** 1180

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1961

Kept at Bedford Park, Bedford
in the County of Bedfordshire

COPY

Diameter of funnel of gauge..........in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01			17							01	01		1
2	04			05	06		11	01			03	11		2
3					16			01			02	04		3
4	03		10	06						11	04	26		4
5								14			02	06		5
6	13										01	27		6
7	05			01						08	17	10		7
8	12		10							02	10	13		8
9	12			01							08	02		9
10		09	06								17	20		10
11	21	01									50			11
12	01		37		05				01		22			12
13	05		07		32				26	15		28		13
14			02		32							21		14
15		03	15								12	05		15
16						10					30	04		16
17			06			07					05	13		17
18		26				01					07	03		18
19						44	05		24	01	28	02		19
20		03	05					45	40	04	04	38		20
21		06						17		21	02	16		21
22	01		15			02				16		37		22
23		03	27			83	18		08			10		23
24		05	03			26				26		11		24
25		04	02	02	08	11		03		05		05		25
26		04		20	05	04				11	05	16		26
27		16	10	05			10	01		02		05		27
28		09		23				21	10		07	02		28
29		X		10		32	08			10		04		29
30		x				03			04	09		01		30
31		x		x	22	x			x	03	x			31
TOTAL	0·78	0·89	1·55	0·90	1·26	2·23	0·52	1·03	1·13	1·44	2·37	3·41	Year's Total 17·51	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

W.D. ent. 3.IV.12 En. 95

FORM A2. BRITISH RAINFALL.

6 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Park, Bedford

in the County of Bedford 3

by Bedford Corporation

RAIN GAUGE
Pattern Self Recording negretti + Zambra
Diameter of top 8" in.
Height of top above Ground 5 ft. 8 in.
" " " Sea Level 123 ft.

Time of Observation 10 am.

Nearest Railway Station
Name Bedford Midland
Distance 1¼ miles Direction SW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	–	0·09	–	–	0·22	0·03	–	–	0·04	0·03	–	1
2	0·01	–	–	0·14	–	–	–	–	–	–	0·01	0·01	2
3	0·04	–	–	0·05	0·06	–	0·11	0·01	–	–	0·03	0·11	3
4	–	–	–	–	0·16	–	–	0·01	–	–	0·02	0·04	4
5	0·03	–	0·10	0·06	–	–	–	–	–	0·11	0·04	0·26	5
6	–	–	–	–	–	–	–	0·14	–	–	0·02	0·06	6
7	0·13	–	–	–	–	–	–	–	–	–	0·01	0·24	7
8	0·05	–	–	0·01	–	–	–	–	–	0·08	0·14	0·10	8
9	0·12	–	0·10	–	–	–	–	–	–	0·02	0·10	0·13	9
10	0·12	–	–	0·01	–	–	–	–	–	–	0·08	0·02	10
11	–	0·09	0·06	–	–	–	–	–	–	–	0·14	0·20	11
12	0·21	0·01	–	–	–	–	–	–	–	–	0·50	–	12
13	0·01	–	0·34	–	0·05	–	–	–	0·01	–	0·22	–	13
14	0·05	–	0·04	–	0·32	–	–	–	0·26	0·15	–	0·28	14
15	–	–	0·02	–	0·32	–	–	–	–	–	–	0·21	15
16	–	0·03	0·15	–	–	–	–	–	–	–	0·12	0·05	16
17	–	–	–	–	–	0·10	–	–	–	–	0·30	0·04	17
18	–	–	0·06	–	–	0·04	–	–	–	–	0·05	0·13	18
19	–	0·26	–	–	–	0·01	–	–	–	–	0·04	0·03	19
20	–	–	–	–	–	0·44	0·05	–	0·24	0·01	0·28	0·02	20
21	–	0·03	0·05	–	–	–	–	0·45	0·40	0·04	0·04	0·38	21
22	–	0·06	–	–	–	–	–	0·14	–	0·21	0·02	0·16	22
23	0·01	–	0·15	–	–	0·02	–	–	–	0·16	–	0·34	23
24	–	0·03	0·24	–	–	0·83	0·18	–	0·08	–	–	0·10	24
25	–	0·05	0·03	–	–	0·26	–	–	–	0·26	–	0·11	25
26	–	0·04	0·02	0·02	0·08	0·11	–	0·03	–	0·05	–	0·05	26
27	–	0·04	–	0·20	0·05	0·04	–	–	–	0·11	0·05	0·16	27
28	–	0·16	0·10	0·05	–	–	0·10	0·01	–	0·02	–	0·05	28
29	–	–	–	0·23	–	–	–	0·21	0·10	–	0·04	0·02	29
30	–	–	–	0·10	–	0·32	0·08	–	–	0·10	–	0·04	30
31	–	–	–	–	–	–	–	–	–	0·09	–	0·01	31
	–	·09	–	–	·22	·03	–	–	·04	·03	–	–	
Total	~~0·49~~	~~0·80~~	~~1·64~~	~~0·90~~	~~1·04~~	~~2·42~~	~~0·55~~	~~1·03~~	~~1·09~~	~~1·45~~	~~2·40~~	~~3·41~~	TOTAL for year ~~16·52~~
	·78	·89	1·55	·90	1·26	2·23	·52	1·03	1·13	1·44	2·37	3·41	17·51
No. of Rain Days.	~~12~~ 11	~~11~~ 12	~~15~~ 14	10 ✓	~~4~~ 8	11 ✓	~~6~~ 5	8 ✓	~~6~~ 7	15 ✓	~~22~~ 21	28 ✓	150

W. 8,000, X. '11.

A. Greenshields, Borough Surveyor, Bedford. Jan 6th 1912

Section A **for the entry of Daily Observations** **Station No.** 1180

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~12

Kept at Bedford Park, Bedford,
in the County of Bedfordshire
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			01			01	03			23				1
2			04			08	48		01			05		2
3	03		01		56	05	03	20			11	07		3
4	06		64		10	11	02	13			21			4
5	10		15			14	01	06	03					5
6	20	16					05	51			03	03		6
7	03				01	75	01	05						7
8	28	19	09			05	01	12	13					8
9		04	01	08		39						18		9
10		02				05	01	14	03		11	01		10
11	20	04						36			03	18		11
12	07	32	05		02	06	03				06			12
13	04	01				06	01	13			08			13
14	03		05		09	05		06			02			14
15			08		32	12		01				14		15
16	21		01		04	02		01						16
17	26		09			11		07			06	15		17
18	07		11					02			03	01		18
19	17	04	04				16	58			02			19
20	01		12		08		10	40		36				20
21			21		43		01	86		31				21
22	41	05			04		41	55				04		22
23	23	39	26				44	22				21		23
24	32	01				01		13				08		24
25						06		49			18	38		25
26		01				01	13	87		39	18	07		26
27			01			01	07	01		28		19		27
28		03				02		18	04	15	10	70		28
29		01	01			38	31		66	24	04			29
30		x			10	03		02	25	15	01			30
31		x	04	x	02	x	31	27	x		x			31
TOTAL	2·72	1·32	2·03	0·08	1·81	2·57	2·63	645	1·15	2·11	1·27	2·49	Year's Total 26·63	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

WD wd 11.11.13 Ex. DL

FORM A2.
BRITISH RAINFALL.
15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bedford

in the County of Bedford 3

by Bedford Corporation

RAIN GAUGE
Pattern Self recorder
Diameter of top 8" in.
Height of top above Ground 5 ft. 8 in.
" " " Sea Level 123 ft.

Time of Observation 10am

Nearest Railway Station
Name Midland
Distance 1¼ miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
No Rainfall

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·04		·02	·03	·31	·27	·25		·01	1
2			·01			·01	·03			·23			2
3			·04			·08	·48		·01			·05	3
4	·03		·01		·56	·05	·03	·20			·11	·07	4
5	·06		·64		·10	·11	·02	·13			·21		5
6	·10		·15			·14	·01	·06	·03				6
7	·20	·16					·05	·51			·03	·03	7
8	·03				·01	·75	·01	·05					8
9	·28	·19	·09			·05	·01	·12	·13				9
10		·04	·01	·08		·39						·18	10
11		·02				·05	·01	·14	·03		·11	·01	11
12	·20	·04						·36			·03	·18	12
13	·07	·32	·05		·02	·06	·03				·06		13
14	·04	·01				·06	·01	·13			·08		14
15	·03		·05		·09	·05		·06			·02		15
16			·08		·32	·12		·01				·14	16
17	·21		·01		·04	·02		·01					17
18	·26		·09			·11		·07			·06	·15	18
19	·07		·11					·02			·03	·01	19
20	·17	·04	·04				·16	·58			·02		20
21	·01		·12		·08		·10	·40		·36			21
22			·21		·43		·01	·86		·31			22
23	·41	·05			·04		·41	·55				·04	23
24	·23	·39	·26				·44	·22				·21	24
25	·32	·01				·01		·13				·08	25
26						·06		·49			·18	·38	26
27		·01				·01	·13	·87		·39	·18	·07	27
28			·01			·01	·07	·01		·28		·19	28
29		·03				·02		·18	·04	·15	·10	·70	29
30			·01			·38	·31		·66	·24	·04		30
31					·10			·02		·15			31
	–	·01	·04	–	·02	·03	·31	·27	·25		·01		
Total	~~2·72~~	~~1·31~~	~~2·00~~	~~·12~~	~~1·79~~	~~2·56~~	~~2·35~~	~~6·49~~	~~1·17~~	~~2·36~~	~~1·26~~	~~2·50~~	TOTAL for year 26·63
	2·72	1·32	2·03	·08	1·81	2·57	2·63	6·45	1·15	2·11	1·27	3·49	
No. of Rain Days.	18	~~13~~	~~20~~	2	~~11~~	22	20	26	7	~~9~~	~~15~~	~~17~~	189
		14	19		12					8	16	16	

W. 8,000, X. '11.

N. Greenshields Borough Surveyor

Section A **for the entry of Daily Observations** **Station No.** 1180

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 196 13

Kept at Bedford Park, Bedford

in the County of Bedfordshire

COPY

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	01	18	04	13					96		03			1
2	03	14					18		17		01			2
3	01		22		60		01			04		12		3
4	14				06		05			01	05	27		4
5	01				01		01			48	01	02		5
6		01	01		03	22	12			17				6
7		07			23	01	04			68	04	01		7
8			01		08	08				06	04			8
9		19	01	01	01	04		02	11		04	03		9
10			06	14	01		24	01			37			10
11	71			35						16	28			11
12				07	07						31			12
13								02	03		12			13
14	04	01	13		01		10			12	02			14
15	07		11	17			11		01					15
16	08		51	17										16
17	09	03	05	09		34	01		01			04		17
18			11	09			10					05		18
19	19		07	03			02		10			02		19
20	08		22							58				20
21			07	01	03		02				16			21
22	32		13		01		01	08	17					22
23			01			05					01	02		23
24				03						01		01		24
25	04			18		01	01							25
26			23	05				04		38	01	16		26
27			01											27
28	30		10	12						02				28
29	02	X	08	55	25			06		04		05		29
30	20	X								10	12			30
31		X		X		X		50	X		X			31
TOTAL	2·34	0·63	2·18	2·19	1·40	0·75	1·03	0·73	1·56	2·85	1·62	0·80	Year's Total 18·08	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).......................................(P.T.O.)

cord for W.D. 26.11.4 CX 4ML

British Rainfall. Form A.

9- JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at....Bedford

in the county of....
Bedfordshire 3

by.....................

Lat. Long.
Time of Observation....10 a.m.
Nearest Railway Station....Bedford Midland.
Diameter of Rain Gauge....8 inches.
Height of top of Gauge above ground...5'8".
" " " " " " Sea level..123ft.

IMPORTANT NOTE. - Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers", sent post-free on application to Dr H.R. Mill, 62, Camden Square, London N.W.

Jan. 1 following. —

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1									0.50			0.12	1
2	0.01	0.18	0.04	0.13					0.96		0.03		2
3	0.03	0.14					0.18		0.17		0.01		3
4	0.01		0.22		0.60		0.01			0.04		0.12	4
5	0.14				0.06		0.05			0.01	0.05	0.27	5
6	0.01				0.01		0.01			0.48	0.01	0.02	6
7		0.01	0.01		0.03	0.22	0.12			0.17			7
8		0.07			0.23	0.01	0.04			0.68	0.04	0.01	8
9			0.01		0.08	0.08				0.06	0.04		9
10		0.19	0.01	0.01	0.01	0.04		0.02	0.11		0.04	0.03	10
11			0.06	0.14	0.01		0.24	0.01			0.37		11
12	0.71			0.35						0.16	0.28		12
13				0.07	0.07						0.31		13
14								0.02	0.03		0.12		14
15	0.04	0.01	0.13		0.01		0.10			0.12	0.02		15
16	0.07		0.11	0.17			0.11		0.01				16
17	0.08		0.51	0.17									17
18	0.09	0.03	0.05	0.09		0.34	0.01		0.01			0.04	18
19			0.11	0.09			0.10					0.05	19
20	0.19		0.07	0.03			0.02		0.10			0.02	20
21	0.08		0.22							0.58			21
22			0.07	0.01	0.03		0.02				0.16		22
23	0.32		0.13		0.01		0.01	0.08	0.17				23
24			0.01			0.05					0.01	0.02	24
25				0.03						0.01		0.01	25
26	0.04			0.18		0.01	0.01						26
27			0.23	0.05				0.04		0.38	0.01	0.16	27
28			0.01										28
29	0.30		0.10	0.12						0.02			29
30	0.02		0.08	0.55	0.25			0.06		0.04		0.05	30
31	0.20									0.10			31
	-	-	-	-	-	-	-	50	-	-	·12	-	
Total	2.34	0.63	2.18	2.19	1.40	0.75	1.03	·73 ~~0.23~~	1.56 ~~2.06~~	2.85	1.62 ~~1.50~~	·80 ~~0.92~~	Years Total 18.08
Rain Days	17	7	20	16	13	7	15	~~6~~ 7	~~9~~ 8	14	~~15~~ 16	~~13~~ 12	152

N. Greenshields,
Borough Engineer

Jan. 7th 1914

Section **A** for the entry of Daily Observations

Station No. 1180

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~14

Kept at Bedford Park Bedford

in the County of Bedfordshire

Diameter of funnel of gauge........ in.

Height of top of gauge above ground........ ft........ in.

Height of ground above sea level........ ft.

COPY

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02			01			01	12			07			1
2				01							06	11		2
3					02		34	10			04			3
4	18			11				40			34	17		4
5		01		11		11	44							5
6		01			01		03	02			16	03		6
7		08	35	01	09		10	03				13		7
8	05	02	23	02	01	65	08	07						8
9	26		33	04		90		03	01			12		9
10	05	05		04	06				11			07		10
11		03	26	03	05	32					32	31		11
12		03	10				02		45			16		12
13	01	15	25						04	15	05	15		13
14			25							136	05	23		14
15	03		22				05		12		03	14		15
16	04		01				03	01	10		03	02		16
17	02	21	02						05			05		17
18			02				04					38		18
19		01	16						02		12	06		19
20		06	26				10		07			02		20
21		24	07			05		01		04	01	04		21
22					04	01	08	04		27		03		22
23			06		07					17		03		23
24							06	01		35	10			24
25	04		02					17		30		08		25
26							01	07		02	08	28		26
27	03									01		11		27
28		04			15					10	32	107		28
29		X	18		09					26	03	06		29
30		x								02	14	04		30
31		x		x	11	x	01		x		x	04		31
TOTAL	0·73	0·94	2·79	0·38	0·70	2·04	1·40	1·08	0·97	3·05	1·95	~~3·89~~ 3·93	Year's Total 19·96	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)........ (P.T.O.)

No R ~~WD~~ cnd pr WD 19.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 8 APR 1915

Kept at Bedford (The Park)

in the County of Bedfordshire 3

by N. Greenshields Borough Surveyor

Lat. Long. ——

Time of Observation Jan to Sept 10am, Oct to Dec 9am

Nearest Railway Station Midland

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 8 in.

" " " " Sea Level 123 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

WD

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04			·11		·01				·14	1
2	·02			·01			·01	·12			·07		2
3				·01							·06	·11	3
4					·02		·34	·10			·04		4
5	·18			·11				·40			·34	·17	5
6		·01		·11		·11	·44						6
7		·01			·01		·03	·02			·16	·03	7
8		·08	·35	·01	·09		·10	·03				·13	8
9	·05	·02	·23	·02	·01	·65	·08	·07					9
10	·26		·33	·04		·90		·03	·01			·12	10
11	·05	·05		·04	·06				·11			·07	11
12		·03	·26	·03	·05	·32					·32	·31	12
13		·03	·10				·02		·45			·16	13
14	·01	·15	·25						·04	·15	·05	·15	14
15			·25							1·36	·05	·23	15
16	·03		·22				·05		·12		·03	·14	16
17	·04		·01				·03	·01	·10		·03	·02	17
18	·02	·21	·02						·05			·05	18
19			·02				·04					·38	19
20		·01	·16						·02		·12	·06	20
21		·06	·26				·10		·07			·02	21
22		·24	·07			·05		·01		·04	·01	·04	22
23					·04	·01	·08	·04		·27		·03	23
24			·06		·07					·17		·03	24
25							·06	·01		·35	·10		25
26	·04		·02					·17		·30		·08	26
27							·01	·07		·02	·08	·28	27
28	·03									·01		·11	28
29					·15					·10	·32	1·07	29
30		X	·18		·09					·26	·03	·06	30
31		X		X		X			X	·02	X	·04	31
	–	·04	–	–	·11	–	·01	–	–	–	·14	–	YEAR'S TOTAL
Total	~~·73~~ ·73	~~·90~~ ·94	~~2·83~~ 2·79	~~·38~~ ·38	~~·59~~ ·70	~~2·15~~ 2·04	~~1·39~~ 1·40	~~1·09~~ 1·08	·97 ·97	~~3·05~~ 3·05	~~1·81~~ 1·95	~~4·03~~ 3·89	19·92
Rain Days.	11	12 13	18 19	9	10	6 7	14 15	14 15	9	12	16 17	26 25	158

W. 8,000. X. 14.

Section A **for the entry of Daily Observations** **Station No.** 1180

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1915

COPY

Kept at Bedford Park, Bedford
in the County of Bedfordshire
Diameter of funnel of gauge..........in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	27	07	11		06		02		15	01	01	16		1
2	04	05	22	09				21		03	01	05		2
3	25		01	09			06	09	06		02	12		3
4	03						76	13				54		4
5	01	14			03			02			01	14		5
6	15	15		13			59	06				02		6
7	08	18	13			15	20	06				18		7
8		13								01				8
9		07		01		03					16	53		9
10	22		02								01			10
11			03		08						71			11
12	01			25	25			09			74	04		12
13		27			98									13
14		01					04	26	05			18		14
15	14				03		07	04			17	08		15
16		22					50	33				09		16
17		16			09		21							17
18		04	07								03			18
19		09	02				34							19
20	28			06						01		24		20
21	06				01		07			01		04		21
22	28		37				77		04			10		22
23		11	15			08	26		04	19		25		23
24			09			05	07		39	04		05		24
25						02	54		01	01		24		25
26		08					22			01		16		26
27		09				04	01		01	30		01		27
28		15							45	09		01		28
29		X				09	06	07	01	02	07	11		29
30	02	X												30
31	01	X		X		X		03	X	18	X	08		31
TOTAL	1·85	2.01	1.22	0·63	1·53	0·46	4·79	1·39	1·21	0·91	1·94	3·42	Year's Total 21·36	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

checked H.J.A.M.

cor for WD 15.iii.16

1278

FORM A.
BRITISH RAINFALL.
21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bedford

in the County of Bedfordshire 3

by N. Greenshields, Borough Engineer

Lat. .... Long. ....
Time of Observation 9.0. a.m.
Nearest Railway Station Bedford (Midland)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 8 in.
" " " " Sea Level 123 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·01	·15	·	·	·	·	·	·03	·	·18	·	1
2	·27	·07	·11	·	·06	·	·02	·	·15	·01	·01	·16	2
3	·04	·05	·22	·09	·	·	·	·21	·	·03	·01	·05	3
4	·25	·	·01	·09	·	·	·06	·09	·06	·	·02	·12	4
5	·03	·	·	·	·	·	·76	·13	·	·	·	·54	5
6	·01	·14	·	·	·03	·	·	·02	·	·	·01	·14	6
7	·15	·15	·	·13	·	·	·59	·06	·	·	·	·02	7
8	·08	·18	·13	·	·	·15	·20	·06	·	·	·	·18	8
9	·	·13	·	·	·	·	·	·	·	·01	·	·	9
10	·	·07	·	·01	·	·03	·	·	·	·	·16	·53	10
11	·22	·	·02	·	·	·	·	·	·	·	·01	·	11
12	·	·	·03	·	·08	·	·	·	·	·	·71	·	12
13	·01	·	·	·25	·25	·	·	·09	·	·	·74	·04	13
14	·	·27	·	·	·98	·	·	·	·	·	·	·	14
15	·	·01	·	·	·	·	·04	·26	·05	·	·	·18	15
16	·14	·	·	·	·03	·	·07	·04	·	·	·17	·08	16
17	·	·22	·	·	·	·	·50	·33	·	·	·	·09	17
18	·	·16	·	·	·09	·	·21	·	·	·	·	·	18
19	·	·04	·07	·	·	·	·	·	·	·	·03	·	19
20	·	·09	·02	·	·	·	·34	·	·	·	·	·	20
21	·28	·	·	·06	·	·	·	·	·	·01	·	·24	21
22	·06	·	·	·	·01	·	·07	·	·	·01	·	·04	22
23	·28	·	·37	·	·	·	·77	·	·04	·	·	·10	23
24	·	·11	·15	·	·	·08	·26	·	·04	·19	·	·25	24
25	·	·	·09	·	·	·05	·07	·	·39	·04	·	·05	25
26	·	·	·	·	·	·02	·54	·	·01	·01	·	·24	26
27	·	·08	·	·	·	·	·22	·	·	·01	·	·16	27
28	·	·09	·	·	·	·04	·01	·	·01	·30	·	·01	28
29	·		·	·	·	·	·	·	·45	·09	·	·01	29
30	·	X	·	·	·	·09	·06	·07	·01	·02	·07	·11	30
31	·02	X	·	X	·	X	·	·	X	·	X	·	31
	·01	·15	–	–	–	–	–	·03	–	·18	–	·08	YEAR'S TOTAL
Total	~~1·88~~	~~1·87~~	~~1·37~~	·63	1·53	·46	4·79	~~1·36~~	~~1·24~~	~~·73~~	~~2·12~~	~~3·34~~	~~21·32~~
	1·85	2·01	1·22					1·39	1·21	·91	1·94	3·42	21·36 ✓
Rain Days.	15	17	~~12~~ 11	6	8	7	18	~~11~~ 12	~~11~~ 10	~~12~~ 13	~~12~~ 11	~~22~~ 23	151 ✓

V. 8,000. X. 15. Note:- The result is entered to the same day as taken.

Section **A** for the entry of Daily Observations

Station No. ....

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1916

Kept at Bedford, (Bedford Pk.)

in the County of Bedfordshire

Diameter of funnel of gauge.......................... in.

Height of top of gauge above ground.................. ft. .... in.

Height of ground above sea level.. ft.

58

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
16	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	–	.05	–	.10	–	.05	–	–	–	.36	–		1
2	.25	.01	.06	–	.18	.04	–	–	–	.36	–	–		2
3	–	.26	.02	–	–	.02	–	–	.10	.14	.04	–		3
4	.25	.15	–	–	.01	.12	–	–	–	.01	.32	–		4
5	.01	–	–	.01	.03	.16	.23	–	–	.06	.17	.02		5
6	–	.08	.15	.24	–	.01	.42	–	–	.03	.19	–		6
7	.10	–	.18	–	.17	.03	.02	–	–	.04	.17	.03		7
8	–	–	–	–	.14	.04	–	–	–	–	–	.22		8
9	.01	–	.01	–	.20	.72	–	–	–	–	–	.01		9
10	–	.09	.05	.05	–	.24	.07	–	–	–	–	.03		10
11	.03	.12	.06	.11	.04	.13	–	–	–	–	–	.07		11
12	.01	–	.09	.01	.36	.15	.06	–	–	.21	–	–		12
13	–	.30	.15	.03	.13	.17	.63	.05	–	–	–	–		13
14	–	.22	–	.02	.01	–	–	–	–	.04	–	–		14
15	–	.11	.35	–	.03	.01	.11	.04	–	–	–	–		15
16	.01	.04	.20	.19	.06	–	.09	.01	–	.01	–	–		16
17	.06	.03	–	.09	–	–	.02	.16	.10	.25	–	–		17
18	–	.09	.01	.02	–	–	–	.30	.20	–	.56	–		18
19	.03	–	.27	.04	–	–	–	.10	.03	–	.62	.05		19
20	.13	.02	.24	.03	–	–	–	.02	–	–	.24	.29		20
21	–	–	.64	.01	–	–	.20	–	–	–	–	.66		21
22	–	.11	–	–	.11	–	–	–	–	.02	–	.48		22
23	.02	.74	–	–	–	.20	–	.02	–	–	.03	.09		23
24	–	.02	–	–	.01	.26	–	.03	–	.01	.01	.28		24
25	–	.09	.10	–	.01	.01	–	.22	–	.06	.03	–		25
26	–	.06	.09	–	–	.06	–	–	–	.01	.02	–		26
27	.05	.03	1.13	–	–	–	–	.03	.01	.21	–	–		27
28	–	.25	.48	–	–	.03	–	–	.01	.01	–	.13		28
29	–	.04	–	–	–	.05	–	.89	–	.15	–	.04		29
30	–	X	–	–	–	–	–	.12	–	.20	–	–		30
31	–	X	–	X	–	X	–	–	X	.02	X	–		31
TOTAL 99	.99	2.86	4.32	.86	1.59	2.44	1.90	1.98	.45	1.84	2.76	2.40	Year's Total 24.38	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

Section **A** for the entry of Daily Observations Station No.

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1917

Kept at Bedford (Bedford Park)

in the County of Bedfordshire

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
17	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	04	-	-	-	1·12	.05	-	.22	-		1
2	.01	.01	-	01	-	-	-	.06	.06	.01	.03	-		2
3	-	.01	-	-	-	-	-	.43	-	.19	.11	-		3
4	-	.03	.01	-	-	-	-	.05	-	.39	-	-		4
5	.09	-	.02	13	-	-	-	-	.89	.05	.09	-		5
6	-	-	-	-	-	.04	-	-	.01	.06	.01	-		6
7	.22	-	.02	-	-	.01	.06	-	-	.36	.02	-		7
8	.38	-	-	10	-	-	.61	.61	-	.21	.06	.01		8
9	.02	.01	.05	-	-	-	.01	.05	.05	-	.11	.01		9
10	.25	-	.30	17	-	-	-	.09	-	.01	-	-		10
11	.04	-	.12	24	-	-	-	.03	-	.18	.01	-		11
12	.09	.01	.01	-	.04	.07	-	.18	-	.16	-	-		12
13	.09	-	.02	-	-	-	-	.18	.02	-	-	-		13
14	-	-	-	04	-	-	-	.18	-	-	-	-		14
15	.02	-	-	03	-	-	-	-	-	.01	-	-		15
16	.02	.11	-	17	.05	.15	.04	-	-	.68	.01	.03		16
17	.03	-	-	12	.63	-	.24	.04	.33	.28	-	.01		17
18	.02	.03	-	09	.07	.08	.09	-	.83	-	-	-		18
19	-	.11	.07	-	.03	.01	-	-	.13	-	-	-		19
20	-	.22	.10	-	.84	-	-	-	-	-	.08	-		20
21	-	-	-	01	-	-	-	-	-	-	-	.01		21
22	-	-	.08	-	-	-	-	.03	.01	.16	-	-		22
23	-	.10	-	-	.08	-	-	.25	.01	.02	-	-		23
24	-	.01	-	-	-	.19	-	.05	-	.15	.05	-		24
25	-	-	.04	-	-	.04	-	-	-	-	.04	-		25
26	-	-	.02	-	-	-	-	.24	.04	-	.22	.03		26
27	-	-	.02	-	-	.17	-	.44	-	-	-	.04		27
28	-	.01	.15	-	-	.64	-	.05	-	-	-	.01		28
29	-	X	.01	-	.03	.42	.43	.03	-	.27	-	.16		29
30	-	X	-	-	-	-	.50	.06	-	-	-	.02		30
31	.02	X	.09	X	-	X	.25	.04	X	-	X	.04		31
TOTAL 99	1·30	·67	1·13	1·15	1·77	1·82	2·23	4·21	2·43	3·19	1·06	·37	Year's Total 21·33	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No.

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1918

Kept at Bedford (Bedford Park)

in the County of Bedfordshire

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
18	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.09	-	.06	-	-	-	-	-	.01	.09	.03		1
2	.01	.06	-	.16	-	-	-	.03	-	-	.10	.08		2
3	-	-	.03	-	.55	-	-	-	.19	-	.64	.03		3
4	-	-	.04	-	-	-	.01	.02	.69	-	.39	-		4
5	.01	.03	-	-	.14	-	-	.10	.11	.01	.01	-		5
6	-	.07	-	.12	-	-	-	-	-	-	-	-		6
7	.02	.10	-	.08	.01	.02	-	-	.08	.02	.18	-		7
8	.02	-	-	.01	-	-	-	-	.14	.01	.01	-		8
9	.01	.04	-	-	-	.01	.14	-	.36	.09	-	.02		9
10	.03	-	-	.01	-	.02	.21	-	.06	.04	-	.13		10
11	-	-	-	-	.13	-	.28	-	.28	.58	.01	.03		11
12	-	.08	.01	-	.08	-	.03	-	.03	-	-	-		12
13	-	.01	-	.01	.17	.01	.05	-	.05	.01	-	.05		13
14	.18	-	-	.02	-	.08	.26	-	.37	.15	-	.04		14
15	1.01	-	-	1.36	-	.03	.30	-	.01	-	.01	.14		15
16	.13	-	-	.45	-	-	-	.02	.60	.01	-	-		16
17	.12	-	-	.02	.17	-	1.32	-	.01	-	-	.10		17
18	.45	-	-	-	-	.13	.12	-	.27	-	-	.36		18
19	-	.03	.04	.14	-	.02	.04	-	-	.05	-	.13		19
20	.01	.03	-	.40	-	.03	-	-	.12	.12	.01	-		20
21	.02	-	-	.03	-	-	-	-	.49	.03	-	.01		21
22	.05	-	-	-	.15	-	.04	-	.07	-	.01	.27		22
23	.03	-	-	-	.44	.04	.12	.02	.10	-	-	.04		23
24	-	.11	-	-	-	-	.04	-	.03	-	.13	-		24
25	-	-	-	-	-	.06	.03	.18	-	.01	.01	-		25
26	.01	-	-	-	-	-	.14	.05	-	-	.12	.08		26
27	-	.01	-	.01	-	-	.23	.14	.04	-	-	-		27
28	-	.07	.05	-	-	-	-	.01	-	-	.20	.04		28
29	-	X	-	-	-	-	-	-	1.60	-	.01	.07		29
30	-	X	.36	-	-	-	-	-	.03	-	.07	.09		30
31	-	X	.02	X	-	X	-	-	X	.05	X	.02		31
TOTAL 99	2.11	.73	.55	2.87	1.84	.45	3.36	.57	5.72	1.19	2.00	1.75	Year's †Total 23.14	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No.

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19[redacted]19

Kept at Bedford (Bedford Park)

in the County of Bedfordshire

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.02	.01	-	.02	-	.10	-	-	-	.01	1.00		1
2	.15	-	.01	-	-	-	.03	-	.14	.01	.22	.47		2
3	.69	-	.14	.01	-	-	.07	-	.03	-	.09	.15		3
4	.06	.01	.29	-	-	.02	.02	-	-	-	.06	.10		4
5	.02	.08	.26	-	-	-	.11	-	1.16	-	-	.14		5
6	-	.07	.02	-	.60	-	.01	-	-	.01	.02	.01		6
7	.01	-	.20	-	-	-	-	-	-	-	.07	-		7
8	.07	-	.05	.08	-	-	-	-	-	-	.03	-		8
9	-	-	-	.03	-	-	-	-	-	-	.06	-		9
10	-	-	.31	.02	-	-	-	-	-	-	.01	.09		10
11	.11	-	.17	.06	-	-	.33	-	-	-	.01	.01		11
12	-	-	.10	.01	-	.02	.03	-	-	.01	.01	.01		12
13	.08	-	-	.17	-	-	-	-	.01	-	.01	-		13
14	.19	-	-	.13	-	-	.01	-	.20	.02	-	-		14
15	.06	.09	.11	.08	-	-	-	-	-	.01	.01	.14		15
16	.04	.51	-	.04	-	-	-	-	-	-	.19	-		16
17	-	.40	-	-	-	-	-	-	-	-	.18	.01		17
18	.01	.06	.07	-	.01	-	-	.05	-	-	.02	.07		18
19	.05	.21	.87	-	-	.30	.17	.03	.12	-	.01	.04		19
20	.29	.01	.04	-	-	.16	.25	.03	.01	-	.01	.01		20
21	.33	.40	.01	-	-	.01	.50	-	-	.01	.02	.05		21
22	-	.15	-	-	-	-	.01	-	.16	-	-	.40		22
23	-	-	-	-	-	.02	.02	.01	.04	.20	-	.01		23
24	-	-	-	.27	-	-	.01	.04	-	.19	-	.01		24
25	.05	-	-	.07	.05	.05	-	.17	-	-	-			25
26	.12	.02	.07	.03	-	-	-	-	.05	-	-	.30		26
27	.80	.10	.03	.65	-	-	-	.39	-	-	-	.04		27
28	.21	-	-	.33	-	-	-	.57	-	.01	.07	.25		28
29	.02	X	-	.08	-	.02	-	.17	-	.27	.16	.19		29
30	-	X	.05	.27	-	.18	-	.01	-	.03	.18	.11		30
31	.02	X	-	X	-	X	-	-	X	.03	X	.01		31
99 TOTAL	3.54	2.13	2.81	2.33	.68	.78	1.67	1.47	1.92	.80	1.45	3.62	Year's Total 23.20	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No.……………………

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1920

Kept at Bedford (Bedford Park)

in the County of Bedfordshire

Diameter of funnel of gauge……………in.

Height of top of gauge above ground……………ft.……………in.

Height of ground above sea level……………ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·19	·16	–	·12	·01	–	·36	–	·10		1
2	–	–	–	·11	–	–	–	·11	·07	·04	–	·04		2
3	–	·02	–	·12	·01	–	·08	–	·02	·03	–	·01		3
4	–	–	·05	·05	–	–	·10	·25	·01	·23	–	–		4
5	–	–	·04	–	·06	–	·37	·01	·05	–	–	·01		5
6	–	–	·08	–	·08	–	·16	–	–	–	–	–		6
7	–	–	·09	·12	·01	–	·05	–	–	–	–	·01		7
8	·18	·01	·01	·35	–	–	·02	–	–	–	–	–		8
9	·29	–	–	·18	–	–	–	·04	–	–	–	–		9
10	·09	·01	·01	–	–	–	·10	–	–	–	–	·06		10
11	·19	–	·04	·23	·11	·04	–	–	–	–	–	·02		11
12	·02	–	·05	·02	–	·33	–	–	–	–	·01	·11		12
13	–	–	·03	·10	–	–	–	–	·05	–	·01	·02		13
14	–	–	·24	·14	–	·13	–	–	·15	·12	·12	–		14
15	–	·01	·18	·15	–	–	–	–	·02	–	·06	·03		15
16	–	–	–	·04	–	·01	–	–	·20	·03	·06	·02		16
17	·01	–	·02	·06	·08	·04	–	–	·15	–	–	·02		17
18	·08	–	–	–	·03	–	–	·15	·09	–	·01	·06		18
19	·07	·01	–	·15	–	·05	–	·15	–	–	–	–		19
20	·05	·24	–	·23	–	·32	–	–	–	–	–	–		20
21	–	–	–	–	–	·04	·20	·08	·24	–	·01	·03		21
22	–	–	–	·19	–	–	–	·01	·51	–	–	·06		22
23	–	·01	–	–	–	–	·12	–	–	–	·01	·30		23
24	·02	·01	·11	–	–	–	–	–	–	–	–	·03		24
25	–	·05	·02	·01	·04	–	·38	–	–	–	–	–		25
26	·14	–	·01	·01	·27	–	·05	–	–	·01	–	–		26
27	·15	·01	–	·13	–	·11	·07	–	–	·01	·43	·08		27
28	·37	–	·17	–	·22	·02	·02	–	–	–	·04	–		28
29	·03	–	·06	–	·32	–	·05	–	–	–	·06	·36		29
30	·05	X	–	·05	–	·02	·08	–	·27	–	·10	·13		30
31	·03	X	·01	X	–	X	–	–	X	17	X	·03		31
TOTAL 99	1·77	·38	1·22	2·63	1·39	1·11	1·97	·81	1·83	1·00	·92	1·53	Year's Total 16·56	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)……………………………………(P.T.O.)

BIGGLESWADE
W. W.
BEDFORD
1911- 15

RE

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

Kept at Biggleswa
in the County of Bedf
by H. Carne

1
in Snowdon
5" in.
e Ground 1 ft. — in.
Sea Level 170 ft.
a.m.
Name Biggleswade GNR
Distance 2½ Direction NxNW

IMPORTANT NOT… l the result entered to the previous day. If an Ob… versal rule, he is earnestly requested to add the read… year in the space provided for it at the end of thi… ement of rain, the selection and placi… British Rainfall Organization are given in "Rules for Rainfall Observers," … on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03						·03	·10					1
2	·03			·02	·05		·03	·02			·09	·04	2
3		·02		·01	·08	·10				·01	·02	·01	3
4	·04	·03	·12	·13					·01	·04	·05	·18	4
5	·01							·09		·03	·02	·20	5
6	·14		·01							·01	·01	·24	6
7	·01									·19	·27	·15	7
8	·13		·10							·01	·03	·05	8
9	·15			·01								·02	9
10		·08	·04	·03							·07	·22	10
11	·36		·01		·04						·32	·01	
12	Snow ·07		·34						·11	·32	·37		1
13			·10		·23				·21	·16		·19	13
14			·03		·20	·02				·01		·29	14
15		·02	·11							·02	·08	·01	15
16						·18					·25	·01	16
17						·01				·01	·04	·08	17
18		·18				·06					·22	·01	18
19	·01					·24	·03		·06	·03	·37	·02	19
20		·03	·01			·04			·18	·04		·41	20
21		·09						·60		·24	·01	·10	21
22	·01		·36			·06		·41		·12	·01	·36	22
23		·06	·26			·89	·05	·04	·24			·10	23
24		·03	·01			·17				·28		·14	24
25		·09	·01	·01	·03	·17	·02					·01	25
26		·01		·15	·02	·13	·01	·08		·12	·04	·14	26
27		·17	·05				·04		·13			·02	27
28		·13		·23	·05		·04	·09			·05	·06	28
29				·03		·18	·10		·21	·12	·01		29
30						·01			·01	·11		·01	30
31					·40					·01			31
Total	·99	·94	1·56	·62	1·10	2·26	·35	1·40	1·16	1·88	2·33	3·08	TOTAL for year 17·67
No. of Rain Days.	12	13	15	9	9	14.	9	8	9	20	20	27	165

W. 8,000, X. '11.

RE 1

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

Kept at Biggleswade Waterworks

in the County of Bedfordshire 3

by H. Carne

RAIN GAUGE
Pattern 5" Dia Snowdon
Diameter of top 5" in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 170 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Biggleswade GNR
Distance 2½ Direction N x NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03						·03	·10					1
2	·03			·02	·05		·03	·02			·09	·04	2
3		·02		·01	·08	·10				·01	·02	·01	3
4	·04	·03	·12	·13					·01	·04	·05	·18	4
5	·01							·09		·03	·02	·20	5
6	·14		·01							·01	·01	·24	6
7	·01									·19	·27	·15	7
8	·13		·10							·01	·03	·05	8
9	·15			·01								·02	9
10		·08	·04	·03							·07	·22	10
11	·36		·01		·04						·32	·01	
12	Snow ·07		·34						·11	·32	·37		1
13			·10		·23				·21	·16		·19	13
14			·03		·20	·02				·01		·29	14
15		·02	·11							·02	·08	·01	15
16						·18					·25	·01	16
17						·01				·01	·04	·08	17
18		·18				·06					·22	·01	18
19	·01					·24	·03		·06	·03	·37	·02	19
20		·03	·01			·04			·18	·04		·41	20
21		·09						·60		·24	·01	·10	21
22	·01		·36			·06		·41		·12	·01	·36	22
23		·06	·26			·89	·05	·04	·24			·10	23
24		·03	·01			·17				·28		·14	24
25		·09	·01	·01	·03	·17	·02					·01	25
26		·01		·15	·02	·13	·01	·08		·12	·04	·14	26
27		·17	·05				·04		·13			·02	27
28		·13		·23	·05		·04	·09			·05	·06	28
29				·03		·18	·10		·21	·12	·01		29
30						·01			·01	·11		·01	30
31					·40					·01			31
Total	·99	·94	1·56	·62	1·10	2·26	·35	1·40	1·16	1·88	2·33	3·08	TOTAL for year 17·67
No. of Rain Days.	12	13	15	9	9	14.	9	8	9	20	20	27	165

W. 8,000, X. '11.

REGISTER Ex JS OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL

14 JAN 1913
R

Kept at Biggleswade

in the County of Bedfordshire 3

by H. Carne . Waterworks Engineer

Lat.
Long.
Time of Observation 9. am
Nearest Railway Station Biggleswade
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·03	·01		·05	·42		·08	1
2			·01	·01		·19	·49					·02	2
3	·06	Snow ·01			·28	·11	·01	·11	·01	·04		·09	3
4	·07		·38		·10	·31					·22		4
5	·10	Snow ·08	·28			·01		·08	·03		·09		5
6	·18	·01	·02		·01	·38	·17	·22				·03	6
7	·02		·05		·01	·92		·17				·01	7
8	·18	·16	·07			·07		·23	·06	·01	·01		8
9	·01	·03		·06		·16	·01			·01		·18	9
10			·02					·24	·18	·01	·07	·03	10
11	·12	·04				·03		·01	·05		·01	·08	11
12	·10	·11	·05		·03	·09	·01	·04			·04		12
13		·01					·02	·20			·18	·01	13
14	·04				·03	·02		·07		·01	·01		14
15			·14		·35	·13						·10	15
16	·23		·01		·01	·06		·03		·01	·12		16
17	Melted Snow ·58		·12			·08		·03				·06	17
18	·03		·10					·19		·01	·04	·03	18
19	·11	·05	·11				·62	·54		·01	·03		19
20	·02		·05		·05		·03	·15					20
21	·01		·36		·32			·56		·18	·05		21
22	·54	·03			·05		·05	·19	·01	·19		·03	22
23	·36	·35	·24				·60	·49		·02	·22	·12	23
24	·18	·01					·18	·20	·01	·02		·09	24
25						·06		·50		·01	·23	·43	25
26							·40	·63			·20	·16	26
27						·03	·01	·01		·31		·12	27
28	·01	·01				·02	·02	·03	·05	·14	·18	·47	28
29		·02	·04	·01	-	·06	·10	·35	·73	·21	·01		29
30					·22	·03			·49	·21			30
31			·03		·01		·19	·25		·14	·08		31
Total	2·95	·92	2·08	·08	1·47	2·79	2·92	5·46	1·67	1·96	1·79	2·14	YEAR'S TOTAL 26·23
Rain Days.	20	14	18	3	13	20	17	25	11	19	18	19	197

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
25 APR 19

Kept at Biggleswade Waterworks
in the County of Bedfordshire 3
by H. Carne. Engineer

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Biggleswade
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·14	·04	·22	·01				·48		·03	·02	1
2	·01	·10			·15				·09	·04			2
3			·10	·03	·50				·01			·06	3
4	·10		·04		·04	·02				·20	·02	·11	4
5	·05					·02				·24		·04	5
6		·03	·05		·08	·37	·19		·05	·06			6
7		·06			·03		·02	·04		·62	·02		7
8			·05	·02	·18	·23				·05	·04		8
9		·20	·02	·03	·01	·04			·08		·02	·06	9
10			·08	·43			·14	·01			·36		10
11	·55				·06					·16	·16		11
12		·01		·01	·12	·01					·11		12
13	·01			·01				·02	·05		·28		13
14	·02	·01	·09	·10			·26	·01			·04		14
15	·05	·03	·18	·06			·03			·17	·01		15
16	·03		·24	·18					·03				16
17	·08	·02	·02	·07		·11	·04		·03			·06	17
18	·01		·06				·07					·02	18
19	·17		·06				·05		·50			·05	19
20	·02		·06							·13			20
21	·04		·11	·04	·08		·03			·07	·14		21
22	·30		·14	·07			·01	·11	·10				22
23						·04	·01	·01	·02			·06	23
24	·01			·01				·01			·01		24
25		·02		·10		·07	·01						25
26		·04	·24	·04				09		·50	·05	·10	26
27			·02	·01	·01					·01	·01		27
28	·23		·11	·06						·04		·01	28
29	·05		·12	·38	·24			·09	·01	·03		·04	29
30	·14			·02				·06		·12	·09		30
31								·43		·01			31
Total	1·91	·66	1·83	1·89	1·51	·91	·86	·88	1·45	2·45	1·39	·63	YEAR'S TOTAL 16·37
Rain Days.	19	11	20	20	13	9	12	11	12	16	16	12	171

W.7,000, XI. 13

Ex LMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at Biggleswade Waterworks

in the County of Bedfordshire 3

by H. Carne. Engineer

Lat. .... Long. ....

Time of Observation 9. am

Nearest Railway Station Biggleswade

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		01				1.84	30			05		1
2	·01		01	02			02	04		02	03	·09	2
3			05		15		34	07			11		3
4	·11		01	11	01			11			44	22	4
5			01	20	01	09	42	32					5
6		·03			06	03	25	01			11	05	6
7		·06	15	·04	37	04	05					28	7
8	·05	·06	45	05	03	69		09					8
9	·21		46	04	02	54						67	9
10	·06	·06	01	09	06							01	10
11		·04	25	02	07	48			10		23	21	11
12		·01	09						03	·01	01	20	12
13		·14	15						50	11	04	13	13
14		·01	15				·01		07	65	03	43	14
15	·04		19								07	10	15
16	01		02				04		07		05		16
17		·23	03									09	17
18			02						10			29	18
19		·04	23								16	02	19
20		·13	31				02		02	02		06	20
21		·35	10			18				01	01	09	21
22			05	01	11	07	05			35			22
23		·03	04		05					09		06	23
24			03	03			06			22	14		24
25	02	·01	04							22		08	25
26			01					·10		03	07	38	26
27	·04							04				13	27
28		04			03		04			10	50	1.37	28
29			04							35	05		29
30			04							03	25	23	30
31					14		03					02	31
Total	·56	1·24	2·95	·61	1·11	2·12	3·17	1·08	·89	2·21	2·35	5·21	YEAR'S TOTAL 23·50
Rain Days.	10	15	27	10	13	8	13	9	7	14	18	23	167

W. 8,000. X. 14.

exd JS

1274

3 - JAN 1916

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915.

Kept at Biggleswade Waterworks

in the County of Bedfordshire 3

by H. Carne Waterworks Engineer

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Biggleswade

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	29	·07	12		07		01		13	01	08	10	1
2	10	·11	24	10		02		42	03	05	02	08	2
3	23		02	16			03	11	09		01	15	3
4	07						14	08				42	4
5	02	·33		16				03				18	5
6	08	·05	01				1·03	01		01		01	6
7	05	·21	06				12	10				10	7
8	01	·37					01	01			01		8
9						05		01			17	54	9
10	21		03	01				21			01	04	10
11	01		02	01	04						65		11
12	06			34	30			14		01	72	Snow ·06	12
13	01	·32			1·02								13
14		·02					62	05	10			19	14
15	10				03		05	28			12	07	15
16		·17					41	37		03	01	06	16
17		·17			14		20	05			01		17
18		·08	Snow ·14								04		18
19			Snow 02				14						19
20	25			12								27	20
21	11	·01			01		02					07	21
22	67		50				45		01			10	22
23		Snow ·16	24			02	18		11	20		19	23
24	01		23			04	03		27	05		02	24
25				01		05	03		01			25	25
26		09					08		01			18	26
27						15	15		68	31		01	27
28		19	01			01		01		05			28
29						26	13	14	01		07	09	29
30	02	×				62			01				30
31	02	×		×		×		03	×	28	×	09	31
Total	2·32	2·35	1·64	·91	1·71	1·22	3·83	2·05	1·46	1·00	1·92	3·27	YEAR'S TOTAL 23·68
Rain Days.	19	15	13	8	7	9	19	17	12	10	13	23	165

W. 8,000. X. 15.

BEDFORD.

CARDINGTON.

"R.A.F. MET: OBS:

1918 - 1919

REGIS 18.

FORM A.
BRITISH RAINFALL.

Kept at Royal Air Force Me
Airship Construction
Cardington,

g. 0° 25′ 25″ W.

9 a.m. daily.

Cardington (Midland Railway)

in the County of Bedfords

Rain Gauge 8 in.

by R.A.F. Meteorologists

above Ground = ft. 12 in.

" Sea Level 120 — ft.

IMPORTANT NOTE and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
				m.m.	m.m.	m.m.	m.m.	m.m.	m.m.	m.m.	m.m.	m.m.	
1	Meteorological Observatory not opened till 1st April 1918	ditto	ditto	0.8	–	–	–	–	–	–	1.6	1.3	1
2				6.2	–	–	–	1.3	–	0.4	2.1	2.3	2
3				–	14.7	–	–	0.2	3.9	–	14.5	0.8	3
4				–	–	–	0.1	0.6	15.7	–	12.1	0.4	4
5				–	2.2	–	–	1.4	2.2	2.2	–	–	5
6				4.0	–	–	–	–	–	–	–	–	6
7				2.3	0.2	0.2	–	–	1.1	1.8	3.3	–	7
8				0.2	–	–	–	–	3.0	0.8	0.3	–	8
9				0.3	–	1.1	5.2	–	12.1	1.6	–	–	9
10				2.0	–	–	4.0	–	2.2	0.6	–	2.4	10
11				–	3.0	–	0.6	–	1.8	14.7	0.4	1.4	11
12				–	2.5	–	2.9	–	0.3	–	–	2.2	12
13				0.2	3.5	0.3	1.4	–	1.8	–	–	– ~~[illegible]~~	13
14				–	–	2.2	5.3	–	8.1	3.4	–	1.3	14
15				29.3	–	1.3	5.2	–	0.1	–	–	1.3	15
16				9.4	–	1.8	–	0.4	17.8	–	–	–	16
17				1.3	14.6	–	32.4	0.6	–	–	–	1.9	17
18				–	–	2.8	3.2	–	3.1	–	–	7.4	18
19				3.2	–	0.3	2.9	–	–	1.5	–	4.3	19
20				10.4	–	1.1	–	–	2.0	2.5	–	–	20
21				1.6	–	–	–	–	14.9	0.9	–	–	21
22				–	4.3	–	0.7	–	1.5	–	–	5.8	22
23				–	10.9	0.8	1.8	0.2	3.1	–	0.5	0.5	23
24				–	–	–	0.2	–	0.7	–	3.6	–	24
25				–	–	0.9	0.2	4.1	–	0.3	0.2	–	25
26				–	–	–	1.7	0.6	–	0.1	3.0	2.4	26
27				1.8	–	0.1	1.1	3.2	1.6	–	2.7	0.4	27
28				0.2	–	–	–	–	–	–	5.9	1.2	28
29				–	–	–	–	–	33.3	–	–	1.4	29
30				–	–	–	–	–	0.5	0.2	1.7	1.7	30
31					–		–	–		1.3		0.3	31
Total				73.2 ✓	55.9 ✓	12.9 ✓	68.9 ✓	12.6 ✓	130.8 ✓	32.3 ✓	51.9 ✓	40.7 ✓	9 months ~~YEAR'S~~ TOTAL ~~479.2~~
Rain Days.				16 ✓	9 ✓	11 ~~12~~ ✓	~~17~~ 16 ✓	10 ✓	~~22~~ 21 ✓	~~15~~ 14	14 ✓	20 ✓	~~135~~
				2·90	2·20	·50	2·70	·50	5·15	1·27	2·05	1·60	

W. 6,500, VII. 18. W W C

REGIS 18.

FORM A.
BRITISH RAINFALL.
20

Kept at Royal Air Force Meteorological Observatory. Airship Constructional Station Cardington, Bedford.
in the County of Bedfordshire
by R.A.F. Meteorologists

Lat. 52° 6' 42" N. Long. 0° 25' 25" W.
Time of Observation 9 a.m. daily.
Nearest Railway Station Cardington (Midland Railway)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground = ft. 12 in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
				m.m.	m.m.	m.m.	m.m.	m.m.	m.m.	m.m.	m.m.	m.m.	
1	Meteorological Observatory not opened till 1st April 1918	ditto	ditto	0.8	–	–	–	–	–	–	1.6	1.3	1
2				6.2	–	–	–	1.3	–	0.4	2.1	2.3	2
3				–	14.7	–	–	0.2	3.9	–	14.5	0.8	3
4				–	–	–	0.1	0.6	15.7	–	12.1	0.4	4
5				–	2.2	–	–	1.4	2.2	2.2	–	–	5
6				4.0	–	–	–	–	–	–	–	–	6
7				2.3	0.2	0.2	–	–	1.1	1.8	3.3	–	7
8				0.2	–	–	–	–	3.0	0.8	0.3	–	8
9				0.3	–	1.1	5.2	–	12.1	1.6	–	–	9
10				2.0	–	–	4.0	–	2.2	0.6	–	2.4	10
11				–	3.0	–	0.6	–	1.8	14.7	0.4	1.4	11
12				–	2.5	–	2.9	–	0.3	–	–	2.2	12
13				0.2	3.5	0.3	1.4	–	1.8	–	–	–	13
14				–	–	2.2	5.3	–	8.1	3.4	–	1.3	14
15				29.3	–	1.3	5.2	–	0.1	–	–	1.3	15
16				9.4	–	1.8	–	0.4	17.8	–	–	–	16
17				1.3	14.6	–	32.4	0.6	–	–	–	1.9	17
18				–	–	2.8	3.2	–	3.1	–	–	7.4	18
19				3.2	–	0.3	2.9	–	–	1.5	–	4.3	19
20				10.4	–	1.1	–	–	2.0	2.5	–	–	20
21				1.6	–	–	–	–	14.9	0.9	–	–	21
22				–	4.3	–	0.7	–	1.5	–	–	5.8	22
23				–	10.9	0.8	1.8	0.2	3.1	–	0.5	0.5	23
24				–	–	–	0.2	–	0.7	–	3.6	–	24
25				–	–	0.9	0.2	4.1	–	0.3	0.2	–	25
26				–	–	–	1.7	0.6	–	0.1	3.0	2.4	26
27				1.8	–	0.1	1.1	3.2	1.6	–	2.7	0.4	27
28				0.2	–	–	–	–	–	–	5.9	1.2	28
29				–	–	–	–	–	33.3	–	–	1.4	29
30		X		–	–	–	–	–	0.5	0.2	1.7	1.7	30
31		X		X	–	X	–	–	X	1.3	X	0.3	31
Total				73.2 ✓	55.9 ✓	12.9 ✓	68.9 ✓	12.6 ✓	130.8 ✓	32.3 ✓	51.9 ✓	40.7 ✓	~~YEAR'S~~ months TOTAL ~~479.2~~
Rain Days.				16 ✓	9 ✓	~~12~~ 11 ✓	~~17~~ 16	10 ✓	~~22~~ 21	~~15~~ 14	14 ✓	20 ✓	~~135~~
				2.90	2.20	.50	2.70	.50	5.15	1.27	2.05	1.60	

W. 6,500, VII. 18. W W & S

M.O. Form 3362.

Corr. by Hyetograph records.
Dec partly estimated

METEOROLOGICAL OFFICE, LONDON.

Values of Rainfall Amounts

at Bedford (Gardington) 1919

– = nil
~~N = no record~~

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
1	4.5	0.4	–	trace	0.6	1.5	0.6	–	trace	trace	0.1	26.3	
2	3.0	–	0.2	–	0.8	–	0.7	–	5.1	0.1	5.8	8.3	
3	18.0	–	5.6	–	–	–	2.2	–	0.1	–	4.0	3.7	
4	1.3	0.1	7.3	–	–	1.0	1.7	0.7	trace	–	trace	1.6	
5	0.5	6.3	7.0	–	–	–	5.3	0.2	30.2	–	–	3.8	
6	–	–	0.9	–	15.3	–	–	–	–	0.3	0.4	0.4	
7	1.3	–	4.9	–	0.1	–	trace	–	–	–	1.2	–	
8	2.5	–	1.4	3.8	–	–	–	–	–	–	0.2	–	
9	–	–	0.1	4.2	–	–	–	–	–	–	0.3	–	
10	–	–	6.7	0.7	–	–	–	–	–	–	0.8	2.1	
11	1.8	–	3.9	1.5	2.1	–	12.7	–	–	–	0.4	trace	
12	–	–	2.4	0.2	–	0.9	1.1	–	–	0.6	0.3	–	
13	1.9	–	–	5.9	–	–	–	–	trace	–	0.1	trace	
14	3.9	trace	–	2.6	–	–	0.8	–	3.1	–	–	–	
15	1.9	1.6	2.9	1.7	–	–	–	–	–	–	0.5	3.1	
16	0.8	15.3	–	0.8	–	–	–	–	–	–	3.4	–	
17	–	8.8	–	–	–	–	–	–	–	–	3.6	0.2	
18	–	1.6	1.4	–	0.2	–	trace	5.4	–	–	0.2	2.1	
19	0.85	5.1	21.1	–	–	6.5	5.5	4.8	3.0	–	1.1		
20	7.9	0.2	1.2	–	–	8.0	8.0	8.6	–	–	0.4		
21	8.9	9.8	–	–	–	trace	12.7	–	–	–	0.3		
22	–	4.1	–	–	–	–	trace	–	3.1	–	–		
23	–	–	–	–	–	0.9	1.15	0.2	0.4	3.2	trace		
24	–	–	–	7.1	–	–	0.7	0.1	–	6.0	–		
25	1.3	–	–	1.0	1.1	1.5	–	4.2	–	–	–	(40.0)	
26	3.4	1.2	2.2	0.5	–	–	–	trace	1.4	–	–		
27	16.3	2.8	0.2	14.4	–	–	–	11.9	–	0.2	0.9		
28	–	–	–	1.1	–	–	0.1	14.9	–	0.2	2.9		
29	0.3		–	1.9	–	0.1	0.1	3.9	–	4.5	1.9		
30	0.1		1.6	7.1	–	5.4	–	0.2	–	1.0	4.5		
31	0.15		trace		–		trace	–		1.2 ~~N~~			
	80.6	57.3	71.0	54.5	20.2	25.8	53.35	55.1	46.4	17.3	33.3	91.6 ~~51.6~~	(606.45) ~~565.25~~
	21	11	17	14	6	8	13	11	7	9	20	23 ~~[illegible]~~	(162) ~~146~~

Authority and Remarks

EWB

(47,474). Wt.34,260—273. 1000. 1/20. Gp.132. A.&E.W.

BEDFORD

CRANFIELD SCHOOL

1911- 1914

R N 19 11

FORM A2.
BRITISH RAINFALL
11 JAN 1912

Kept at Cranfi
in the County of
by Alfre

er of top 5 in.
of top above Ground 3 ft. 6 in.
„ „ Sea Level 365 ft.
tion Gau

Station
Name Woburn Sands
Distance 4 m Direction W.

IMPORTANT NOT should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	—	—	—	—	—	·18	1
2	·06	—	—	·22	·11	—	—	·02	—	—	·10	—	2
3	—	—	—	·18	·14	—	—	—	—	—	·09	·37	3
4	·03	·04	·12		—	—	—	—	·01	·14	·17	·18	4
5	—	·01	—	Slight [illegible]	—	—	—	·21	—	·03	—	·37	5
6	·24	—	—		—	—	—	—	—	—	—	·18	6
7	·01	—	—	Slight [illegible]	—	—	—	—	—	·11	·24	·12	7
8	·10	—	·15	·05	—	—	—	—	—	·04	·07	·05	8
9	·15	—	—	—	—	—	—	—	—	—	·02	·40	9
10	·01	·10	·10	—	—	—	—	—	—	—	·04	·02	10
11	·25	—	—	—	—	—	—	—	—	—	·74	—	11
12	—	—	·36	—	—	—	—	—	—	·03	·18	·02	12
13	—	—	·11	—	·03	—	—	—	·05	·11	·02		13
14	—	—	·02 snow	—	·28	—	—	—	·33	—	—	·22	14
15	—	·06	·21	—	—	·10	—	—	—	·05	·13	·02	15
16	—	—	—	—	—	·02	—	—	—	—	·32	·06	16
17	—	—	·14	—	—	—	—	—	—	—	·06	·18	17
18	—	·11	—	—	—	—	—	—	—	—	·11	·08	18
19	—	—	—	—	·05	·50	·05	—	—	·05	·29	·02	19
20	·04	·09	·03	—	—	—	—	·18	·21	·02	—	·47	20
21	—	—	—	—	—	—	—	·19	·46	·15	—	·16	21
22	—	—	·11	—	—	·20	—	—	—	·14	·02	·38	22
23	·01	·05	·31	—	—	·29	·11	—	—	—	—	·19	23
24	—	·06	—	—	—	·33	—	—	·15	·32	—	·11	24
25	·02	·16	·02	·02	·20	·22	—	·01	—	—	—	·07	25
26	—	—	—	·14	·43	·03	—	—	—	·13	·05	—	26
27	—	·16	·13	—	—	—	·23	·02	·18	·01	—	·08	27
28	—	·17	—	·34	·01	—	—	·18	—	—	·08	·01	28
29	—		—	·11	—	·35	·16	—	·26	·18	—	—	29
30	—		·01	·06	—	·02	—	·08	·02	·11	·01	—	30
31	—				·12			—		·06		—	31
Total	·92	1·01	1·82	1·12	1·37	2.06	·55	·89	1·67	1·68	2·75	3·94	TOTAL for year 19·78
No. of Rain Days	11	11	14	8	9	10	4	8	9	17	19	24	144
9,000, 8X. '10.	1·93	3·75	4·87	6·24	8·30	8·85	9·74	11·41	13·09	15·84	19·78		

R [illegible] N 19*11*

FORM A2.

BRITISH RAINFALL
11 JAN 1912

Kept at *Cranfield*

in the County of *Bedfordshire* 3

by *Alfred Death*

RAIN GAUGE
Pattern
Diameter of top *5* in.
Height of top above Ground *15* ft. *6* in.
" " " Sea Level *365* ft.

Time of Observation *9 am*

Nearest Railway Station
Name *Woburn Sands*
Distance *4 m* Direction *W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	—	—	—	—	—	·18	1
2	·06	—	—	·22	·11	—	—	·02	—	—	·10	—	2
3	—	—	—	·18	·14	—	—	—	—	—	·09	·37	3
4	·03	·04	·12		—	—	—	—	·01	·14	·17	·18	4
5	—	·01	—	Slight snow.	—	—	—	·21	—	·03	—	·37	5
6	·24	—	—	Slight snow.	—	—	—	—	—	—	—	·18	6
7	·01	—	—		—	—	—	—	—	·11	·24	·12	7
8	·10	—	·15	·05	—	—	—	—	—	·04	·07	·05	8
9	·15	—	—	—	—	—	—	—	—	—	·02	·40	9
10	·01	·10	·10	—	—	—	—	—	—	—	·04	·02	10
11	·25	—	—	—	—	—	—	—	—	—	·74	—	11
12	—	—	·36	—	—	—	—	—	—	·03	·18	·02	12
13	—	—	·11	—	·03	—	—	—	·05	·11	·02		13
14	—	—	·02 snow	—	·28	—	—	—	·33	—	—	·22	14
15	—	·06	·21	—	—	·10	—	—	—	·05	·13	·02	15
16	—	—	—	—	—	·02	—	—	—	—	·33	·06	16
17	—	—	·14	—	—	—	—	—	—	—	·06	·18	17
18	—	·11	—	—	—	—	—	—	—	—	·11	·08	18
19	—	—	—	—	·05	·50	·05	—	—	·05	·29	·02	19
20	·04	·09	·03	—	—	—	—	·18	·21	·02	—	·47	20
21	—	—	—	—	—	—	—	·19	·46	·15	—	·16	21
22	—	—	·11	—	—	·20	—	—	—	·14	·02	·38	22
23	·01	·05	·31	—	—	·29	·11	—	—	—	—	·19	23
24	—	·06	—	—	—	·33	—	—	·15	·32	—	·11	24
25	·02	·16	·02	·02	·20	·22	—	·01	—	—	—	·07	25
26	—	—	—	·14	·43	·03	—	—	—	·13	·05	—	26
27	—	·16	·13	—	—	—	·23	·02	·18	·01	—	·08	27
28	—	·17	—	·34	·01	—	—	·18	—	—	·08	·01	28
29	—		—	·11	—	·35	·16	—	·26	·18	—	—	29
30	—		·01	·06	—	·02	—	·08	·02	·11	·01	—	30
31	—				·12			—		·06		—	31
Total	·92	1·01	1·82	1·12	1·37	2·06	·55	·89	1·67	1·68	2·75	3·94	TOTAL for year 19·78
No. of Rain Days	11	11	14	8	9	10	~~6~~ 4	8	9	17	19	24	144
		1·93	3·75	4·87	6·24	8·30	8·85	9·74	11·41	13·09	15·84	19·78	

9,000, SX. '10.

82 Ex HRM 207

FORM A2. BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Cranfield School

in the County of Bedfordshire 3

by A. Death

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·02			·04	·03			·31		·06	1
2			·06	·01		·17	·50						2
3	·07				·07	·31	·02	·34			·01	·05	3
4	·14		·78		·17	·13	·01				·28		4
5	·13		·24			·12		·29					5
6	·21	·16					·06	·74	·01		·02	·07	6
7			·03		·03	·69		·19					7
8	·23	·18	·15			·09		·05				·01	8
9	·01	·10	·03	·05		·15	·03	·01	·02			·20	9
10		·02				·26		·78			·11		10
11	·15	·06	·01			·05		·01				·20	11
12	·10	·23	·07		·01	·33					·11		12
13		·04						·06		·01	·14	·02	13
14	·03		·03		·10	·03		·07		·03			14
15	·02	·02	·15		·25	·13		·07				·19	15
16	·47		·04		·07	·09		·06					16
17	·43		·11			·10		·09	·01		·03	·17	17
18			·17					·02			·05	·01	18
19	·18	·07	·08			·01	·17	·67					19
20	·02	·01	·10		·01	·06	·31	·63		·29	·01		20
21	·01	·01	·24		·62			·73		·24			21
22	·45	·08			·03		·05	·27		·07	·08	·01	22
23	·27	·50	·31				·39	·35		·05		·06	23
24	·24	·02					·06	·34			·15		24
25						·16	·19	·20				·54	25
26						·04	·29	·69		·38	·57	·15	26
27			·01			·02				·35		·30	27
28		·04					·25	·25	·05	·25		·02	28
29		·02				·23		·02	·80	·40	·12	·83	29
30					·27	·02			·28	·15	·02	·01	30
31			·02		·07		·35	·31				·03	31
Total	3·18	1·56	2·65	·06	1·70	3·23	2·71	7·24	1·17	2·53	1·70	2·93	TOTAL for year 30.66
No. of Rain Days.	19	16	20	2	12	22	15	25	6	12	14	19	182

W. 8,000, X. '11.

82

213

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Cranfield School

in the County of Bedfordshire 3

by A. Death

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	·25	·07	·12	·01				1·02		·05	·14	1
2		·15					·14		·52	·02			2
3	·03		·20	·01	·74		·02			·03	·02	·09	3
4	·25	·01	·04		·01		·06			·03	·02	·23	4
5						·04			·02	·23	·03	·06	5
6	·01	·05	·03		·13	·11	·03			·37		·05	6
7		·18			·23	·17	·02			·36	·05		7
8		·01		·02	·14	·06				·04	·02		8
9			·01	·06				·01	·20		·05	·04	9
10	·02		·01	·37			·12	·01			·43		10
11					·03			·04			·20		11
12	1·03	·01			·15				·02	·21	·23		12
13				·01							·27		13
14			·14	·02				·06		·17	·02		14
15	·21	·02	·14	·18			·27						15
16	·03		·42	·15					·02				16
17		·07	·18	·09		·44	·08					·05	17
18	·10		·08	·13			·07		·10		·01	·04	18
19	·23		·10			·01	·10					·04	19
20			·13			·13				·62			20
21			·14	·08	·11		·03		·16	·02	·15		21
22	·38		·20	·04	·01			·11					22
23						·05	·01	·02	·03			·05	23
24	·05										·01		24
25		·01		·21		·02	·01						25
26			·20	·07				·05		·36	·03		26
27		·03	·03								·01	·30	27
28			·07	·20						·08			28
29	·41		·11	·60	·29			·05	·01	·09			29
30	·20							·01		·09			30
31								·30					31
													YEAR'S TOTAL
Total	2·97	·79	2·30	2·36	1·85	1·03	·96	·66	2·10	2·72	1·60	1·09	2043
Rain Days.	14	11	19	17	11	9	13	10	10	15	17	11	157

W. 7,500, XI. 12

Ex LMc

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

27 MAR 1915

3

Kept at Cranfield School, Woburn Sands,
in the County of Beds
by Alfred Death, Esq

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Returns wanted.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·06	·02		·09	·03	·02	–		·11	–	1
2	·01		·01				·05	·15	–		·18	·20	2
3			·01					·03	–		·08	–	3
4	·20				·20		·46	·13	–		·35	·25	4
5			·01	·19	·02	·01		·50	–		·02	–	5
6		·03	·03	·22		·02	·37	·02	–		·10	·10	6
7		·20			·02	·01	·01	·03	–		·02	·23	7
8	·09		·50	·04	·13	·75			–		–	–	8
9	·35		·37	·05	·04	·75		·01	–		–	·23	9
10	·05	·15	·03	·06				·02	–		–	·04	10
11		·05		·04	·05	·55	·06		–		·26	·35	11
12		·05	·26	·08	·07	·01			·62		–	·57	12
13		·13	·08						·16	·28	–	·20	13
14		·01	·37						–	1·23	·15	·31	14
15	·02	·01	·17						·26	·02	·02	·14	15
16			·17						·07	–	–	–	16
17	·05	·23	·05						·19	–	·03	·23	17
18			·04				·07		–	–	–	·47	18
19		·02	·02						·02	–	·09	·29	19
20		·07	·18			·02	·04		·04	–	–	–	20
21		·29	·40						–	·19	·01	–	21
22		·01	·08			·03	·15	·02	–	·27	–	–	22
23		·02	·02		·11	·05		·04	–	·25	–	·02	23
24			·06		·08		·06		–	·52	·12	–	24
25	·06			·02				·01	–	·26	–	·27	25
26			·15				·05	·10	–	·05	·09	·29	26
27			·14					·08	–	·01	–	·29	27
28		·07	·02						–	·19	·19	1·14	28
29	·01				·04				–	·30	·09	[illegible]	29
30	·01		·17		·07				–	·08	·26	·50	30
31			·01				·04		✕	–	✕	·24	31
Total	·85	1·35	3·41	·72	·83	2·29	1·39	1·16	1·36	3·65	2·17	6·04	YEAR'S TOTAL 25·22
Rain Days.	10	16 ~~15~~	26	9	11	11	12	14	7	13	18	21	168

W.7,000, XI. 13

Cor for arith 22.

BEDFORD.

DUNSTABLE.

"THE GRAMMAR SCHOOL"

1912 – 1920

FORM A.
BRITISH RAINFALL.
12 MAR 1913

REGISTE

Kept at The Grammar School, … W. … m.

… R. Dunstable

in the County of Bedfordshi… … 5 in.

… Ground — ft. 8 in.

by W. D. Coales … Sea Level 480 ft.

IMPORTANT NOTE.—Ra… he result entered to the previous day. If an Observer … rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following … in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·00"	–	·06"	–	–	·01"	·10"	·01"	·07"	·43"	–	·16"	1
2	·00"	·01"	·04"	–	–	·28"	·49"	·28"	–	·01"	–	·01"	2
3	·12"	·01"	·06"	·03"	·03"	·10"	·01"	·11"	·03"	·01"	·01"	·11"	3
4	·25"	·07"	·61"	–	·21"	·21"	·01"	·33"	–	–	·25"	–	4
5	·13"	·00 –	·31"	–	·01"	·02"	–	·38"	·04"	–	·10"	·02"	5
6	·34"	·05"	–	–	–	·19"	–	·02"	·01"	–	·01"	·11"	6
7	·00"	–	–	–	·02"	·68"	–	·03"	–	–	–	·06"	7
8	·36"	·30"	·23"	–	–	–	·01"	·01"	·06"	–	–	·01"	8
9	·06"	·13"	–	·08"	·08"	·15"	·01"	·23"	–	–	–	·25"	9
10	·00"	·03"	–	–	–	–	–	–	·06"	–	·20"	·06"	10
11	·22"	·12"	·01"	·01"	–	·02"	–	·03"	·03"	–	·01"	·14"	11
12	·07"	·20"	·09"	–	·02"	·24"	–	·03"	–	–	·09"	–	12
13	·00"	·03"	·01"	–	–	·05"	–	–	–	–	·15"	–	13
14	·02"	–	·02"	–	·05"	·01"	–	·04"	–	·01"	–	·01"	14
15	·01"	·05"	·12"	–	·54"	·26"	–	·04"	–	–	·01"	·22"	15
16	·36"	–	·03"	–	·07"	·01"	–	·04"	–	·04"	·03"	–	16
17	·02"	–	·13"	–	–	·07"	–	·10"	–	–	–	–	17
18	·13"	–	·25"	–	–	–	–	·20"	–	·02"	·02"	·15"	18
19	·12"	·15"	·18"	–	–	–	·56"	·50"	–	–	·01"	·01"	19
20	·03"	–	·20"	–	·02"	–	·08"	·13"	–	·01"	–	·01"	20
21	·01"	·03"	·01"	–	·51"	–	–	·11"	–	·25"	·11"	·01"	21
22	·35"	·11"	·50"	–	·09"	–	·09"	·16"	·01"	·08"	–	·05"	22
23	·24"	·52"	·29"	–	–	–	·25"	·45"	–	–	·26"	·13"	23
24	·31"	–	·01"	–	–	·12"	–	·23"	–	–	–	·24"	24
25	·00"	–	–	–	–	–	·03"	·40"	–	–	·32"	·48"	25
26	·00"	·02"	–	–	–	·08"	·32"	·49"	–	·34"	·32"	·18"	26
27	·00"	–	·02"	–	–	–	–	–	–	·23"	·01"	·17"	27
28	·00"	·03"	–	–	–	–	·16"	·13"	·05"	·36"	·33"	·49"	28
29	·00"	–	·01"	·01	–	·34"	·19"	·31"	1·33"	·23"	–	·01"	29
30	·00"		–	–	·30"	·11"	·21"	·08"	·60"	·17"	–	—	30
31	·01"		·06"		·03"		·08"	·28"	[illegible]	–		·02"	31
Total	3·16"	1·86"	3·25"	0·13"	1·98"	2·95"	2·60"	5·15"	2·29"	2·19"	2·24"	3·11"	YEAR'S TOTAL 30·91 30·91"
Rain Days.	20	17	23	4	14	19	16	28	11	14	18	25	209 ✓

W. 7,500, XI. ·12

Cor for arith 22

REGISTE

W.

FORM A.
BRITISH RAINFALL.
12 MAR 1913

Kept at The Grammar School, Dunstable

in the County of Bedfordshire 2

by W. D. Coales

Time of Observation 8 40 a.m.

Nearest Railway Station L.N.W.R. Dunstable

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·00"	–	·06"	–	–	·01"	·10"	·01"	·07"	·43"	–	·16"	1
2	·00"	·01"	·04"	–	–	·28"	·49"	·28"	–	·01"	–	·01"	2
3	·12"	·01"	·06"	·03"	·03"	·10"	·01"	·11"	·03"	·01"	·01"	·11"	3
4	·25"	·07"	·61"	–	·21"	·21"	·01"	·33"	–	–	·25"	–	4
5	·13"	·00 –	·31"	–	·01"	·02"	–	·38"	·04"	–	·10"	·02"	5
6	·34"	·05"	–	–	–	·19"	–	·02"	·01"	–	·01"	·11"	6
7	·00"	–	–	–	·02"	·68"	–	·03"	–	–	–	·06"	7
8	·36"	·30"	·23"	–	–	–	·01"	·01"	·06"	–	–	·01"	8
9	·06"	·13"	–	·08"	·08"	·15"	·01"	·23"	–	–	–	·25"	9
10	·00"	·03"	–	–	–	–	–	–	·06"	–	·20"	·06"	10
11	·22"	·12"	·01"	·01"	–	·02"	–	·03"	·03"	–	·01"	·14"	11
12	·07"	·20"	·09"	–	·02"	·24"	–	·03"	–	–	·09"	–	12
13	·00"	·03"	·01"	–	–	·05"	–	–	–	–	·15"	–	13
14	·02"	–	·02"	–	·05"	·01"	–	·04"	–	·01"	–	·01"	14
15	·01"	·05"	·12"	–	·54"	·26"	–	·04"	–	–	·01"	·22"	15
16	·36"	–	·03"	–	·07"	·01"	–	·04"	–	·04"	·03"	–	16
17	·02"	–	·13"	–	–	·07"	–	·10"	–	–	–	–	17
18	·13"	–	·25"	–	–	–	–	·20"	–	·02"	·02"	·15"	18
19	·12"	·15"	·18"	–	–	–	·56"	·50"	–	–	·01"	·01"	19
20	·03"	–	·20"	–	·02"	–	·08"	·13"	–	·01"	–	·01"	20
21	·01"	·03"	·01"	–	·51"	–	–	·11"	–	·25"	·11"	·01"	21
22	·35"	·11"	·50"	–	·09"	–	·09"	·16"	·01"	·08"	–	·05"	22
23	·24"	·52"	·29"	–	–	–	·25"	·45"	–	–	·26"	·13"	23
24	·31"	–	·01"	–	–	·12"	–	·23"	–	–	–	·24"	24
25	·00"	–	–	–	–	–	·03"	·40"	–	–	·32"	·48"	25
26	·00"	·02"	–	–	–	·08"	·32"	·49"	–	·34"	·32"	·18"	26
27	·00"	–	·02"	–	–	–	–	–	–	·23"	·01"	·17"	27
28	·00"	·03"	–	–	–	–	·16"	·13"	·05"	·36"	·33"	·49"	28
29	·00"	–	·01"	·01	–	·34"	·19"	·31"	1·33"	·23"	–	·01"	29
30	·00"		–	–	·30"	·11"	·21"	·08"	·60"	·17"	–	–	30
31	·01"		·06"		·03"		·08"	·28"	[illegible]	–		·02"	31
Total	3·16"	1·86"	3·25"	0·13"	1·98"	2·95"	2·60"	5·15"	2·29"	2·19"	2·24"	3·11"	YEAR'S TOTAL 30·91 3091"
Rain Days.	20	17	23	4	14	19	16	28	11	14	18	25	209

W D Cor. for auth. 15.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7 APR 1914

Kept at The Grammar School Dunstable
in the County of Bedfordshire 2
by W. D. Coales

Lat. ~~[illegible]~~ 51° 53' N
Long. ~~[illegible]~~ 30' W.
Time of Observation 8·35 a.m.
Nearest Railway Station Dunstable (L.N.W.R.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·00	·00	·02	·01	·00	·00	·00	·19	·00	·12	·09	1
2	·05	·18	·11	·12	·21	·00	·16	·00	·49	1·11	·02	·00	2
3	·07	·12	·00	·00	·00	·00	·00	·00	·09	·00	·00	·06	3
4	·05	·00	·13	·04	·76	·01	·15	·00	·00	·13	·01	·08	4
5	·28	·01	·01	·00	·05	·04	·08	·00	·00	·05	·01	·04	5
6	·06	·00	·00	·00	·00	·26	·11	·00	·01	·09	·00	·05	6
7	·00	·08	·13	·00	·17	·01	·01	·00	·04	·49	·05	·01	7
8	·01	·14	·00	·00	·15	·16	·00	·00	·00	·08	·11	·00	8
9	·00	·00	·04	·00	·27	·18	·00	·00	·00	·00	·01	·09	9
10	·00	·22	·02	·02	·00	·00	·30	·00	·11	·00	·32	·00	10
11	·01	·00	·00	·08	·01	·00	·00	·04	·00	·24	·28	·00	11
12	·60	·00	·00	·45	·06	·00	·00	·11	·00	·00	·56	·00	12
13	·00	·00	·00	·01	·08	·00	·00	·00	·00	·00	·30	·00	13
14	·03	·01	·00	·02	·00	·00	·06	·06	·05	·17	·11	·00	14
15	·17	·01	·17	·02	·00	·00	·20	·08	·00	·00	·00	·00	15
16	·19	·02	·20	·22	·00	·00	·00	·00	·02	·00	·00	·00	16
17	·08	·00	·24	·27	·00	1·06	·07	·00	·02	·00	·01	·05	17
18	·05	·03	·09	·10	·00	·02	·01	·02	·00	·00	·00	·03	18
19	·01	·00	·12	·25	·03	·09	·17	·00	·13	·28	·00	·00	19
20	·56	·00	·07	·01	·00	·00	·00	·01	·42	·05	·00	·00	20
21	·11	·00	·13	·04	·00	·00	·02	·00	·01	·00	·25	·00	21
22	·01	·00	·18	·08	·11	·05	·00	·00	·00	·00	·00	·00	22
23	·53	·00	·25	·13	·01	·00	·02	·08	·18	·00	·00	·02	23
24	·00	·00	·00	·00	·00	·01	·00	·06	·04	·00	·01	·07	24
25	·06	·00	·00	·05	·00	·00	·01	·05	·00	·43	·00	·00	25
26	·00	·00	·00	·23	·00	·00	·00	·00	·00	·03	·02	·01	26
27	·00	·04	·18	·17	·00	·00	·00	·08	·00	·13	·00	·11	27
28	·00	·00	·04	·10	·00	·00	·00	·00	·00	·04	·00	·00	28
29	·27	—	·20	·15	·00	·00	·00	·00	·00	·21	·00	·00	29
30	·02	—	·13	·62	·31	·00	·00	·08	·00	·00	·07	·03	30
31	·22	—	·00	—	·00	—	·00	·10	—	·00	—	·00	31
	—	—	·02	·01	—								YEAR'S TOTAL
Total	~~3·46~~ 3·44	~~·87~~ ·86	~~2·44~~ 2·46	~~3·20~~ 3·19	~~2·23~~ 2·22	1·89.	1·36	·77	1·80	3·53	2·26	·74	~~24·55~~ 24·52
Rain Days.	2~~3~~.	11.	~~19~~ ·20	23.	~~14~~ ·13	11.	14.	12.	14	15	17	14	~~187~~ 186

W.7,000, XI. 13

Cud by mm stats 25·11·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

25 JAN 1915

Kept at The Grammar School, Dunstable.

in the County of Bedfordshire 2

by W. D. Coales.

Lat. 51° 53′ N Long. 30′ W

Time of Observation 8·35 a.m

Nearest Railway Station Dunstable. L. N. W. R

Diameter of Rain Gauge – 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	·47	·02	–	–	·03	·44	1
2	·05 in	–	–	·02	–	–	·03	·25	–	·01	·07	·01	2
3	·02	–	·02	–	·16	–	·43	·50	–	–	·01	·15	3
4	·01	–	–	·20	·06	–	–	·08	–	–	·29	·03	4
5	·19	–	·09	·37	·02	·10	·49	·50	–	–	·01	·38	5
6	·02	·07	–	–	·03	·12	·04	·02	–	–	·12	–	6
7	·01	·22	·25	·19	·25	·02	·17	·01	–	–	·01	–	7
8	–	·09	·78	·04	·04	·63	·14	·08	–	–	–	·54	8
9	·12	–	·45	·12	–	·45	–	·01	·07	–	–	·80	9
10	·21	·15	·01	·08	·06	–	–	·01	·16	–	–	·01	10
11	·07	·15	·37	·02	·14	·39	–	–	·01	–	·23	·26	11
12	–	·05	·09	–	–	·01	·05	–	·38	–	–	·45	12
13		·25	·25	–	–	–	–	–	·15	·10	·07	·30	13
14	·01	·05	·36	–	–	–	·03	–	·01	·75	·14	·40	14
15	–	·02	·13	–	–	–	–	–	–	·01	·06	·11	15
16	·12	–	·08	–	–	–	·07	–	–	–	–	·01	16
17	·01	·40	·13	–	–	–	–	–	·10	·01	–	·25	17
18	–	–	·04	–	–	–	–	–	–	–	–	·56	18
19	–	·07	·19	–	–	·12	·01	–	–	–	–	·07	19
20	–	·19	·36	–	–	·02	–	–	·10	–	·17	·17	20
21	–	·50	·10	–	–	·05	–	·14	–	·02	–	·20	21
22	–	·03	·01	·03	·01	·04	·01	–	–	·53	–	·01	22
23	–	·03	·08	–	·07	–	·20	·02	–	·09	–	·07	23
24	–	–	·09	·03	–	–	·03	–	–	·25	·11	–	24
25	·07	–	·18	–	–	–	·01	·09	–	·22	–	·10	25
26	·04	–	·07	–	–	–	·02	·08	–	·02	·13	·49	26
27	–	–	·04	–	–	–	–	–	–	–	·01	·20	27
28	–	·05	–	–	·07	–	–	–	–	·14	·71	·90	28
29	·03		·10	–	·06	–	–	–	–	·32	·11	·36	29
30	–		·07	–	–	–	–	–	–	·04	(·44)	·40	30
31	–		–		·12		·03	–		–		·05	31
Total	·98″	2·32	4·34	1·10	1·09	1·95	2·23	1·81	·98	2·51	2·72 ~~2·28~~	7·28 ~~7·72~~	YEAR'S TOTAL 29·31″
Rain Days.	15	16	25	10	13	11	17	14	8	14	18	27	188

W. 7,500, XI. 12

1260
195a

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Dunstable, The Grammar School
in the County of Bedfordshire
by W. D. Coales

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·14	·04		·12		·01	·05	·08	·05	·17	·35	1
2	·12	·26	·22	·07		·03		·49	·16	·08	·01	·06	2
3	·45	·01	·01	·08	·01	·01	·10	1·06	·11		·01	·28	3
4	·29						·03	·02			·01	·52	4
5	·04	·50						·01				·27	5
6	·18	·13	·01	·22			·50	·05		·01		·05	6
7	·08	·30	·08	·02	·01		·30	·02			·01	·20	7
8		·52	·08	·03			·01				·01		8
9	·07	·01	·01	·05		·04		·01			·25	·46	9
10	·26		·01					·28			·04	·05	10
11			·03	·02	·03					·01	·84	·01	11
12	·08	·02	·01	·36	·30			·61		·05	·83	·01	12
13	·01	·52	·01		1·33							·02	13
14	·03	·02					·30	·15	·03			·44	14
15	·20				·03			·07			·10	·20	15
16		·33					·56					·22	16
17		·30			·28		·20		·01		·06	·01	17
18		·19	·05								·04		18
19	·01	·01	·03		·01		·20						19
20	·35		·01	·10								·30	20
21	·09				·01		·01			·01		·06	21
22	·73	·01	·54				·49		·01			·17	22
23	·01	·05	·14			·04	·20		·06	·29		·30	23
24	·01		·13			·02	·10		·54	·08		·17	24
25		·01	·01	·05		·02	·04				·02	·31	25
26		·08				·02	·15					·26	26
27		·02	·01			·07	·14		·01	·35		·10	27
28		·16				·05	·02		·94	·15		·01	28
29							·11	19			·14	·03	29
30	·01	×				·71				·06	·02	·03	30
31	·03	×		×		×		·05	×	·75	×	·20	31
Total	3·53	3·59	1·43	1·00	2·13	1·01	3·47	3·06	1·95	1·89	2·56	5·09	YEAR'S TOTAL 30·71
Rain Days.	21	21	19	10	10	10	19	14	10	12	16	28	190

W. 8,000. X. 14.

8h ✓ ~~W 8~~

1241
~~195~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Dunstable
in the County of Bedfordshire
by W. D. Coales

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·02			·01			·02	·04	·33		1
2	·38	·04	·09		·15	·01			·05	·38	·01		2
3		·83	·10	—	·01	·01			·15	·30	·09		3
4	·22	·17	·01		·01	·19	·01		·01	·29	·39		4
5	·04			·04	·04	·12	·10			·06	·58		5
6		·07	·07	·18	·07	·09	·21			·05	·51	·01	6
7	·04		·50		·07	·14	·39			·18	·31	·04	7
8					·31	·09			·01			·23	8
9	·01				·30	·01				·01		·06	9
10		·10	·09	·07		·25	·05			·01		·01	10
11	·08	·14	·09	·09	·02	·15					·01	·04	11
12	·04	·02	·15	·06	·33	·17	·26	·02	·01	·24	·01		12
13		·59	·13	·08	·01	·16	·28	·09		·03			13
14		·06		·02	·03	·01	·01	·05				·01	14
15		1·73	·52	·04			·03	·065	·01	·04			15
16	·01	·01	·33	·17	·08		·24	·10		·03	—		16
17	·07	·05		·23			·02	·23	·33	·29			17
18		·06	·02	·14				·18	·13	·03	·63		18
19	·02	·01	·22	·12					·15		·80	·06	19
20	·22		·39	·04							·03	·48	20
21	·02		·61	·01			·06					·88	21
22		·04	·02		·18	·01				·03		·55	22
23	·02	·12				·12		·03		·01	·02	·15	23
24		·20	·01		·01	·36		·015		·08	·02	} ·55	24
25		·60	·13		·01			·17		·21	·10	}	25
26		·16	·04			·02				·08			26
27	·07	·05	·71			·15	—	·20	·14	·41		·01	27
28		·35	·38			·02			·25	·01		·24	28
29		·10				·19		1·17		·37		·19	29
30	·01	X				·07		·085		·32			30
31		X		X	·01	X		·02	X	·04	X	·02	31
Total	1·35	5·50?	4·63	1·29	1·64	2·35	1·66	2·425 ~~2·265~~	1·26	3·54	3·84	3·53	YEAR'S TOTAL ~~33·855~~ 33·015?
Rain Days.	16	22	22	14	17	22	12	14	12	25	15	18	208 9

W. 8,000. X. 15.

8L ✓

Est d

1194
~~181~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Dunstable Grammar School

in the County of Bedfordshire

by W. D. Coales

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·13				1·30	·05		·10	·02	1
2	·04		·01	·05		·01		·20		·02	·03		2
3				·01				·68		·52	·20		3
4		29	·20					·20		·72			4
5	·17		·01	·21				·03	·17	·12	·17		5
6	·01		·03			·20			·08	·02	·04		6
7	·24		·01	—		·01	·35			·54		·01	7
8	·38			·09			1·28	·37		·32	·09	·05	8
9	·03		·05	·06	·01		·10	·58	·02		·05	·05	9
10	·23		·17	·27				·10			·02		10
11	·07	·03	·55	·26						·32			11
12	·13	·01	·01	·04	·01	·03		·23		·25	·01		12
13	·14		·02					·14	·05	·01		·01	13
14			·01	·14				·16			·01	·01	14
15	·02			·08						·02		·01	15
16	·04	·13		·26	·11	·46	·10			·86		·02	16
17		·01		·16	·91		·31	·08	·46	·25			17
18	·06	·02		·16	·02	·14	·57	·04	·79	·07			18
19	·01	·12	·12		·04	·03			·25				19
20		·17	·06		·53		·01		·01		·11		20
21			·01	·01	·09	·01					·02		21
22			·13	·01		·01		·03		·14	·01		22
23		·11			·07			·17	—	·01			23
24		·02				·15		·07		·31			24
25		·03	·03			·01					·06		25
26			·06					·40	·12		·23	·17	26
27	—		·02			·04		·65				·02	27
28			·05			·77		·22				·05	28
29			·15		·01	·26	·43	·34		·33		·15	29
30	·02	✕	·26		·01	·01	1·07	·08					30
31	·03	✕		✕		✕	·40	·08	✕	·01	✕	·02	31
Total	1·62	·94	1·96	1·94	1·81	2·14	4·62	6·15	2·00	4·84	1·15	·59	YEAR'S TOTAL 29·76
Rain Days.	16	11	~~20~~ 21	16	11	15	10	22	10	19	15	13	179

W. 8,000, VIII. 16

4.08

81

6
~~775~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30 · 1 19

Kept at Dunstable Grammar School

in the County of Bedfordshire

by W. D. Coales

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·02	·02							·11	·02	1
2		·08	—	·26					·45		·52	·06	2
3		·02	·04	·01	·52			·18	·11		·42	·16	3
4		·02	·05		·01				1·07	·04	·45	·02	4
5		·06			·14			·15		·09			5
6		·08		·30		·01			·02	·01		·06	6
7	·01	·10		·10	·13	·02			·29	·15	·13		7
8	·01	·01		·04			·01		·08	·04	·06	·01	8
9		·08		·05		·24	·26		·45	·08		·08	9
10	·01			·06			·34			·02		·13	10
11				·03			·09			·52	·06	·03	11
12		·09			·21		·06		·08				12
13		·01		·01	·16		·08		·13			·18	13
14	·30		·02	·01		·20	·10		·32	·12		·16	14
15				1·00		·03	·09		·01			·13	15
16				·45			·01		·62	·04			16
17	(1·56)			·12	·36		·55	·01	·02				17
18	·51			·02	·01	·15	·17		·24	·04		·41	18
19	·01	·01	·02	·09		·03	·05		·02	·07		·50	19
20	·02	·06		·57		·03			·09	·27		·06	20
21	·06			·46		·03			1·03	·03		·06	21
22	·04				·29		·13		·01		·01	·16	22
23	·02				·62	·01	·44	·01	·02				23
24		·19				·04			·07		·19	·04	24
25						·01	·13	·23		·02			25
26							·17	·03			·06	·35	26
27		·05		·12				·38	·26		·09	·04	27
28		·07	·29	·07		·01		·10			·35	·12	28
29	·01								1·55		·01		29
30		X	·36						·06		·04	·07	30
31		X	·05	X		X			X		X	·26	31
Total	2·56	·95	·85	3·79	2·45	·81	2·68	~~1·19~~ 1·09	7·00	1·54	2·50	~~3·15~~ 3·11	YEAR'S TOTAL 29·33 29·47
Rain Days.	14	16	8	20	10	13	16	9	24 3	15	14	23	181

W. 8,000, IX. 17.

DL Write for missing months 19.3.20

~~Hf Jfk~~ cord for anal. July estd.

1126
165

FORM A.
BRITISH RAINFALL.

28 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Dunstable

in the County of Bedfordshire

by G. Steel & W. D. Coales

E. L. Stevens

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·08		·01	·11	·01					·32	1·60	1
2	·24				·11				·21		·06	·33	2
3	·30		·27		·01				·09		·02	·18	3
4	·46		·26			·09		·13	·05			·23	4
5	·08	·35	·56						1·02	·02	·05	·18	5
6	·04		·13		·68						·07		6
7	·05		·50								·01		7
8	·06		·06	·12							·05		8
9	·04		·01	·14	·05							·12	9
10	·08		·14	·01								·02	10
11	·02		·12	·19						·12			11
12			·41	·03		·14				·06	·02		12
13	·03			·33					·03				13
14	·26			·28					·07	·13		·38	14
15	·33	·05	·15	·21			[illegible]				·22		15
16	·08	·75		·01							·26		16
17		·47		·01							·04		17
18		·04	·17					·32	·01		·08		18
19	·05	·11	·60			·20		·40	·15		·02	·20	19
20	·26	·04	·08			·52		·39		·01		·03	20
21	·30	·35	·03			·01						·39	21
22		·14							·17	·10	·04	·15	22
23						·05		·02		·31	·05	·02	23
24				·20	·01							·10	24
25	·07			·18	·07	·06		·32				·01	25
26	·21	·23	·17	·07					·10			·38	26
27	·76	·11	·03	·48				1·02		·01			27
28			·10	·15				·02		·22		·28	28
29	·05			·10				·30	·03	·07	·35	·05	29
30		X	·05	·32		·25		·03	·13	·02		·43	30
31		X	·02	X		X			X	·02	X ·35		31
Total	3·81	2·72	~~3·76~~ 3·86	~~2·57~~ 2·84	1·04	1·33	(3·25)	2·95	2·06	1·09	2·01	5·08	YEAR'S TOTAL (32·04)
Rain Days.	22	12	20	~~12~~ 18	7	9		10	12	12	17	19	

W. 6,500. VII. 18. W W C

196 1067

FORM A. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dunstable, Grammar School
in the County of Bedfordshire
by E L Sturges

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3		·06											3
4													4
5													5
6													6
7		·06											7
8	·16												8
9	·37	·06											9
10	·23												10
11	·36												11
12	·07	·03											12
13	·01	·01											13
14	·01	·05											14
15													15
16													16
17	·02												17
18	·12												18
19	·01												19
20	·06	·18											20
21													21
22													22
23		·01											23
24	·03												24
25		·01											25
26	·16												26
27	·37	·03											27
28	·54												28
29	·02												29
30	·03												30
31	·01												31
TOTAL	2·58 ~~2·55~~	·50											YEAR'S TOTAL
Days with ·01 in. or more	18	10											

BEDFORD

HARLINGTON VIC:

1914 – 1915

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

REGISTE

Kept at Harlington Vica ... m ... Harlington M. R.

in the County of Bedfords ... inches in.

by The Rev. A. G. ... Ground 1 ft. — in.

Sea Level 400 ft.

IMPORTANT NOTE.—Ra... e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	·02	—	—	—	·16	—	·01	—	·05	—	1
2	·05	—	—	·03	—	—	·01	—	·01	—	·07	·11	2
3	—	—	—	—	·20	—	·49	·23	—	—	·02	·01	3
4	·22	—	·01	·14	·01	—	·01	—	—	—	·50	·43	4
5	·02	—	·06	·26	·03	·12	·53	·64	·01	—	—	—	5
6	—	·04	—	·01	·05	·13	·18	·04	—	—	·13	·10	6
7	—	·09	·16	·10	·27	·02	·12	—	—	—	—	·50	7
8	·10	·06	·66	·15	·03	·55	·03	—	—	—	—	—	8
9	·24	·01	·40	·02	—	·54	—	·08	·05	—	—	·51	9
10	·06	·07	·03	·09	·11	—	—	·02	·18	—	—	—	10
11	·01	·06	·32	·24	·06	·53	—	—	·01	—	·23	·23	11
12	·01	·03	·08	·03	—	·01	—	—	·42	—	·01	·50	12
13	—	·24	·10	—	—	—	—	—	·10	·24	·06	·22	13
14	—	·03	·30	—	—	—	·03	—	—	·55	·06	·41	14
15	·10	—	·18	—	—	—	·04	—	·05	·02	·08	·08	15
16	·01	—	·03	—	—	—	—	—	·01	—	—	—	16
17	—	·40	·09	—	—	—	—	—	·05	—	—	·25	17
18	—	—	·03	—	—	·07	—	—	—	—	·18	·57	18
19	—	·06	·22	—	—	—	—	—	·03	·01	—	·01	19
20	—	·09	·24	—	—	—	—	—	·05	·01	—	·13	20
21	—	·38	·09	—	—	·07	—	·02	—	·05	—	·12	21
22	—	·04	·10	·02	·02	·05	—	·07	—	·50	—	—	22
23	—	—	·05	—	·04	·01	·03	—	—	·10	—	—	23
24	—	·03	·03	·03	—	·02	·02	—	—	·08	·18	—	24
25	·05	—	·17	—	—	—	·02	·10	—	·50	·05	—	25
26	·01	—	·08	—	—	—	·01	·07	—	·06	·05	·23	26
27	·05	—	·02	—	—	—	—	—	—	·01	—	·50	27
28	—	·05	·03	—	·09	—	·01	—	—	·06	·50	1.13	28
29	·(01)	·	·13	—	·09	—	—	—	—	·38	·08	·20	29
30	—	×	·03	—	·12	—	—	—	—	·05	·35	—	30
31	—	×	—	×	—	×	·06	—	×	—	×	·02	31
Total	·97 ✓	1.68	3.64	1.12	1.12	2:12 2.12	1.75	1.27	·98	2.62	2.60	6.26	YEAR'S TOTAL 25.93
Rain Days.	15 ✓	16	27	12	13	12	16	9	13	15	17	21	186

26.13

W. 8,000. X. 14.

/

REGISTE

Kept at Harlington Vicarage

in the County of Bedfordshire

by The Rev. A. G. Hodgson.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Harlington

Diameter of Rain Gauge 5 inches in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

FORM A.
BRITISH RAINFALL.
7 - JAN 1915
M.R.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	·02	—	—	—	·16	—	·01	—	·05	—	1
2	·05	—	—	·03	—	—	·01	—	·01	—	·07	·11	2
3	—	—	—	—	·20	—	·49	·23	—	—	·02	·01	3
4	·22	—	·01	·14	·01	—	·01	—	—	—	·50	·43	4
5	·02	—	·06	·26	·03	·12	·53	·64	·01	—	—	—	5
6	—	·04	—	·01	·05	·13	·18	·04	—	—	·13	·10	6
7	—	·09	·16	·10	·27	·02	·12	—	—	—	—	·50	7
8	·10	·06	·66	·15	·03	·55	·03	—	—	—	—	—	8
9	·24	·01	·40	·02	—	·54	—	·08	·05	—	—	·51	9
10	·06	·07	·03	·09	·11	—	—	·02	·18	—	—	—	10
11	·01	·06	·32	·24	·06	·53	—	—	·01	—	·23	·23	11
12	·01	·03	·08	·03	—	·01	—	—	·42	—	·01	·50	12
13	—	·24	·10	—	—	—	—	—	·10	·24	·06	·22	13
14	—	·03	·30	—	—	—	·03	—	—	·55	·06	·41	14
15	·10	—	·18	—	—	—	·04	—	·05	·02	·08	·08	15
16	·01	—	·03	—	—	—	—	—	·01	—	—	—	16
17	—	·40	·09	—	—	—	—	—	·05	—	—	·25	17
18	—	—	·03	—	—	·07	—	—	—	—	·18	·57	18
19	—	·06	·22	—	—	—	—	—	·03	·01	—	·01	19
20	—	·09	·24	—	—	—	—	—	·05	·01	—	·13	20
21	—	·38	·09	—	—	·07	—	·02	—	·05	—	·12	21
22	—	·04	·10	·02	·02	·05	—	·07	—	·50	—	—	22
23	—	—	·05	—	·04	·01	·03	—	—	·10	—	—	23
24	—	·03	·03	·03	—	·02	·02	—	—	·08	·18	—	24
25	·05	—	·17	—	—	—	·02	·10	—	·50	·05	—	25
26	·01	—	·08	—	—	—	·01	·07	—	·06	·05	·23	26
27	·05	—	·02	—	—	—	—	—	—	·01	—	·50	27
28	—	·05	·03	—	·09	—	·01	—	—	·06	·50	1·13	28
29	·(01)	·	·13	—	·09	—	—	—	—	·38	·08	·20	29
30	—	X	·03	—	·12	—	—	—	—	·05	·35	—	30
31	—	X	—	X	—	X	·06	—	X	—	X	·02	31
Total	·97 ✓	1·68	3·64	1·12	1·12	2·12 2·12	1·75	1·27	·98	2·62	2·60	6·26	YEAR'S TOTAL 25·93
Rain Days.	15 ✓	16	27	12	13	12	16	9	13	15	17	21	186

26·13

W. 8,000. X. 14.

1762

FORM A. BRITISH RAINFALL. 21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Harlington Vicarage

in the County of Bedfordshire 3

by Mr. A. G. Hodgson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Harlington M. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·08	·03	—	·08	—	—	—	·02	·06	·07	·25	1
2	·08	·14	·21	·10	—	·02	—	·50	·15	·07	·02	·09	2
3	·39	—	·01	—	—	—	·12	·29	·07	—	·01	·14	3
4	·04	—	—	—	—	—	·88	·—	—	—	—	·19	4
5	—	·38	—	·20	—	—	—	·02	—	—	—	·50	5
6	·21	—	—	·17	—	—	·50	—	—	·03	—	·02	6
7	·05	·31	·12	·01	—	—	·14	·03	—	—	·01	·12	7
8	—	·37	—	·01	—	—	—	·05	—	—	·01	—	8
9	—	—	·04	·03	—	·04	—	—	—	—	·25	·50	9
10	·29	—	·01	—	—	—	—	—	—	—	—	·04	10
11	·02	·03	·01	—	·01	—	—	·14	—	—	·81	—	11
12	·08	—	—	—	·29	—	—	·36	—	·02	·77	—	12
13	·02	·38	—	—	1·17	—	—	·04	—	—	—	—	13
14	—	·03	—	—	—	—	·26	—	—	—	—	·60	14
15	—	—	—	—	·02	—	—	·12	—	—	snow ·14	·12	15
16	·19	·18	—	—	—	—	·50	·13	—	—	—	—	16
17	—	·19	—	—	·20	—	·14	—	—	—	—	—	17
18	—	·16	snow. ·88	—	—	—	—	—	—	—	—	—	18
19	—	—	snow ·10	·13	—	—	·17	—	—	—	—	—	19
20	·32	—	—	—	—	—	—	—	—	·01	—	·24	20
21	—	·02	—	—	—	—	·05	—	—	—	—	·85	21
22	·56	—	·50	—	—	—	·50	—	·05	—	—	·19	22
23	—	·18	·07	—	—	·02	·16	—	·05	·24	·01	·23	23
24	—	—	·10	—	—	·02	—	—	·50	·16	—	—	24
25	—	—	—	·02	—	·04	·40	—	—	·01	·02	·65	25
26	—	·11	—	—	—	—	·17	—	—	—	—	—	26
27	—	·03	—	—	—	·20	·38	—	·01	—	—	·03	27
28	—	·06	—	—	—	·02	·01	—	·78	·07	—	—	28
29	—	—	—	—	—	—	—	·18	—	·14	·06	·01	29
30	·12	✕	—	—	—	·21	·02	—	—	·41	·01	—	30
31	—	✕	—	✕	—	✕	—	·06	✕		✕	·16	31
Total	2·75	2·65	1·28	·67	1·77	·57	4·40	1·92	1·63	1·22	2·19	4·13	YEAR'S TOTAL 25·18
Rain Days.	14	16	12	8	6	8	16	12	8	11	13	19	143

W. 8,000. X. 15.

BEDFORD.

HIGHAM BURY.

1911 – 1920

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

RE 9 11

mmon

Kept at Higham Bu

in the County of Bed

by Edward Joseph

top 5 in.

above Ground 1 ft. 0 in.

„ Sea Level 312 ft.

9.0 a.m

ion { Name Flitwick, Midland Ry
Distance 2 Miles Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.01	.22			.03	.01					1
2	.04			.21	.09			.01			.12	.09	2
3		.02			.16	.01		.14			.06	.05	3
4	.05	.04	.11	.05		.10				.03	.12	.32	4
5	.02			.01				.09		.04	.01	.02	5
6	.18		.01							.02		.31	6
7	.02									.15	.34	.15	7
8	.09		.11							.03	.15	.10	8
9	.14			.02								.02	9
10	.02	.10	.09	.03							.10	.32	10
11	.29		.02		.04						.59	.01	11
12	.04		.47						.02	.05	.31		12
13			.08		.10				.20	.91	.04	.41	13
14		.02	.03		.21							.30	14
15		.05	.15							.04	.11	.02	15
16			.03			.15				.01	.30	.04	16
17						.04					.03	.14	17
18		.31				.03				.02	.24	.03	18
19						.21			.05	.03	.25	.03	19
20		.03	.03			.05		.37	.12	.01		.63	20
21	.02	.16						1.60		.39		.14	21
22	.01	.02	.28			.04				.10		.51	22
23		.20	.24			.73	.03		.16			.14	23
24		.06	.08			.12				.23		.17	24
25		.11	.06	.02		.21		.16				.01	25
26		.02		.17	.10	.02		.01		.10	.04	.11	26
27		.23	.11	.04			.14		.19			.05	27
28		.19		.28				.13			.08		28
29		×	.01			.20	.08		.24	.20	.01		29
30		×	.02	.10	.02	.03			.13	.14		.01	30
31		×		×	.66	×			×	.01	×		31
Total	.94	1.56	1.94	1.15	1.38	1.94	.28	2.52	1.11	2.51	2.90	4.13	TOTAL for year = 22.36 22·36
No. of Rain Days	13	15	19	11	8	14	4	9	8	19	18	26	= 164

9,000, IX. '10.

RE 19 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at *Higham Bury. Ampthill*

in the County of *Bedford* 3

by *Edward Joseph Jekyll Esq*

RAIN GAUGE
Pattern *Common*
Diameter of top *5* in.
Height of top above Ground *1* ft. *0* in.
„ „ „ Sea Level *312* ft.

Time of Observation *9.0 a.m*

Nearest Railway Station
Name *Flitwick, Midland Ry*
Distance *2 miles* Direction *N.W*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.01	.22			.03	.01					1
2	.04			.21	.09			.01			.12	.09	2
3		.02			.16	.01		.14			.06	.05	3
4	.05	.04	.11	.05		.10				.03	.12	.32	4
5	.02			.01				.09		.04	.01	.02	5
6	.18		.01							.02		.31	6
7	.02									.15	.34	.15	7
8	.09		.11							.03	.15	.10	8
9	.14			.02								.02	9
10	.02	.10	.09	.03							.10	.32	10
11	.29		.02		.04						.59	.01	11
12	.04		.47						.02	.05	.31		12
13			.08		.10				.20	.91	.04	.41	13
14		.02	.03		.21							.30	14
15		.05	.15							.04	.11	.02	15
16			.03			.15				.01	.30	.04	16
17						.04					.03	.14	17
18		.31				.03				.02	.24	.03	18
19						.21			.05	.03	.25	.03	19
20		.03	.03			.05		.37	.12	.01		.63	20
21	.02	.16						1.60		.39		.14	21
22	.01	.02	.28			.04				.10		.51	22
23		.20	.24			.73	.03		.16			.14	23
24		.06	.08			.12				.23		.17	24
25		.11	.06	.02		.21		.16				.01	25
26		.02		.17	.10	.02		.01		.10	.04	.11	26
27		.23	.11	.04			.14		.19			.05	27
28		.19		.28				.13			.08		28
29			.01			.20	.08		.24	.20	.01		29
30			.02	.10	.02	.03			.13	.14		.01	30
31				×	.66	×			×	.01	×		31
Total	.94	1.56	1.94	1.15	1.38	1.94	.28	2.52	1.11	2.51	2.90	4.13 =	TOTAL for year 22.36 22.36
No. of Rain Days	13	15	19	11	8	14	4	9	8	19	18	26 =	164

9,000, IX. '10.

FORM A.
BRITISH RAINFALL
3 - JAN

Ex DL

REGISTER OF RAINFALL IN 1912

Kept at Higham Bury, near Ampthill

in the County of Bedford 3

by Edward Joseph Jekyll Esqr

Lat. 52 N Long. 0.30 W

Time of Observation 9.0. a.m

Nearest Railway Station Flitwick, Midland Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.01		.03	.04		.06	.40		.17	1
2		.02	.01	.02		.12	.62						2
3	.09		.03		.19	.03	.02	.16	.02			.06	3
4	.11		.38		.14	.18	.01	.15			.23		4
5	.06	.09	.23					.12	.03		.07		5
6	.23	.03				.05		.53	.01			.10	6
7	.01				.02	.64	.06	.55				.02	7
8	.24	.20	.13			.01		.02	.05				8
9	.04	.09	.01	.05		.28						.32	9
10		.02						.36	.06		.13	.04	10
11	.26	.10				.03		.01	.02		.02	.15	11
12	.08	.17	.11		.02	.23	.03	.08			.07		12
13		.11				.01		.05			.18		13
14	.03				.05			.04		.03	.02		14
15		.03	.14		.33	.18		.02				.15	15
16	.39		.03		.16	.29		.03		.04	.06		16
17	.57		.09			.06		.12					17
18	.04		.20					.02			.03	.13	18
19	.12	.04	.12				.46	.38					19
20	.02	.01	.15		.20		.04	.14		.18			20
21	.01	.02	.42		.48			.40		.20	.05		21
22	.57	.09	.18		.05		.06	.17		.05		.04	22
23	.37	.41	.24				.32	.45			.22	.16	23
24	.30							.21				.12	24
25	.02					.05	.03	.53			.29	.22	25
26						.01	.29	.55		.37	.31	.31	26
27						.10		.02		.25		.17	27
28		.04					.02	.06	.04	.22	.18	.64	28
29		.05				.19	.33	.20	.99	.21	.04	.02	29
30	.01	×			.23	.03			.50	.23			30
31		×	.06	×	.13	×	.30	.15	×		×	.02	31
Total	3.57	1.52	2.55	.08	2.00	2.52	2.43	5.52	1.78	2.18	1.90	2.84	YEAR'S TOTAL 28.89
Rain Days.	21	17	18	3	12	19	15	27	10	11	15	18	186

W. 7,500, XI. ·12

Ex DL

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

REGISTER OF RAINFALL IN 1913

3

Kept at Higham Bury, nr. Ampthill

in the County of Bedford

by Edward Joseph Jekyll Esqr.

Lat. 52 N Long. 0.30 W

Time of Observation 9.0 a.m.

Nearest Railway Station Flitwick, Midland Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.17	.08	.12	.06				.84		.16	.06	1
2	.03	.19					.15		.15	.47	.02		2
3	.02		.13	.04	.78		.02					.14	3
4	.19		.02		.03		.06			.04	.04	.17	4
5	.04					.10	.03			.05	.02	.18	5
6		.06	.12		.14	.30	.14		.03	.12		.03	6
7		.14			.08		.05	.03		.59	.05	.02	7
8					.16	.07				.05	.04		8
9		.20	.04			.05			.17		.03	.05	9
10				.14			.18				.35		10
11	.55			.37	.05					.23	.25		11
12					.09					.02	.48		12
13								.01	.04		.33		13
14	.04	.03	.15	.02			.08	.05		.15	.06		14
15	.12	.02	.30	.19			.20						15
16	.03		.31	.21									16
17	.04	.02	.07	.14		1.02	.03					.04	17
18	.02		.14	.15					.20			.03	18
19	.37		.10				.15		.26			.04	19
20	.15		.13			.08				.18			20
21	.04		.18	.10	.07		.02			.05	.20		21
22	.48		.12	.41	.02			.03	.15				22
23						.05	.03	.04	.05			.06	23
24	.05			.05		.02					.04		24
25	.04			.22									25
26		.03	.21	.04				.05		.42	.02	.17	26
27			.03	.06									27
28	.29		.17	.19						.06			28
29	.02	X	.11	.56	.30			.07		.04		.05	29
30	.24							.10		.13	.11	.02	30
31				X		X		.16	X		X		31
Total	2.80	.86	2.41	3.01	1.77	1.69	1.14	.54	1.89	2.60	2.20	1.06	YEAR'S TOTAL 21.97 ✓
Rain Days.	20	9	18	17	11	8	13	9	9	15	16	14	159 ✓

W.7,000, XI. 13

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Higham Bury, near Ampthill
in the County of Bedford 3
by Edward Joseph Jekyll Esqr

Lat. 52 N Long. 0.30 W
Time of Observation 9.0 AM
Nearest Railway Station Flitwick, Midland Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03				.13	.12			.05		1
2	.03		.01					.07			.04	.15	2
3					.20		.46	.20			.03		3
4	.22		.02	.15	.04			.14			.38	.38	4
5	.02		.04	.30	.03	.15	.47	.17					5
6		.04			.05	.08	.25	.03			.11	.11	6
7		.11	.28	.09	.29	.02	.10				.02	.46	7
8	.08	.05	.48	.12	.03	.61	.02	.08					8
9	.25		.47	.03		.54			.04			.48	9
10	.07	.08	.05	.08	.05				.16			.03	10
11		.06	.35		.04	.45			.03		.22	.23	11
12		.04	.08			.02	.02		.44		.02	.35	12
13		.27	.20						.08	.28	.05	.22	13
14		.02	.23				.01			.76	.07	.39	14
15	.07		.21						.05		.08	.07	15
16	.02		.04								.06		16
17		.43	.05						.04	.02		.24	17
18		.02	.06									.58	18
19		.05	.23			.02			.02		.16	.03	19
20		.08	.29						.06			.07	20
21		.37	.08			.13				.04		.13	21
22		.02	.02		.03	.02	.05	.05		.42			22
23		.03	.05		.06					.09			23
24		.02	.06	.04	.04		.08			.37	.13		24
25	.04		.17					.06		.33		.08	25
26			.04				.01	.18		.02	.12	.42	26
27	.06											.18	27
28		.06			.09						.43	1.66	28
29	.05		.11		.06					.33	.07		29
30	.02		.06							.05	.40	.18	30
31					.10		.05					.05	31
Total	.93	1.75	3.71	.81	1.11	2.04	1.65	1.10	.92	2.71	2.44	6.49	YEAR'S TOTAL 25.66 ✓
Rain Days.	12	17	26	7	14	10	12	10	9	11	18	22	168 ✓

W. 8,000. X. 14.

ext 6/3

1264

FORM A. BRITISH RAINFALL. 3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Higham Bury, near Ampthill

in the County of Bedford

3

by Edward Joseph Jekyll

Lat. 52 N Long. 0.30 W

Time of Observation 9.0 a.m

Nearest Railway Station Flitwick. M.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.35	.06	.06		.08				.03	.03	.08	.22	1
2	.11	.15	.20	.10		.02		.44	.10	.07	.02	.07	2
3	.39		.02	.15			.05	.30	.04			.13	3
4	.06						.63	.02				.49	4
5	.03	.37						.02				.18	5
6	.16	.04		.16			.53	.05		.03		.03	6
7	.05	.21	.12				.11	.03		.02		.15	7
8		.36	.04	.06			.03						8
9				.02		.05					.27	.53	9
10	.28							.01			.02	.05	10
11	.04		.02		.02						.73	.06	11
12	.05			.42	.30			.23		.02	.81	.05	12
13	.02	.40			1.25								13
14		.05					.26	.09	.04			.47	14
15	.15				.02			.04			.10	.18	15
16	.07	.17					.46	.22				.19	16
17		.25			.23		.18						17
18		.14	.16								.03		18
19		.03	.02				.17						19
20	.32			.22								.23	20
21	.12				.02		.02			.04		.04	21
22	.51		.45				.49		.04			.18	22
23		.18	.08			.03	.16		.05	.30		.20	23
24			.11			.04	.34		.52	.06		.12	24
25				.02		.02	.17					.27	25
26		.12					.15					.22	26
27		.04				.18	.34			.35		.04	27
28		.13				.02			.75	.06			28
29		X						.18			.09	.03	29
30	.03	X				.47							30
31	.05	X		X		X		.05	X	.53	X	.14	31
Total	2.79	2.70	1.28	1.15	1.92	.83	4.09	1.68	1.57	1.51	2.15	4.27	YEAR'S TOTAL 25.94
Rain Days.	18	16	11	8	7	8	16	13	8	11	9	24	149

W. 8,000. X. 15.

1245

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Higham Bury, nr Ampthill

in the County of Bedford

by Edward Joseph Jekyll Esqr

Lat. 52 N Long. 0.30 W

Time of Observation 9 a.m.

Nearest Railway Station Flitwick, Midland Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04				.25	.02	.02			.04	.28		1
2	.46		.12		.17				.01	.51	.02		2
3		.43	.03						.20	.28	.08		3
4	.20	.20			.03	.27				.52	.48		4
5	.04				.04	.20				.05	.52		5
6		.15	.27	.20	.06	.11	.09			.09	.34		6
7	.05		.24		.05		.52			.23	.23	.02	7
8			.03		.28							.14	8
9					.18							.06 .06	9
10		.04	.17	.07		.13	.10					.01	10
11		.17	.05	.12	.03	.23						.04	11
12	.04	.06	.11	.02	.29	.13	.12	.02	.02	.14	.01		12
13	.03	.42	.12	.08	.12	.15	.26	.08		.03			13
14		.33		.04	.02			.11		.05		.01	14
15		.16	.43				.02	.29		.03			15
16		.07	.29	.17	.05		.09			.04			16
17	.06	.04		.10			.12	.07	.22	.27			17
18		.08	.02	.09				.04	.10		.79		18
19	.03	.05	.19	.05					.10		.79	.03	19
20	.18		.18					.02			.03	.34	20
21			.86				.18					.94	21
22		.04	.03		.12					.03		.44	22
23	.02	.47				.06		.02		.01	.02	.11	23
24		.10	.03			.48				.05	.01	.20	24
25		.35	.10		.02			.19		.14	.07	.12	25
26		.06	.04			.05		.15		.04	.03		26
27	.06	.09	.86			.06		.09	.03	.27			27
28		.38	.36			.17			.02			.20	28
29		.05				.14		1.27		.26		.12	29
30						.05		.21		.28		.02	30
31								.02		.17			31
Total	1.21	3.74	4.53	.94	1.71	2.25	1.52	2.58	.70	3.53	3.70	2.80	YEAR'S TOTAL 29.21
Rain Days.	12	21	21	10	15	15	10	14	8	22	15	16	179

W. 8,000, VIII. 16

1197

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER Ex. Dl OF RAINFALL IN 1917

Kept at *Higham Bury*

in the County of *Bedford*

by *Edward Joseph Jekyll Esq.*

Lat. 52 N Long. 0.30 W

Time of Observation 9.0 a.m

Nearest Railway Station Flitwick, Mid. Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.16				1.56	.07		.23		1
2	.02			.02				.13		.01	.05		2
3				.02				.66		.40	.20		3
4		.19	.07					.06		.57			4
5	.15		.01	.20				.02	.28	.09	.06		5
6		.01	.02			.05			.04		.04		6
7	.20					.27	.34			.48	.03		7
8	.43	.01		.09			1.25	.[illegible]5		.27	.10	.04	8
9	.02		.07	.11	.01		.09	.15	.03		.05	.04	9
10	.25	.01	.19	.16				.08			.01	.01	10
11	.04	.01	.43	.24				.07		.29			11
12	.09		.01	.03	.18			.26		.20		.01	12
13	.09		.06				.02	.17	.02	.01			13
14	.02			.10	.01			.24					14
15	.03			.10			.01			.04			15
16	.02	.17		.21		1.26	.10			.70		.09	16
17		.06		.09	1.05		.23	.03	.36	.17		.01	17
18	.05	.01		.11	.05	.14	.34	.01	.83				18
19	.01	.10	.14		.05				.24			.01	19
20	.05	.15	.08		.53				.01		.05		20
21	.02	.02	.03	.04							.02		21
22			.11			.03		.02		.17			22
23		.10			.10			.16		.11		.01	23
24		.01				.18		.12		.14	.06	.03	24
25		.01	.03								.05		25
26			.08					.25	.11		.21		26
27			.01			.26		.52				.02	27
28			.06			.61		.08		.02		.06	28
29		X	.01			1.00	.47	.16		.20		.21	29
30	.03	X	.09				1.28	.08		.01		.03	30
31	.03	X	.18	X		X	.34	.06	X		X	.03	31
Total	1.55	.86	1.68	1.68	1.98	3.80	4.47	5.74	1.99	3.88	1.16	.60	YEAR'S TOTAL 29.39
Rain Days.	18	14	19	15	8	9	11	23	10	18	14	14	173

W. 8,000, IX. 17.

4.44

Excd EFE

9

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

4. I. 19

Kept at Higham Bury, nr Ampthill

in the County of Bedford

by Edward Joseph Jekyll Esqr

Lat. 52 N Long. 0.30 W.

Time of Observation 9.0 a.m

Nearest Railway Station Flitwick, Midland Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 310 about ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01	.02	.08							.18	.05	1
2		.09		.16				.07			.07	.14	2
3	.02	.05	.03		.71			.05	.15		.74	.03	3
4		.03	.08					.02	.87		.44	.02	4
5		.07			.20			.12	.16	.06			5
6	.07	.11	.01	.23						.01		.03	6
7	.03	.14		.15	.10	.01			.05	.10	.10		7
8		.02		.02					.27	.03	.07		8
9	.01	.07		.04		.02	.23		.48	.13		.02	9
10	.05			.06			.20		.06	.04	.03	.14	10
11				.05	.04		.10		.02	.60	.04	.04	11
12	.04	.06			33		.22		.08				12
13	.01	.02		.01	.21		.04		.04			.18	13
14	.25					.15	.14		.31	.10		.14	14
15	1.00			1.48			.19		.20			.06	15
16	.22			.53			.01	.03	.76			.01	16
17	.11			.18	.91		.82					.14	17
18	.52			.02		.15	.16		.25	.02		.29	18
19	.01	.02	.02	.15			.18		.02	.07		.18	19
20	.01	.07		.35		.04			.17	.19	.01	.04	20
21	.04			.32		.04			.69	.05			21
22	.05				.18		.08		.19			.20	22
23	.03				.65		.35	.02	.03		.02	.02	23
24		.17			.04	.04	.04		.06		.15		24
25						.10	.14	.29					25
26							.16	.06		.04	.07	.17	26
27		.01		.03			.06	.26	.10		.09	.03	27
28		.09	.11	.12				.03			.29	.11	28
29	.01								1.31				29
30		×	.32						.05	.02	.04	.09	30
31		×	.01	×		×			×	.08	×	.03	31
Total	2.48 ✓	1.03 ✓	.60	3.98 ✓	3.37 ✓	.55 ✓	3.12 ✓	.95 ✓	6.32 ✓	1.54 ✓	2.34 ✓	2.16 ✓	YEAR'S TOTAL 28.44 ✓
Rain Days.	18 ✓	16 ✓	8 ✓	18 ✓	10 ✓	8 ✓	17 ✓	10 ✓	23 ✓	15 ✓	15 ✓	23 ✓	181 ✓

W, 6,500, VII. 18. W W C

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Higham Bury, nr Ampthill
in the County of Bedford
by Edward Joseph Jekyll

Lat. 52 N Long. 0.30 W
Time of Observation 9.0 a.m.
Nearest Railway Station Flitwick, Midland Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.05		.01	.05	.01	.09			.02	.01	1.13	1
2	.20		.05		.06		.03		.24	.08	.24	.44	2
3	.62		.28				.07		.13		.12	.23	3
4	.06		.25			.07	.04	.06	.08			.11	4
5	.06	.33	.50				.17	.02	1.09	.01		.19	5
6	.02		.09		.77				.01	.03	.04	.10	6
7	.03		.47		.01						.06		7
8	.06		.03	.14							.01		8
9	.01		.05	.07							.03		9
10			.47	.05							.07	.07	10
11	.08		.12	.12	.10		.55				.01	.04	11
12			.28	.02		.21	.09			.11	.07		12
13	.07			.20					.03	.09		.02	13
14	.29			.23			.08		.10				14
15	.22	.01	.12	.16							.05	.19	15
16	.03	.63		.02							.11	.01	16
17		.62									.16	.02	17
18		.04	.06					.20	.06		.01	.12	18
19	.02	.18	.41			.19	.20	.26	.10		.07	.02	19
20	.33	.05	.12			.63	.54	.38	.01		.01		20
21	.21	.27	.03				.42					.08	21
22		.18					.13		.07			.24	22
23						.05	.02		.02	.09	.01	.04	23
24				.14			.09			.22			24
25	.07			.03	.08	.04		.28				.04	25
26	.18	.15	.16	.03			.08	.14	.06			.36	26
27	.56	.14	.03	.68				.08				.09	27
28			.05	.11			.06	.81		.01	.14	.25	28
29	.06	X		.08			.01	.25		.24	.07	.04	29
30	.01	X	.05	.23		.24		.17		.03	.21	.35	30
31	.01	X	.03	X		X			X	.02	X	.01	31
Total	3.56	2.65	3.65	2.32	1.07	1.44	2.67	2.65	2.00	.95	1.50	4.19	Year's total 28.65
Days with ·01 in. or more	23	12	21	17	6	8	17	11	13	12	20	24	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

198 exd 1070

1 MAR 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Ampthill, Higham Bury

in the County of Bedfordshire

by E. J. Jekyll

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·49	·21		·24	·05					1
2			·02	·03			·01	·13					2
3		·05		·15			·15						3
4	·01		·15	·12			·04	·26					4
5			·08		·06		·68	·01					5
6			·08		·16		·72						6
7			·02	·08	·01		·17						7
8	·18	·03		·35	·02		·08						8
9	·27			·19				·15					9
10	·10	·04	·04			·03	·09						10
11	·48		·03	·62	·08	·03	·07						11
12	·04		·12	·10		·37	·05						12
13		·06	·04	·29		·02							13
14			·24	·21		·01							14
15		·03	·17	·13									15
16			·01	·02									16
17				·01	·16		·04						17
18	·09				·08			·27					18
19	·08			·27				·03					19
20	·07	·21		·23		·47							20
21				·01			·12	·07					21
22				·18									22
23							·49						23
24	·02		·19										24
25		·01	·07	·02	·03		·24						25
26	·11		·04	·01	·02		·10						26
27	·20	·02		·31		·37	·07						27
28	·45		·19		·33		·04						28
29	·08		·04		·17	·01	·12						29
30	·02		·08			·05	·10						30
31	·02				·01								31
Total	2·22	·45	1·61	3·82	1·34	1·36	3·62	·97					Year's Total
Days with ·01 in. or more	16	8	18	21	13	9	20	8					

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

BEDFORD.

HOLWELL BURY.

1911—1912

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGIST

Kept at Holwell Bur

in the County of Beds

by Charles Chittick

in.

und 1 ft. – in.

Level 185 ft.

Henlow

nce ¾ mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·23			·01	·08					1
2	·05			·15	·08						·13	·08	2
3		·05		·02	·10			·02			·03	·04	3
4	·06	·05	·15	·20						·04	·09	·37	4
5	·01							·09		·04	·03	·06	5
6	·23		·02									·43	6
7										·15	·32	·10	7
8	·16		·13							·03	·04	·23	8
9	·15											·02	9
10		·11	·05								·08	·39	10
11	·30				·11	·05					·49		11
12	·05		·43		—				·04	·35	·27		12
13					·30				·23	·03	·04	·38	13
14		·02	·07		·36							·39	14
15		·03	·16								·09	·03	15
16			·14			·13				·06	·29	·04	16
17			·02			·08					·04	·15	17
18		·28				·08					·35	·08	18
19						·37			·09	·05	33	·10	19
20	·02	·03	·03					·60	·25	·02		·55	20
21		·10						·76	~~·20~~	·35		·11	21
22			·36			·08			~~·16~~	·05		·58	22
23		·13	·32			1·33	·02		·20			·15	23
24		·04	·02			·15				·32		·19	24
25		·17	·03	·03		·22	·03	·21			·02	·01	25
26		·02		·11		·11				·15	·10	·11	26
27		·17	·08	·04					·16			·05	27
28		·17		·22				·10			·05	·04	28
29						·15	·16		·20	·15			29
30				·08						·13		·02	30
31					·55					·01		·01	31
Total	1·06	1·37	2·01	1·08	1·50	2·75	·22	1·86	1·17	1·93	2·79	4·71	TOTAL for Year 22·45
No. of Rain Days	10	14	15	9	6	11	4	7	7	16	18	27	144

7,000. X. '09.

REGIST

FORM A2.
BRITISH RAINFALL.
8 - JAN. 1912

Kept at Holwell Bury near Hitchin

in the County of Beds. ~~Herts~~ 3

by Charles Chittick Esq

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 185 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Henlow
Distance ¾ mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·23			·01	·08					1
2	·05			·15	·08						·13	·08	2
3		·05		·02	·10			·02			·03	·04	3
4	·06	·05	·15	·20						·04	·09	·37	4
5	·01							·09		·04	·03	·06	5
6	·23		·02									·43	6
7										·15	·32	·10	7
8	·16		·13							·03	·04	·23	8
9	·15											·02	9
10		·11	·05								·08	·39	10
11	·30				·11	·05					·49		11
12	·05		·43						·04	·35	·27		12
13					·30				·23	·03	·04	·38	13
14		·02	·07		·36							·39	14
15		·03	·16								·09	·03	15
16			·14			·13				·06	·29	·04	16
17			·02			·08					·04	·15	17
18		·28				·08					·35	·08	18
19						·37			·09	·05	33	·10	19
20	·02	·03	·03					·60	·25	·02		·55	20
21		·10						·76	[illegible]	·35		·11	21
22			·36			·08			[illegible]	·05		·58	22
23		·13	·32			1·33	·02		·20			·15	23
24		·04	·02			·15				·32		·19	24
25		·17	·03	·03		·22	·03	·21			·02	·01	25
26		·02		·11		·11				·15	·10	·11	26
27		·17	·08	·04					·16			·05	27
28		·17		·22				·10			·05	·04	28
29						·15	·16		·20	·15			29
30				·08						·13		·02	30
31					·55					·01		·01	31
Total	1·06	1·37	2·01	1·08	1·50	2·75	·22	1·86	1·17	1·93	2·79	4·71	TOTAL for Year 22·45
No. of Rain Days	10	14	15	9	6	11	4	7	7	16	18	27	144

7,000. X. '09.

✓

Ex Ms

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at Holwell Bury

in the County of Beds 3

by Chas Whittick Esq.

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station Henlow (Mid)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.03	.	.	.03	.04	.	0.10	0.36	.	0.20	1
2	.	.	.	.08	.	0.19	0.50	.	.08	.	.	.02	2
3	.09	.	.	.	0.33	0.15	.	0.17	.	.04	.	.04	3
4	0.10	.	0.57	.	0.15	0.14	.	.01	.	.	0.25	.	4
5	0.12	.	0.26	.	.	.	.	0.10	.02	.	0.10	.	5
6	0.27	0.15	.	.	.01	0.21	.08	0.26	.	.	.	.07	6
7	.03	[illegible]	.	.	.	0.86	.	0.40	.	.	.	.04	7
8	0.26	0.27	0.15	.	.	.	.	0.34	.08	.	.	.	8
9	.04	.07	.	.08	.	0.85	.02	.03	.	.	.	0.18	9
10	.	.02	.	.	.	.	.	0.38	0.10	.	0.13	.07	10
11	0.19	.07	.	.	.	.02	.	.	.04	.	.	0.12	11
12	0.10	0.19	.08	.	.	0.17	.03	.04	.	.	.03	.	12
13	.01	.	.	.	.	.08	.	.09	.	.	.	.	13
14	.03	.02	.	.	.	.	.	.02	.	.04	.	.	14
15	.	.	0.16	.	0.40	0.14	.	.01	.	.	.	0.14	15
16	0.22	.03	.	.	.04	0.10	.	.03	.	.03	.09	.	16
17	0.16	.	0.18	.	.	.	.	.08	.	.	.	.05	17
18	0.32	.	0.14	.	.	.	.	0.18	.	.	.04	0.10	18
19	0.28	0.11	0.18	.	.	.	0.60	0.53	.	.	.02	.	19
20	.03	.	0.14	.	.	.	.03	0.10	.	0.32	.	.	20
21	.02	.02	0.58	.	0.35	.	.	0.40	.	0.26	.06	.	21
22	0.63	.06	.06	.	.05	.	.09	0.17	.	.	.	.04	22
23	0.52	0.42	0.24	.	.	.	1.53	0.42	.	.04	0.23	0.14	23
24	0.18	.	.	.	.	.	.	0.19	.	.	.	0.13	24
25	.	.	.	.01	.	0.10	.	0.52	.	.	0.25	0.30	25
26	.	.	.	.	.	.	0.13	0.58	.	0.29	0.22	0.29	26
27	.	.	.	.	.	.	.08	.01	.	0.18	.	0.13	27
28	.	.03	.02	.	.	.05	.06	.06	.05	0.28	0.25	0.42	28
29	.	.	.	.	.	0.35	0.10	0.30	0.98	0.24	.	.	29
30	.		.	.	0.17	.04	.	.02	0.61	.	.	.	30
31	.		.		.03		0.17	0.26		.		.	31
Total	3.60	1.46	2.79	0.17	1.53	3.48	3.46	5.70	2.06	2.08	1.67	2.48	YEAR'S TOTAL 30.48 in
Rain Days.	20	13	14	3	9	16	14	28	9	11	12	18	167

W. 7,500, XI. 12

BEDFORD.

KENSWORTH

1911-1912

REGI 11

FORM A2.
BRITISH RAINFALL.

5 - 13 JAN 1912

Kept at Kensworth

in the County of B

by S. Grace Jones

sella

5 in.

ve Ground 1 ft. 6 in.

Sea Level 830 ft.

0 a.m

Name Dunstable Ch. St.

Distance 3½ m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·48				·03					1
2	·08			·34	·15						·18	·04	2
3		·06			·15					·08	·16	·22	3
4	·08	·01	·16	·02							·11	·44	4
5				·04				·16					5
6			·03			·03				·16	·08	·45	6
7	·24									·04	·24	·36	7
8	·26		·21								·09	·28	8
9												·06	9
10	·20	·23	·13								·08	·40	10
11	·28		·04		·57						·55		11
12	·05		·51						·05	·41	·32		12
13			·13		·77				·28	·86		·70	13
14			·05		·10					·01			14
15		·10	·21								·06	·05	15
16		·08	·06			·14					·31	·07	16
17			·05			·12					·06	·28	17
18		·12	·03			·15				·08	·28	·12	18
19		·04				·26			·06	·03	·30	·27	19
20		·05	·05	·05				·32	·22	·02	·03	·65	20
21		·24						·26		·35		·12	21
22	·05		·28			·20		·02		·08		·63	22
23			·49			·66			·28	·42	·08	·20	23
24			·05			·18		·04	·02	·04	·02		24
25			·03	·07		·23				·02		·21	25
26		·04	·04	·06		·07	·05	·02		·14	·07	·12	26
27		·37	·03	·12	·20		·10		·22			·10	27
28		·32		·25			·02						28
29						·18	·11		·32	·25			29
30			·02	·06	·05	·05		·06	·03	·16			30
31					·09							·02	31
Total	1·26	1·66	2·60	1·49	2·08	2·27	·28	·91	1·48	3·15	3·02	5·79	TOTAL for year 25·99
No. of Rain Days.	9	12	20	10	8	12	4	8	9	17	18	22	149

W. 8,000, X. '11.

REGI 1

FORM A2.
BRITISH RAINFALL.

5- 13 JAN 1912

Kept at Kenswoorth

in the County of Beds 1

by S. Grace Jones

Pattern	Casella
RAIN GAUGE: Diameter of top	5 in.
Height of top above Ground	1 ft. 6 in.
,, ,, ,, Sea Level	630 ft.
Time of Observation	9·0 a.m.
Nearest Railway Station: Name	Dunstable Ch. St.
Distance	3½ m.
Direction	N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02			·48				·03					1
2	·08			·34	·15						·18	·04	2
3		·06			·15					·08	·16	·22	3
4	·08	·01	·16	·02							·11	·44	4
5				·04				·16					5
6			·03			·03				·16	·08	·45	6
7	·24									·04	·24	·36	7
8	·26		·21								·09	·28	8
9												·06	9
10	·20	·23	·13								·08	·40	10
11	·28		·04		·57						·55		11
12	·05		·51						·05	·41	·32		12
13			·13		·77				·28	·86		·70	13
14			·05		·10					·01			14
15		·10	·21								·06	·05	15
16		·08	·06			·14					·31	·07	16
17			·05			·12					·06	·28	17
18		·12	·03			·15				·08	·28	·12	18
19		·04				·26			·06	·03	·30	·27	19
20		·05	·05	·05				·32	·22	·02	·03	·65	20
21		·24						·26		·35		·12	21
22	·05		·28			·20		·02		·08		·63	22
23			·49			·66			·28	·42	·08	·20	23
24			·05			·18		·04	·02	·04	·02		24
25			·03	·07		·23				·02		·21	25
26		·04	·04	·06		·07	·05	·02		·14	·07	·12	26
27		·37	·03	·12	·20		·10		·22			·10	27
28		·32		·25			·02						28
29						·18	·11		·32	·25			29
30			·02	·06	·05	·05		·06	·03	·16			30
31					·09							·02	31
Total	1·26	1·66	2·60	1·49	2·08	2·27	·28	·91	1·48	3·15	3·02	5·79	TOTAL for year 25·99
No. of Rain Days.	9	12	20	10	8	12	4	8	9	14	18	22	149

W. 8,000, X. '11.

DL ~~W~~ MR 205

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

Kept at Kensworth

in the County of Bedfordshire

by ~~Miss S. G. Jones~~ S. Jones
Mrs (CE) Miller

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·02		·02	·13	·01	·08	·46		·13	1
2		·03	·05	·02		·28	·59						2
3	·11		·03		·05	·10		·27	·01			·10	3
4	·26		·59		·25	·22					·25		4
5	·16	·06	·26						·03		·12	·02	5
6	·27	·05			·01	·09		·28	·02		·01	·11	6
7	·02		·01		·02	·50		·03	·01			·06	7
8	·33	·33	·19		·01				·03			·02	8
9	·05	·17		·06	·03	·22	·03					·24	9
10		·04		·06				·47	·06		·11	·09	10
11	·15	·14	·15			·06		·04	·03		·05		11
12	·09	·26	·10		·01	·18		·03			·11	·16	12
13		·02				·07			·01		·16		13
14			·03		·03					·02	·02		14
15	·05	·05	·11		·33	·41		·11			·03		15
16	·48	·01	·05			·02		·02		·07		·22	16
17	·52		·13			·09		·08					17
18	·10		·22					·11			·03	·08	18
19	·10	·12	·21					·34		·01			19
20	·03		·12		·03		·31	·08			·01		20
21		·04	·57		·47			·08		·18	·10		21
22	·28	·14	·02		·09		·15	·10		·24		·03	22
23	·36	·63	·34				·28	·30			·20	·12	23
24	·26	·01					·01	·20				·18	24
25						·11		·45			·27	·44	25
26		·02					·30	·44		·22	·43	·20	26
27			·10			·05	·01			·16	·32	·18	27
28		·04	·01				·07	·03	·07	·18		·28	28
29		·01		·10		·34	·09	·31	1·42	·02			29
30					·28	·15	·05	·01	·61				30
31			·09		·12		·20	·16					31
Total	3·62	2·17	3·45	·20	1·73	2·91	2·22	3·95	2·38	1·56	2·22	2·66	TOTAL for year 29·07
No. of Rain Days.	18	18	22	4	14	17	13	23	12	10	16	18	185

W. 8,000, X. '11.

Cord by C 26.11.13

FORM A. BRITISH RAINFALL.

31 DEC 1913

REGIST

BEDFORD.

KENSWORTH VIC:

1913 – 1920

0°. 30' W.

Kept at Kensworth

a.m.

in the County of ~~Herts~~

S.B. Dunstable

in.

by Mary G. B. L

…e Ground ft. in.

Sea Level 585 ft.

IMPORTANT NOTE.—I … the result entered to the previous day. If an Observer … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			0.10	0.10	0.33				0·35		0.012	0·04	1
2	0.05	0.30		0.01			0.28		0·04	0.63	0.03		2
3	0.05			0.05	·76 0.76				0·01			0.04	3
4	0.30				·06					0·12		0.12	4
5	0.08					0.12	0.21		0·02	0·11	0.06	0.05	5
6		0.08	0.03	0.01	0.18	0.28	0.02		0·05	0.11		0.07	6
7		0.21			0.12	0.02				½ in:	0·07	0.02	7
8					0.15	0.19	0.02			0.12	0.12	0.03	8
9		0.21		0.02	0.02	0.18			0·13		0·03	0.07	9
10			0.07	0.07	0.05		0.20	0·04			0·32		10
11	½ inch			0.43	0.07			0·09		0.28	0·44		11
12					0.04					0·02	½ in:		12
13				0.02					0·04		0.42		13
14	0·15						0.20	0·06			0·12		14
15	0.18		0.31	0.38				0·09	0·03				15
16	0·10		0.27	0·16			0·20		0·02		0.02		16
17	0.4		0.07				0·08					0.07	17
18			0.23	0.28	~~0.96~~	0.90	0·11		0·13				18
19			0.07				0·10		0·44				19
20	0.11		0.08			0.07		0·02		0·37			20
21			0.13	0·22	0·11		0.04			0·09	0.33		21
22	0·45		0·21	0·02					0·22				22
23							0.05	0·05	0·04		0.03		23
24				0.05				0·13					24
25		0.10		0·17				0·01					25
26			0.19	0·18						0·47		0.27	26
27			0·05	0·18				0·08		0.05			27
28	0.28		0·21	0·14						0·62	0.02		28
29			0·14	0·62	0.37			0·08					29
30	0.26							0·09		0·30	0·20	·01	30
31			0·04					0·39					31
Total	2·55	·90	2·20	3·11	2·26	1·76	1·51	1·13	1·52	3·29	2·83	·79	YEAR'S TOTAL 23·85
Rain Days.	13	5	16	19	11	7	12	12	13	14	16	10	148

W. 7,500, XI. ·12

cor'd by C 26.11.1

REGIST

FORM A.
BRITISH RAINFALL.
31 DEC 1913

Kept at Kensworth Vicarage

in the County of ~~Herts~~ Bedford

by Mary G. B. Little

Lat.
Long. 0° 30' W.
Time of Observation 10 a.m.
Nearest Railway Station G. N. R. Dunstable
Diameter of Rain Gauge (in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 585 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			0.10	0.10	0.33				0.35		0.012	0.04	1
2	0.05	0.30		0.01			0.28		0.04	0.63	0.03		2
3	0.05			0.05	·76 0.76				0.01			0.04	3
4	0.30				·06					0.12		0.12	4
5	0.08					0.12	0.21		0.02	0.11	0.06	0.05	5
6		0.08	0.03	0.01	0.18	0.28	0.02		0.05	0.11		0.07	6
7		0.21			0.12	0.02				½ in:	0.07	0.02	7
8					0.15	0.19	0.02			0.12	0.12	0.03	8
9		0.21		0.02	0.02	0.18			0.13		0.03	0.07	9
10			0.07	0.07	0.05		0.20	0.04			0.32		10
11	½ inch			0.43	0.07			0.09		0.28	0.44		11
12					0.04					0.02	½ in:		12
13				0.02					0.04		0.42		13
14	0.15						0.20	0.06			0.12		14
15	0.18		0.31	0.38				0.09	0.03				15
16	0.10		0.27	0.16			0.20		0.02		0.02		16
17	0.4		0.07				0.08					0.07	17
18			0.23	0.28	~~0.96~~	0.90	0.11		0.13				18
19			0.07				0.10		0.44				19
20	0.11		0.08			0.07		0.02		0.37			20
21			0.13	0.22	0.11		0.04			0.09	0.33		21
22	0.45		0.21	0.02					0.22				22
23							0.05	0.05	0.04		0.03		23
24				0.05				0.13					24
25		0.10		0.17				0.01					25
26			0.19	0.18						0.47		0.27	26
27			0.05	0.18				0.08		0.05			27
28	0.28		0.21	0.14						0.62	0.02		28
29			0.14	0.62	0.37			0.08					29
30	0.26							0.09		0.30	0.20	·01	30
31			0.04					0.39					31
Total	2.55	·90	2.20	3.11	2.26	1.76	1.51	1.13	1.52	3.29	2.83	·79	YEAR'S TOTAL 23.85
Rain Days.	13	5	16	19	11	7	12	12	13	14	16	10	148

W. 7,500, XI. 12

cond & completed by C. [illegible] 28.11.15

FORM A.
BRITISH RAINFALL.

20 JAN 19[illegible]

REGISTER OF RAINFALL IN 1914

Kept at Kensworth Vicarage
in the County of Bedfordshire
by Mary G. B. Lee (Mrs)

Lat. 30·52 Long. 0·30W
Time of Observation 9 a.m.
Nearest Railway Station Church St. Dunstable
Diameter of Rain Gauge ~~16 2/3~~ in. 5
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 585 ft. 585

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								0·10					1
2	×	0·04		0·05				0·19			·14	0·14	2
3			·02		0·20		0·40	0·26			(·08)	0·04	3
4	×			0·28	0·02			0·11			(·25)	0·40	4
5	× 0·30		·07	0·43	0·03	·14	0·50	0·22					5
6	0·03	0·12		0·02		·13	0·03	0·03			·12	0·22	6
7		0·59	×	(08)	0·49	·04	0·04	0·03				0·45	7
8	0·10	×	1·00 ×	(·10) 0·18	0·04	·45	0·31	0·12				0·02	8
9	0·23		·44	0·28		·46			0·10			0·85	9
10		× 0·38	·05	0·13	0·05				0·19				10
11	0·06	0·24	·41		0·19	·50			0·02		·31	0·25	11
12		0·07	·12	0·02			0·08		0·34			0·40	12
13		0·50	·20						0·18	0·16	·05	0·30	13
14		0·15	·46				0·05			0·55	·15	0·60	14
15	0·18	0·03	·13						0·03		·06	0·17	15
16	0·03		·06						0·16		·04		16
17		0·54	·15						0·20	0·01		0·27	17
18	0·01		·06									½ in:	18
19		×	×			·15	0·10			·01	·20	0·05	19
20		0·35	×						0·09			0·20	20
21		0·56	·80 ×			·13		0·08		0·05		0·14	21
22		×			0·04	·03	0·04	0·05		(·50) 2 in.			22
23		0·09	·14	0·05	0·09		0·11			0·14			23
24		0·01	·09	0·06			0·04	0·01		0·23	·13		24
25	0·07		·22				0·04	(·12)		0·30	·02	0·15	25
26			·06					0·16 (04)		0·03	·14	0·55	26
27	0·06		·03								·02	0·23	27
28		0·09			0·09					0·06	(·50)	0·83	28
29	0·10		·14							0·38	(15)	·11	29
30	0·01		·04							0·08	·22	·38	30
31					0·15		0·04					0·05	31
Total	1·18	3·72 3·73	4·69	1·50	1·39	2·03	1·76	1·36	1·31	2·50 2·59	2·58	7·30 7·37	YEAR'S TOTAL 22.19
Rain Days.	(14)	(18)	(24)	11	11	9	13	13	9	18	17	24	(176)

W.7,000, XI. 13

Forgot to enter [illegible] March, June & Nov: before send: cards

See also Cards

7255

FORM A.
BRITISH RAINFALL.
1. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Kensworth Vicarage
in the County of ~~Herts~~ Bedfordshire
by Mr. Lille

Lat. 30·52 Long. 0·30W
Time of Observation 9 a.m.
Nearest Railway Station G.N.R. Dunstable 2½ miles
Diameter of Rain Gauge 5 ~~16 2/3~~ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 585 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·50	0·15	0·06		0·06			0·12	0·14	0·07		0·33	1
2	0·14	0·32	0·21	0·20				~~½ in·51~~ 1·01	0·13	0·05		0·11	2
3	~~½ in.~~ 1·50		0·02				0·08	in:27	0·09			0·16	3
4	·17	0·02									0·04	0·52	4
5	(·03)	0·50						0·03				0·28	5
6	~~0·20~~ (·17)			0·40			0·60	0·03					6
7	0·07	0·52	0·02				0·20	0·04				0·22	7
8	0·03		0·24					0·02					8
9		0·49									0·29	~~½ in:~~ ·50	9
10	0·30							1 inch				0·10	10
11			0·09		0·02			0·01			~~½ in·12~~ ·62		11
12	0·05	0·07		0·50	0·43			0·14			~~½ in·24~~ ·74		12
13	(·03)				1 in:18			0·01					13
14		0·38					0·60	0·10				~~½ in·5~~ ·55	14
15	0·13				0·04			0·15	0·05			0·14	15
16		0·45					0·64					0·11	16
17		0·28					0·19						17
18		0·22			~~3 in:~~ ·30								18
19		0·02	0·22										19
20	0·25			0·11			0·13					0·30	20
21	(·10)	0·06			0·02							0·10	21
22	~~2 in·33~~ (·73)	0·13	0·50	0·01			0·45					0·15	22
23		0·03	0·26				0·24		0·08	0·09		0·33	23
24	0·03		0·11			0·10	0·14		0·54	0·36		0·22	24
25			0·01	0·06						0·17		0·30	25
26		0·16					0·17		0·01	~~0·46~~		0·35	26
27						0·18	0·10					0·08	27
28		0·16				0·08			~~½ in·48~~ ·98	0·46			28
29							0·28	0·26		0·09	0·32		29
30	(·01)	×				0·47							30
31	~~0·04~~ (·03)	×	×	×		×		0·04	×	·05 (·75)	×	0·17	31
Total	~~3·57~~ 3·24	3·96	~~0·74~~ 1·74	1·28	~~4·75~~ 2·05	0·83	3·82	4·23	~~1·58~~ 2·92	2·09	2·01	5·02	YEAR'S TOTAL 32·29
Rain Days.	~~13~~	~~17~~	~~11~~	~~6~~	~~7~~	~~4~~	~~13~~	~~15~~	~~8~~	~~7~~	~~5~~	~~20~~	~~[illegible]~~

W. 8,000. X. 14.

W C 7 E cardly C 2 1236

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

2 JAN 1917

Kept at Kensworth Vicarage

in the County of ~~Herts~~ Beds

by Mr Little

Lat. 30.52 Long. 0.30W

Time of Observation 9.30

Nearest Railway Station G.N.R. Dunstable

Diameter of Funnel of Rain Gauge 16⅔ 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 585 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·11		0·03			0·04	0·01		0·05	0·08	0·39		1
2	0·44	0·15	0·12		0·16	0·10			0·06	0·45	0·02		2
3		0·70			0·02	0·01			0·12		0·21		3
4	·20	0·17				0·53			0·02	0·31	·70 1in·20		4
5				0·06	0·06	0·09				½in:	0·80		5
6		0·08		0·20	0·05	0·13	0·35			0·12	0·75		6
7	0·12				0·07	0·06	0·15			0·20	0·43		7
8					0·48	0·37				0·006		0·40	8
9					0·24	·04 0·04							9
10		0·23		0·07		0·29	0·06					0·06	10
11	0·12			0·12		0·17							11
12	0·05	0·03	1in:30	0·03	0·38	0·20	0·27	0·01		0·25			12
13		1·00 1in:	0·18	0·09	0·02	0·16	0·37	0·15	0·02	0·009			13
14				0·03	0·07	0·03	0·04	0·11					14
15		0·42	0·52		0·03		0·04	·18 0·06					15
16	0·02		0·32	0·24	0·06		0·08	0·12		0·10			16
17		0·10	0·02	0·27		0·01	0·10	0·30	0·43	0·42			17
18	0·10	0·04		0·24					0·16				18
19	0·02		0·25	0·13					0·28	0·0010	1·32 1in·32		19
20	0·20		0·47	0·09							0·06	½in·23	20
21	0·02		0·88				0·29						21
22			0·06			0·00½				·07		1in·40	22
23	0·03	0·39			0·09	0·10	0·01	·009					23
24						0·30		·008		0·20	0·09		24
25		0·20	0·23					0·13		0·08			25
26			0·05		0·03	0·04				0·08	0·16		26
27		0·24	1 inch			0·07		0·11	00·09	0·48			27
28		0·45	0·51			0·02			0·28			½in·23	28
29		0·14				0·22		0·97		·5 ½in		0·20	29
30		✕				0·04		0·12		0·33			30
31		✕		✕		✕		0·07	✕	0·0010	✕		31
Total	~~1·23~~ 1·43	4·34	5·94	1·57	1·76	3·82½ 3·025	1·77	2·42 2·42	1·51	~~4·25~~ 4·19	4·543 4·93	~~2·49~~ 3·92	YEAR'S TOTAL 36·43 36·41
Rain Days.	11	16	15	12	14	23	12	13	10	19	11	6	161

W. 8,000. X. 15.

1189

FORM BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Kensworth

in the County of Beds

by Mr. Little

Lat. 30·5·2 Long. 0·30W

Time of Observation 9 a.m.

Nearest Railway Station Church St: Dunstable

Diameter of Funnel of Rain Gauge ~~16½~~ 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 585 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								1 in ·45	0·07		0·15		1
2	0·08			(·20) ~~½ in ·48~~				0·25			0·27		2
3								½ in ·20					3
4								0·13		½ in:			4
5				0·28				0·01	0·17	1 in:	0·08		5
6						0·35			0·08	0·12	0·06		6
7	0·48						0·19			0·01			7
8				0·12			1 in ·44	0·44		½ in:	0·14	0·09	8
9								½ in ·18		0·50		0·10	9
10			0·40	0·16				0·11			0·06		10
11	·84 ½ in ·34		0·23	0·26				0·01		0·40			11
12	0·20			0·15				0·20		0·25			12
13			0·03			00·6		0·15	0·05				13
14				0·07				0·03		0·07			14
15				0·13	0·05			0·13		0·04			15
16	~~0·12~~	0·12		½ in ·10	0·14		0·17			½ in ·40			16
17				0·18	½ in ·58	0·30	0·36	0·10	0·41	0·25			17
18				0·15	0·04		0·32	0·04	0·27	0·08			18
19	~~1 inch ·20~~	1·20 1 inch	0·06			0·20			½ in ·25	0·005			19
20			·20 0·06		½ in ·11	·002			0·02		0·13		20
21					0·05						0·03		21
22										0·14			22
23	~~0·31~~	0·31			0·10			0·03					23
24								0·12		0·36			24
25				0·06				0·10					25
26	~~0·14~~	0·14	(·78)					0·32	0·13				26
27								½ in ·23			0·23		27
28						0·28	½ inch	0·20					28
29						0·60	1 in ·09	0·35		0·42	·005	0·49	29
30		X				0·24	0·38	0·10					30
31		X		X		X		0·05	X	0·006	X		31
Total	1·60	1·77	1·56 ·78	~~2·36~~ 3·14	1·87	2·05	4·45	6·43 ~~6·28~~	1·95	5·557	1·156 1·16	1·68 ·68	YEAR'S TOTAL 31·43
Rain Days.	4	4	5	12	7	8	8	24	9	18	10	3	1112

W. 8,000, VIII. 16

cont. for earlier

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Henswood Vicarage
Dunstable
in the County of Bedfordshire
by Mrs M. G. B. Little

Lat. 30·52 Long. 0·30W
Time of Observation 9 a.m.
Nearest Railway Station Church St G. N. R. Dunstable
Diameter of Funnel of Rain Gauge ~~5~~ 16⅓ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 585 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		0·07						0·03					
1				0·29						·005	0·38	0·01	1
2				0·22				0·10	0·15	·	·85 ½in ·35	0·11	2
3		0·10		0·01	½in			0·05	0·16	·	0·05	0·02	3
4			0·37						·65 ½in ·15	0·04	0·48	0·05	4
5		0·13	0·08		0·15			0·20	0·01	0·08			5
6	0·16	0·10		0·25				·03		0·14		0·08	6
7		0·12		0·14	0·04				0·25	·	0·18	·005	7
8				0·09	0·14				0·01	0·05			8
9				0·03		0·15	0·23		0·48	0·15		0·12	9
10	0·09			0·05			·50 ½ inch		0·02	0·03	0·04	0·18	10
11				0·06	0·04		0·09		0·18	·50 ½ inch		0·17	11
12				0·005	0·03		0·14		0·06				12
13		0·13			0·30		0·15		0·15	·		0·15	13
14	0·28	0·03		0·02			0·01		0·33	0·48		0·18	14
15						0·20	·10 0·01			·		0·13	15
16				1·45 1in ·45			0·34		·65 ½in ·15	0·07		0·01	16
17				0·26	0·15		0·26	0·03	0·05				17
18						0·22	0·13		0·22	·0		0·10	18
19	1·48 in ·48	0·03	0·04	0·14		0·07			0·04	0·13		0·44	19
20	0·07								0·10	0·23		0·32	20
21				1·17 1in ·17		0·05			1·09 1in ·09	0·05		0·05	21
22	0·09				0·34		0·10		0·04			0·10	22
23	0·05				·50 ½ inch		0·43	0·05	·04 0·04		0·09	0·08	23
24	0·03	0·27							·09 0·09		0·20		24
25						0·10	0·11	0·33	0·14				25
26							0·29	0·17			0·27	0·27	26
27				0·12				0·33	0·15		0·12		27
28			0·22									0·18	28
29									1in ·38				29
30		X	0·39						0·08		0·42	0·07	30
31		X	0·04	X	~~19~~	X	0·03		X		X		31
Total	2·25	0·98	1·14	4·305 ~~[illegible]~~	2·19	0·79	2·92 ~~2·82~~	1·26	6·52	1·655 ~~1·662~~	3·08 2·78	2·825 ~~2·875~~	YEAR'S TOTAL 28·915 ~~28·965~~
Rain Days.	8	9	6	15	10	6	15	8	25	13	11	21	148

W. 8,000, IX. 17.

KENSWORTH VICARAGE
DUNSTABLE

1121

FORM A.
BRITISH RAINFALL

JAN 2

REGISTER OF RAINFALL IN 1919

Kept at Kensworth Vicarage Dunstable.
in the County of Bedfordshire
by Mr M. G. B. Lite

Lat. 30·52 Long. 0·30W
Time of Observation 9 a.m.
Nearest Railway Station Church St. G. N. R. Dunstable
Diameter of Funnel of Rain Gauge 16⅓ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 585 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
												½ in	
1	0·34		0·03		0·12		0·28		0·19			½ in ·20	1
2	½ in ·34						0·08		0·09	0·40	0·23	0·32	2
3	0·08		0·31		0·09		0·14		0·11		0·12	0·20	3
4	0·10		0·30				0·06	0·11	½ in ·40		0·01		4
5			½ in ·03				0·34	0				0·25	5
6			0·13		½ in ·11		0·04				0·06	0·10	6
7	0·10		0·40								0·07		7
8	0·15		0·08	0·30							0·01		8
9	·005		0·02	0·13	0·10						0·09		9
10	0·01		0·13	0·03						0·04		0·10	10
11			0·15	0·19	0·01		0·35			0·05			11
12			0·27	0·05			0·13			0·10		0·01	12
13	0·05			0·25		0·20				0·05		0·01	13
14	0·27			0·35					0·10	0·07			14
15	0·35		0·20	0·21						0·04			15
16	0·02	1 in ·20		0·01								0·46	16
17				0·01							0·30		17
18		½ in ·28	0·09				0·47	0·23	0·05		0·29		18
19	0·05	0·27	½ in ·10				½ in ·20	0·47	0·25		0·05	0·10	19
20	0·25	0·07	0·10				0·21	0·47			0·05	0·03	20
21	0·28	0·38	0·05			0·80	0·13				·02 0·02	0·03	21
22		0·22				0·04			0·23		0·03	0·38	22
23							0·18	0·06		0·09			23
24										0·32		0·08	24
25	0·33			0·30	0·04								25
26		0·29	0·16	0·15				0·34				0·39	26
27	0·05	0·10	0·02					½ inch				0·09	27
28							0·04	½ in ·26		0·03		0·34	28
29				inch				0·27				0·08	29
30		✗		·30		0·40		0·12		0·35	½ in 1·15	0·36	30
31		✗		✗		✗			✗	0·07	✗	0·04	31
Total	4·275	3·31	3·57	~~2·98~~ 3·28	0·97	1·44	3·15	3·33	1·92	1·61	~~1·98~~ 2·00	4·50	YEAR'S TOTAL 33·355 ~~32·035~~
Rain Days.	16	8	18	13	6	4	14	10	8	12	14	21	144

W, 6,500, VII. 18. W W C

~~W H~~ cndlyc 1062

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Kensworth Vicarage
in the County of Dunstable Bedfordshire
by Mr. M. G. R. Little

Lat. 30.52 Long. 0.30 W
Time of Observation 9 a.m.
Nearest Railway Station Church St. G.N.R. Dunstable
Diameter of Funnel of Rain Gauge ~~16~~ ½ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 585 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.14	0.17		0.14	0.16		0.35			1
2				½in·10			0.27		0.10			½in·07	2
3				0.05	0.07		0.15		0.17	0.14		0.15	3
4				0.05	0.11		½in·17	0.17	0.03	0.54			4
5			0.13	0.18	07		0.37	0.04				0.12	5
6	0.01						0.24						6
7				0.15									7
8	0.10	0.06		0.42			0.14						8
9	0.30			0.06									9
10	0.05	0.06	0.37				0.12						10
11	0.37		0.04	0.49	0.13	0.15	0.09						11
12	0.06			0.16									12
13	0.06		0.10	0.15		½in.					0.16		13
14	0.06		0.25	0.32		0.25	0.14		0.14	0.24	0.25		14
15			0.24	0.13					0.10				15
16		0.09		0.07						0.14			16
17	0.02		0.08	0.03	0.16				1 inch				17
18	0.09			0.04				½in ·12	0.10			0.20	18
19	0.12			0.30				0.18				0.01	19
20		0.20		0.23		½in·15							20
21				0.01			0.30	0.07	0.33			0.08	21
22				0.19					½ inch			0.09	22
23				0.02			½in·29					0.88	23
24			0.15	0.03									24
25			0.10		0.50		0.30						25
26			0.10	0.01		0.08	0.06					0.12	26
27	0.30			0.30		0.30					½in·15	0.16	27
28	0.34		0.23		0.36		0.04				0.15		28
29	½in				0.25						0.07	0.23	29
30	0.15	X	0.05				0.39		0.35	0.25		0.30	30
31	0.04	X		X		X	0.05		X		X	0.05	31
TOTAL	2.57	0.41	1.84	4.13 ~~4.03~~	1.82 ~~1.75~~	1.93	4.26 ~~4.36~~	1.27	2.82 [illegible] ~~1.82~~	1.46	1.28	2.46	YEAR'S TOTAL 26.25 ~~25.18~~ 25.18
Days with ·01 in. or more	16	4	12	14	~~8~~ 9	6	17	6	10	6	5	13	~~128~~
	14	4	12	14	9 ~~8~~	6	17	6	9	6	5	12	119 ~~118~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~made~~

BEDFORD.

LIDLINGTON.

"WHITE LODGE"

1918 – 1920

REGISTER

FORM A. BRITISH RAINFALL.

...5 N. 3

Kept at White Lodge, Lidlin...

...ngton – 400 yd. · E.

in the County of Bedford...

...5 in.

by Horace J. Wright...

...d – ft. 9 in.

...evel 200 ft.

IMPORTANT NOTE.—Rain s... ...result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·		·	·	·	·	·	·	·	·14	·	1
2	·	·1		·	·	·	·	·	·	·01	·09	·	2
3	·	·01		·25	·	·	·	·03	·	·	·62	·	3
4	·	·01		·	·5	·	·	·1	·72	·	·6	·	4
5	·	·05		·	·	·	·	·	·05	·1	·	·13	5
6	·	·12	Accurate readings impossible owing to absence	·	·	·	·	·	·	·	·	·	6
7	·15	·15		·	·	·	·	·	·1	·2	·2	·	7
8	·	·		·28	·	·	·	·	·28	·05	·	·	8
9	·	·15		·08	·	·	·26	·	·	·	·	·	9
10	·	·		·	·	·	·	·	·75	·2	·	·	10
11	·04	·		·	·	·	·	·	·	·51	·	·	11
12	·	·1		·17	·1	·	·	·	·	·	·	·03	12
13	·05	·01		·	·2	·	·46	·	·	·	·	·2	13
14	·	·		·	·2	·15	·	·	·25	·08	·	·11	14
15	·25	·		·	~~[illegible]~~	·	·48	·	·35	·	·	·	15
16	·	·		1·2	·	·	·28	·	·6	·	·	·	16
17	·	·		·4	3·25	–	1·2	·	·	·	·	·	17
18	·75	·		·	·	·	·14	·	·17	·	·	·52	18
19	·53	·		·	·	·	·	·	·	·05	·	·	19
20	·01	·		·	·	·	·	·	·15	·12	·	·	20
21	·05	·		·9	·	·	·	·	·52	·	·	·25	21
22	·05	·		·	·	·	·33	·	·08	·	·	·23	22
23	·04	·		·	·17	·	·	·	·22	·	·	·	23
24	·	·		·	·52	·	·18	·	·02	·	·	·	24
25	·	·17		·	·	·	·	·	·	·	·22	·	25
26	·	·		·	·	·25	·11	·29	·	·09	·	·11	26
27	·	·		·	·	·	·	·14	·	·	·	·	27
28	·	·		·	·	·	·14	·17	·12	·	·	·13	28
29	·	·		·	·	·	·	·01	1·46	·	·45	·1	29
30	·	X		·03	·	·	·	·	·1	·	·08	·2	30
31	·	X		X	·	X	·	·	X	·1	X	·	31
Total	1·92	·87	·64	3·31	4·94	·4	3·58	74	5·94	1·51	2·4	2·01	YEAR'S TOTAL 28·26
Rain Days.	10 12	10		8	7	2	10	6	17	11	8	11	~~100~~

W. 6,500. VII. 18. W W C

Amade

REGISTER

5 N. 3 3

FORM A.
BRITISH RAINFALL.

Kept at White Lodge, Lidlington,
in the County of Bedfordshire
by Horace J. Wright

Time of Observation 9 a.m.
Nearest Railway Station Lidlington – 400 yd. – S.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.		.	.	.	.	.	.	.	·14	.	1
2	.	·1		.	.	.	.	.	.	·01	·09	.	2
3	.	·01		·25	.	.	.	·03	.	.	·62	.	3
4	.	·01		.	·5	.	.	·1	·72	.	·6	.	4
5	.	·05		.	.	.	.	.	·05	·1	.	·13	5
6	.	·12	Accurate readings impossible owing to absence	.	.	.	.	.	.	.	.	.	6
7	·15	·15		.	.	.	.	.	·1	·2	·2	.	7
8	.	.		·28	.	.	.	.	·28	·05	.	.	8
9	.	·15		·08	.	.	·26	.	.	.	.	.	9
10	.	.		.	.	.	.	.	·75	·2	.	.	10
11	·04	.		.	.	.	.	.	.	·51	.	.	11
12	.	·1		·17	·1	.	.	.	.	.	.	·03	12
13	·05	·01		.	·2	.	·46	.	.	.	.	·2	13
14	.	.		.	·2	·15	.	.	·25	·08	.	·11	14
15	·25	.		.	~~6~~	.	·48	.	·35	.	.	.	15
16	.	.		1·2	.	.	·28	.	·6	.	.	.	16
17	.	.		·4	3·25	.	1·2	.	.	.	.	.	17
18	·75	.		.	.	.	·14	.	·17	.	.	·52	18
19	·53	.		.	.	.	.	.	.	·05	.	.	19
20	·01	.		.	.	.	.	.	·15	·12	.	.	20
21	·05	.		·9	.	.	.	.	·52	.	.	·25	21
22	·05	.		.	.	.	·33	.	·08	.	.	·23	22
23	·04	.		.	·17	.	.	.	·22	.	.	.	23
24	.	.		.	·52	.	·18	.	·02	.	.	.	24
25	.	·17		.	.	.	.	.	.	.	·22	.	25
26	.	.		.	.	·25	·11	·29	.	·09	.	·11	26
27	.	.		.	.	.	.	·14	.	.	.	.	27
28	.	.		.	.	.	·14	·17	·12	.	.	·13	28
29	.	.		.	.	.	.	·01	1·46	.	·45	·1	29
30	.	X		·03	.	.	.	.	·1	.	·08	·2	30
31	.	X		X	.	X	.	.	X	·1	X	.	31
Total	1·92	·87	·64	3·31	4·94	·40	3·58	74	5·94	1·51	2·4	2·01	YEAR'S TOTAL 28·26
Rain Days.	~~10~~ 12	10		8	7	2	10	6	17	11	8	11	~~100~~

W. 6,500, VII. 18. w w c

1134

E+B

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at White Lodge, Lidlington,
in the County of Bedfordshire
by Horace J Wright

Lat. 0·45 W Long 51·45 N
Time of Observation 9 am
Nearest Railway Station Lidlington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	—	—	·02	·03	·05	·15	—	—	—	·01	·9	1
2	·18	—	—	—	·02	—	·05	—	·22	·11	—	·5	2
3	·75	—	·23	—	—	—	·03	—	·05	—	·19	·15	3
4	—	—	·32	—	—	·05	·17	·05	·01	—	·15	·08	4
5	·13	—	·31	—	—	—	·23	—	·83	—	—	·11	5
6	—	—	·06	—	·67	—	—	—	—	·02	·04	·08	6
7	·1	—	·32	—	—	—	—	—	—	—	—	—	7
8	·05	—	·07	·11	—	—	—	—	—	—	·03	—	8
9	—	—	·01	·05	—	—	—	—	—	—	·01	—	9
10	—	—	·34	·03	—	—	—	—	—	—	—	·1	10
11	·08	—	·18	·09	—	—	·51	—	—	—	—	·01	11
12	—	—	·22	·06	—	·12	·05	—	—	·11	—	—	12
13	·06	—	—	·29	—	—	—	—	·02	—	—	—	13
14	—	—	—	·2	—	—	·08	—	·12	—	—	—	14
15	·3	—	·09	·09	—	—	—	—	—	—	—	·24	15
16	—	·61	—	—	—	—	—	—	—	*·07	·2	—	16
17	—	·4	—	·01	—	—	—	—	—	—	—	—	17
18	—	·11	·08	—	—	—	—	·2	·01	—	·1	·09	18
19	·1	—	·95	—	—	·22	·31	·22	·13	—	—	·01	19
20	—	·13	·1	—	—	·32	·32	·36	·01	—	—	—	20
21	·2	·65	—	—	—	—	·5	—	~~·08~~	—	—	·1	21
22	—	·09	—	—	—	—	·03	—	·0~~7~~8	—	—	·24	22
23	—	—	—	—	—	·03	·01	·01	·02	·15	—	·02	23
24	—	—	—	·11	—	—	·13	—	—	·35	—	·01	24
25	—	—	—	·01	—	—	—	·15	—	—	—	·02	25
26	·23	·09	·12	·0~~1~~3	—	—	·15	·05	·09	—	—	·35	26
27	—	·06	·02	·61	—	—	—	·5	—	·01	—	·05	27
28	—	—	—	·06	—	—	—	·68	—	—	—	·24	28
29	—	—	—	—	—	—	—	·16	—	*·25	·18	·03	29
30	—	╳	·11	·32	—	·25	—	·08	—	·05	·22	·2	30
31	·75	╳	·01	╳	—	╳	·03	—	╳	·02	╳	·02	31
Total	3·18	2·14	3·54	2·09	·72	1·04	2·75	2·46	1·59	1·14	1·13	3·55	Year's Total 25·33
Days with ·01 in. or more	13	8	18	16	3	7	16	11	12	10	10	22	146

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

* doubtfully correct

Ansd. 3.11.19

Lidlington,

Ampthill.

28, February, 1919.

Dear Sir,

I thank you for your letter of yesterday's date.

I send my records with every pleasure, but impress the fact that it is impossible for me to guarantee their accuracy.

The easiest way to locate my house is to find Sheeptic End on any old map of the County as that is precisely our situation.

The distance from the Station is as the crow flies; by the road it is almost exactly 600 yards.

If you think that the records are good enough for you to publish please let me know as~~d~~ that will add to my son's ~~influence~~ interest in the matter and thus tend to stricter accuracy when I am away in future.

Yours faithfully,

Horace J. Wright

Carle Salter Esq.,
British Rainfall Organisation,
62 Camden Square, London, N.W. 1.

CA

ans 27.11.19

alt a/c to A

Lidlington,

Ampthill.

26, February, 1919.

Dear Sir,

I thank you for your courteous letter of yesterday's date.

My rainfall records were commenced in the spring of 1917 as a matter of purely personal interest and the good friend who passed on to you the information that I was keeping them must have known that they were not sufficiently accurate for publication.

There are three reasons for this:

1.-The gauge rises only 9" out of grass; this is a minor point I think. The funnel in a 5" one, but I do not know the maker of the gauge.

2.-East of the gauge and within 20' is the house, upwards of 24' high; almost north with a little east are the outbuildings of similar height and at 20' distance. South west - the quarter whence we get our rain - is an Apple tree rather more than 20' high and at a distance of only 26'.

3.-I am frequently away and should my son be absent at the same time accuracy of reading is impossible.

You may be interested to know that our heaviest fall here was 3.25in. on 17, May, 1918; this fell in just under 3 hours.

Yours faithfully,

Horace J. Wright

Hb 1075

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at White Lodge, Lidlington
in the County of Bedfordshire
by Horace J. Wright. F.R.H.S.

Lat. 0·45 W. Long 57·45 N
Time of Observation 9 a.m.
Nearest Railway Station Lidlington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·44	·19	·	·22	·03	·	·36	·02	·12	1
2	·	·	·	·	·	·02	·23	·16	·03	·10	·	·06	2
3	·	·03	·	·06	·01	·01	·27	·	·06	·03	·	·	3
4	·	·	·09	·09	·	·	·11	·27	·	·20	·	·	4
5	·	·	·05	·	·	·	·75	·08	·03	·	·	·01	5
6	·	·	·13	·	·16	·	·32	·	·	·	·	·01	6
7	·	·	·	·01	·	·	·15	·	·	·	·	·	7
8	·19	·02	·	·50	·01	·	·03	·	·	·	·	·	8
9	·30	·	·	·14	·	·	·	·06	·	·	·	·	9
10	·10	·04	·	·47	·	·02	·05	·	·	·	·	·05	10
11	·30	·	·06	·	·15	·01	·	·	·	·	·	·02	11
12	·02	·	·10	·08	·	·45	·	·	·	·	·01	·	12
13	·	·	·07	·16	·	·03	·	·	·	·	·	·	13
14	·	·	·24	·27	·	·01	·03	·	·18	·07	·18	·	14
15	·	·	·31	·19	·	·	·	·	·01	·01	·06	·	15
16	·	·	·02	·03	·	·	·	·	·15	·08	·	·	16
17	·01	·	·	·04	·09	·	·01	·	·09	·	·	·10	17
18	·12	·	·	·	·05	·	·	·19	·12	·	·	·05	18
19	·05	·	·	·18	·	·09	·	·06	·	·	·	·	19
20	·08	·26	·	·25	·	·32	·	·	·	·	·	·	20
21	·	·	·	·02	·	·	·06	·07	·23	·	·	·07	21
22	·	·	·	·18	·	·	·	·	·78	·	·	·15	22
23	·	·	·	·	·	·	·23	·	·	·	·	·32	23
24	·04	·	·18	·	·	·	·	·	·	·	·	·03	24
25	·	·06	·04	·02	·85	·	·35	·	·	·	·	·	25
26	·13	·	·07	·01	·03	·	·05	·	·	·	·	·01	26
27	·23	·01	·	·25	·	~~·07~~ ·27	·06	·	·	·	·52	·08	27
28	·44	·	·25	·	·36	·	·01	·	·	·	·03	·01	28
29	·10	·	·05	·	·03	·	·11	·	·	·	·07	·25	29
30	·02	×	·10	·01	·	·04	·05	·	·38	·	·14	·14	30
31	·	×		×	·01	×	·	·	×	·30	×	·07	31
TOTAL	2·13	·42	1·76	3·40	1·94	1·27	3·09	·92	2·06	1·15	1·03	1·55	YEAR'S TOTAL 20·72
Days with ·01 in. or more	15	6	15	21	12	11	19	8	11	8	8	18	152
Days with ·04 in. or more	12	3	14	15	7	5	15	7	8	6	5	12	109

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 1/20. Gp.132. A.&E.W.

WD ~~written~~ 6" ~~and by dist.~~ - for WD

REC

LUTON
S. W.
BEDFORDSHIRE
1911 - 1920

Kept at Luton

in the County of

by Luton

wdow

in.

round 1 ft. 0 in.

Sea Level 342·75 ft.

9 m.

Name G. N. R.

Distance 3200 ft Direction N. W.

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

IMPORTANT NOTE.— … he result entered to the previous day. If an Obser… …sal rule, he is earnestly requested to add the reading… …r in the space provided for it at the end of this … …ent of rain, the selection and placing … …ish Rainfall Organization are given in " … …plication to Dr. H. R. Mill, 62, Camden…

Jan. 1, following.
(11.IV.12)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·25	–	–	·76	·01	–	–	–	–	–	1
2	–	–	·01	·35	–	–	–	–	–	–	–	–	2
3	·04	–	–	·3	·09	–	–	–	–	–	·17	·09	3
4	–	·02	–	–	·11	–	–	–	–	–	·13	·07	4
5	·07	·05	·11	·02	–	–	–	–	–	·05	·07	·53	5
6	·01	·02	–	·01	–	–	–	–	–	·07	·01	·01	6
7	·03	–	·05	–	–	–	–	–	–	–	–	·49	7
8	·18	–	–	–	–	–	–	–	–	·07	·31	·23	8
9	–	–	·15	·03	–	–	–	–	–	–	·07	·13	9
10	·13	–	–	–	–	–	–	–	–	–	·02	·02	10
11	·03	–	·1	–	–	–	–	–	–	–	·08	·29	11
12	·23	–	·02	–	·58	–	–	–	–	–	·45	–	12
13	·05	–	·54	–	–	–	–	–	·07	·48	·27	·01	13
14	–	–	·08	–	·34	–	–	–	·23	·28	·02	·28	14
15	–	–	–	–	·16	–	–	–	–	·01	–	·29	15
16	–	·05	·15	–	–	–	–	–	–	·02	·05	·03	16
17	–	–	·02	–	–	·08	–	–	–	–	·28	·05	17
18	–	–	–	–	–	·14	–	–	–	–	·08	·19	18
19	–	·15	·02	–	–	·04	–	–	–	–	·15	·16	19
20	–	·01	–	–	–	·22	–	–	·03	·09	·01	·14	20
21	·01	·04	·02	–	–	–	–	·3	·16	·07	·1	·60	21
22	·01	·12	–	–	–	·03	–	·13	–	·33	–	·11	22
23	·01	·01	·02	–	–	·17	–	·07	–	·07	–	·54	23
24	–	–	·28	–	–	·69	–	–	·22	–	–	·12	24
25	–	·13	·03	–	–	·16	–	·03	–	·36	–	·13	25
26	–	·02	·03	·04	–	·16	·03	·03	·01	·01	–	·03	26
27	–	·03	–	·14	·06	·08	·02	–	–	·11	·03	·15	27
28	–	·28	·08	·02	–	–	·03	–	·13	–	–	·07	28
29	–	–	–	·21	–	–	–	·06	–	–	·05	·01	29
30	–	–	·01	·02	–	·18	~~·16~~	–	·27	·24	·01	–	30
31	– –	– ·25	– –	– –	·05	– ·01	–	–	·02	·14	–	·01	31
Total	~~·81~~	~~·93~~	~~2·69~~ ~~1·97~~	~~1·14~~	~~1·39~~	~~2·71~~	~~·25~~	·62 ✓	1·14 ✓	2·40 ✓	2·36 ✓	4·78 ✓	TOTAL 20·49 INS.
No. of Rain Days.	·80 ~~13~~ 12	1·18 ~~13~~ 14	1·72 ~~19~~ 18	1·14 10 ✓	2·15 ~~7~~ 8	1·96 12 ✓	·34 ~~3~~ 4	6	9	16	20	27	15[illegible] rain days

W. 8,000, X. '11.

20·49

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

WD written 6"

REGI

Kept at Luton

in the County of Bedford

by Luton Corporation

RAIN GAUGE
Pattern ...wdow
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 342·75 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name G. N. R.
Distance 3200 ft. Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—
(11.IV.12)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	·25	–	–	·76	·01	–	–	–	–	–	1
2	–	–	·01	·35	–	–	–	–	–	–	–	–	2
3	·04	–	–	·3	·09	–	–	–	–	–	·17	·09	3
4	–	·02	–	–	·11	–	–	–	–	–	·13	·07	4
5	·07	·05	·11	·02	–	–	–	–	–	·05	·07	·53	5
6	·01	·02	–	·01	–	–	–	–	–	·07	·01	·01	6
7	·03	–	·05	–	–	–	–	–	–	–	–	·49	7
8	·18	–	–	–	–	–	–	–	–	·07	·31	·23	8
9	–	–	·15	·03	–	–	–	–	–	–	·07	·13	9
10	·13	–	–	–	–	–	–	–	–	–	·02	·02	10
11	·03	–	·1	–	–	–	–	–	–	–	·08	·29	11
12	·23	–	·02	–	·58	–	–	–	–	–	·45	–	12
13	·05	–	·54	–	–	–	–	–	·07	·48	·27	·01	13
14	–	–	·08	–	·34	–	–	–	·23	·28	·02	·28	14
15	–	–	–	–	·16	–	–	–	–	·01	–	·29	15
16	–	·05	·15	–	–	–	–	–	–	·02	·05	·03	16
17	–	–	·02	–	–	·08	–	–	–	–	·28	·05	17
18	–	–	–	–	–	·14	–	–	–	–	·08	·19	18
19	–	·15	·02	–	–	·04	–	–	–	–	·15	·16	19
20	–	·01	–	–	–	·22	–	–	·03	·09	·01	·14	20
21	·01	·04	·02	–	–	–	–	·30	·16	·07	·1	·60	21
22	·01	·12	–	–	–	·03	–	·13	–	·33	–	·11	22
23	·01	·01	·02	–	–	·17	–	·07	–	·07	–	·54	23
24	–	–	·28	–	–	·69	–	–	·22	–	–	·12	24
25	–	·13	·03	–	–	·16	–	·03	–	·36	–	·13	25
26	–	·02	·03	·04	–	·16	·03	·03	·01	·01	–	·03	26
27	–	·03	–	·14	·06	·08	·02	–	–	·11	·03	·15	27
28	–	·28	·08	·02	–	–	·03	–	·13	–	–	·07	28
29	–	–	–	·21	–	–	–	·06	–	–	·05	·01	29
30	–	–	·01	·02	–	·18	·16	–	·27	·24	·01	–	30
31	–	– ·25	–	–	·05	– ·01	–	–	·02	·14	–	·01	31
Total	~~·81~~ ·80	~~·93~~ 1·18	~~2·69~~ ~~1·97~~ 1·72	~~1·14~~ 1·14	~~1·39~~ 2·15	~~2·71~~ 1·96	~~·25~~ ·34	·62 ✓	1·14 ✓	2·40 ✓	2·36 ✓	4·78 ✓	TOTAL ~~21·22~~ 20·49 INS.
No. of Rain Days.	~~13~~ 12	~~13~~ 14	~~19~~ 18	10 ✓	~~7~~ 8	12 ✓	~~3~~ 4	6	9	16	20	27	156 rain days

W. 8,000, X. '11.

20·49

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 1961

METFORM 1090
(Rev. Feb. 1965)

Kept at LUTON SEWAGE PUMPING STATION

in the County of BEDFORDSHIRE

COPY

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			01	35										1
2	04			30	09						17	09		2
3		02			11						13	07		3
4	07	05	11	02						05	07	53		4
5	01	02		01						07	01	01		5
6	03		05									49		6
7	18									07	31	23		7
8			15	03							07	13		8
9	13										02	02		9
10	03		10								08	29		10
11	23		02		58						45			11
12	05		54						07	48	27	01		12
13			08		34				23	28	02	28		13
14					16					01		29		14
15		05	15							02	05	03		15
16			02			08					28	05		16
17						14					08	19		17
18		15	02			04					15	16		18
19		01				22			03	09	01	14		19
20	01	04	02					30	16	07	10	60		20
21	01	12				03		13		33		11		21
22	01	01	02			17		07		07		54		22
23			28			69			22			12		23
24		13	03			16		03		36		13		24
25		02	03	04		16	03	03	01	01		03		25
26		03		14	06	08	02			11	03	15		26
27		28	08	02			03		13			07		27
28		25		21				06			05	01		28
29		X	01	02		18	16		27	24	01			29
30		X			05	01			02	14		01		30
31		X		X	76	X			X		X			31
TOTAL	·80	1·18	1·72	1·14	2·15	1·96	·24	·62	1·14	2·40	2·36	4·78	Year's Total 20·49	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

Section A for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1912

Kept at LUTON SEWAGE PUMPING STATION

in the County of BEDFORDSHIRE

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY

omitted

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			04			02	03	02	05	33				1
2			05	02		35	49	01	01	01		·11		2
3	06		03			10	01	21	01	01		09		3
4	10		58		17	18	06	14			19			4
5		05	03			01		27	05		07	01		5
6	24	06	02		02	12	02	37			01	05		6
7	02				02	62	01	03				06		7
8	30	28	16			01		08				02		8
9	04	11	01	06	09	51	03	04				19		9
10	01	04	01					34	04		16	08		10
11	11	18	02			02		03	07		02	15		11
12	08	13	13		01	17	03	01		01	09	01		12
13	01	08	01			09					23			13
14	01	01	03		03	02		02		02	01			14
15		04	05		19	13		05			01	15		15
16	31	01	02		05	02		04		06	03			16
17	22		26			08		04				02		17
18	23		20					32		01	01	10		18
19	15	09	21				17	42			01			19
20	02		18		04			10		02		01		20
21	01	03	56		35			09		17	04			21
22	38	10	05		07		19	14		04	01	03		22
23	54	56	27		01		07	30		01	16	10		23
24	15	02				02	14	18			01	18		24
25	01					14		49			29	25		25
26							15	40		36	50	21		26
27		01				04	09	01		25		17		27
28		03				06		09	04	24	32	30		28
29		03				17	04	36	1·42	23		01		29
30		X			26	06	93	02	54	10				30
31		X	04	X	31	X	02	19	X	01	X	02		31
TOTAL	3·00	1·86	2·96	·08	1·62	2·94	2·48	4·81	2·23	1·88	2·17	221 2·32	Year's Total 28·35	2824
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ....

(P.T.O.)

Cor. for W.D. 3·IV·13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

8 FEB 1913

WD

Box JL

Kept at Luton Sewage Pumping Station Windmill Road Luton

in the County of Bedfordshire

by The Luton Corporation

J. W. Tomlinson

Lat. .... Long. ....

Time of Observation

Nearest Railway Station G. N. Ry

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 342·75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·02) estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·03	·04		·31	·06	·02	·19	·54	·01		1
2			·04			·02	·03	·02	·05	·33		·11	2
3			·05	·02		·35	·49	·01	·01	·01			3
4	·06		·03			·10	·01	·21	·01	·01		·09	4
5	·10		·58		·17	·18	·06	·14			·19		5
6		·05	·13			·01		·27	·05		·04	·01	6
7	·24	·06	·02		·02	·12	·02	·34			·01	·05	7
8	·02				·02	·62	·01	·03				·06	8
9	·30	·28	·16			·01		·08				·02	9
10	·04	·11	·01	·06	·09	·51	·03	·04				·19	10
11	·01	·04	·01					·34	·04		·16	·08	11
12	·11	·18	·02			·02		·03	·04		·02	·15	12
13	·08	·13	·13		·01	·17	·03	·01		·01	·09	·01	13
14	·01	·08	·01			·09					·23		14
15	·01	·01	·03		·03	·02		·02		·02	·01		15
16		·04	·05		·19	·13		·05			·01	·15	16
17	·31	·07	·02		·05	·02		·04		·06	·03		17
18	·22		·26			·08		·04				·02	18
19	·23		·20					·32		·01	·01	·10	19
20	·15	·09	·21				·17	·42			·01		20
21	·02		·18		·04			·10		·02		·01	21
22	·01	·03	·56		·35			·09		·17	·04		22
23	·38	·10	·05		·07		·19	·14		·04	·01	·03	23
24	·54	·56	·27		·01		·07	·30		·01	·16	·10	24
25	·15	·02				·02	·14	·18			·01	·18	25
26	·01					·14		·49			·29	·25	26
27							·15	·40		·36	·50	·21	27
28		·01				·04	·09	·01		·25		·17	28
29		·03				·06		·09	·04	·24	·32	·30	29
30						·17	·04	·36	1·42	·23		·01	30
31					·26		·93	·02		·10			31
Total	— ~~3·00~~	·03 ~~1·83~~	·04 ~~2·95~~	— ~~0·12~~	·31 ~~1·31~~	·06 ~~3·19~~	·02 ~~2·52~~	·19 ~~4·64~~	·54 ~~1·88~~	·01 ~~2·41~~	— ~~2·18~~	(·02) ~~2·30~~	YEAR'S TOTAL ~~28·33~~
Rain Days.	21	~~18~~ 19	23	2 ~~3~~	14 ~~13~~	22	17	30	9	17	~~20~~ 19	~~22~~ 23	21~~5~~6
	3·00	1·86	2·96	·08	1·62	2·94	2·48	4·81	2·23	1·88	2·17	2·32	28·35

W. 7,500, XI. ·12

Ex DL

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Luton
in the County of Bedford 2
by Sewage Pumping Station manager

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station G. N. Rly station
Diameter of Rain Gauge 5 inches
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 342·75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·17	·07	·06	·07	·	·	·	·47	·	·13	·05	1
2	·01	·10	·	·	·	·	·09	·	·03	1·01	03 ~~·07~~	·01	2
3	·02	·	·07	·03	·70	·	·	·	·01	·01	·	·11	3
4	·21	·	·	·	·04	·	·23	·	·	·36	·02	·09	4
5	·06	·	·	·	·01	·	·05	·	·01	·02	·01	·05	5
6	·	·05	·02	·	·10	·23	·15	·	·02	·24	·	·03	6
7	·	·14	·02	·	·09	·02	·03	·09	·	·40	·04	01 ~~·07~~	7
8	·	·	·01	·	14. ~~[illegible]~~	·15	·	·	·	·11	·11	·	8
9	·	·21	·02	·02	·01	·11	·	·	·10	·	·02	·07	9
10	·	·	·01	08 ~~·06~~	·	·	·11	·	·	·	·22	·	10
11	·53	·	·	·32	·04	·	·	·07	·	·31	32. ~~·52~~	·	11
12	·01	·01	·	·01	·02	·	·	·	·	·01	·44	·	12
13	·	·	·	·	·	·	·	·01	·12	·	·38	·	13
14	·08	·01	·05	·03	·	·	·21	·07	·	·13	·02	·	14
15	·16	·02	·10	·26	·	·	·08	·	·	·	·	·	15
16	·03	·	·23	·17	·	·	·01	·	·	·	·	·	16
17	·03	·02	·02	·07	·	·75	·05	·	·01	·	·	·03	17
18	·01	·	·25	·17	·	·	·02	·	·11	·	·03	·	18
19	·33	·	·04	·01	·	·	·16	·	·53	·	·	·02	19
20	·13	·	·06	·	·	·03	·	·	·01	·28	·	·	20
21	·01	·	·09	·12	·07	·	·	·	·	·09	·34	·	21
22	·37	·	·11	·03	·	·	·	·08	·18	·	·	·	22
23	·01	·	·	·	·	·08	·02	·10	03 ~~·08~~	·	·	·06	23
24	·01	·	·01	·05	·	·	·	·06	·	·	·	·	24
25	·	·01	·	·13	·	·	·	·	·	·	·	·	25
26	·	·01	·21	·12	·	·	·	·10	·	·53	·02	·14	26
27	·	·	·03	·04	·	·	·	·	·	·03	·	·	27
28	·19	·	·02	·12	·	·	·	·	·	·07	·	·	28
29	·03		·09	·56	·30	·	·	·05	·	·09	·	·03	29
30	·15		·01	·01	·	·	·	·07	·	·20	·08	·	30
31	·01		·03		·		·	·35		·		·	31
Total	2·41	·75.	1·57	2·41	1·59	1·37	1·21	1·05	1·63	3·89	2·21	·70	YEAR'S TOTAL 20·79
Rain Days.	22	11	23	21	12	7	13	11	13	17	16	13	179

W.7,000, XI. 13

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Luton

in the County of Bedford 2

by Borough Engineer Surveyor Town Hall Luton

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Gt Northern Rly Luton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 342·75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·	·	·	·03	·23	·	·	·04	·02	1
2	·03	·	·	·01	·	·	·	·08	·	·	·03	·13	2
3	·	·	·03	·	·12	·	·48	·19	·	·	·09	·01	3
4	·16	·	·	·13	·02	·	·	·08	·	·	·33	·28	4
5	·02	·	·05	·13	·03	·10	·46	·23	·	·	·01	·	5
6	·	·08	·	·01	·02	·08	·05	·02	·	·	·10	·16	6
7	·	·23	·22	·07	·35	·02	·07	·	·	·	·	·27	7
8	·07	·08	·72	·03	·03	·59	·20	·09	·	·	·	·01	8
9	·14	·	·57	·24	·	·42	·	·01	·09	·	·	·66	9
10	·04	·13	·04	·10	·06	·	·	·	·10	·	·	·01	10
11	·	·13	·33	·	·11	·45	·	·	·05	·	·15	·10	11
12	·	·03	·08	·	·01	·01	·06	·	·35	·	·03	·33	12
13	·04	·20	·10	·	·	·	·	·	·12	·20	·04	·25	13
14	·	·03	·30	·	·	·	·03	·	·01	·46	·08	·46	14
15	·07	·	·18	·	·	·	·	·	·03	·02	·03	·06	15
16	·02	·	·	·	·	·	·05	·	·02	·	·07	·01	16
17	·01	·38	·13	·	·	·	·	·	·17	·	·	·23	17
18	·	·	·05	·	·	·	·	·	·01	·	·	·50	18
19	·	·03	·18	·	·	·03	·01	·	·03	·	·16	·04	19
20	·	·23	·26	·	·	·	·	·	·01	·	·01	·13	20
21	·	·27	·08	·	·	·15	·	·	·	·03	·	·07	21
22	·	·02	·	·	·16	·02	·03	·07	·	·59	·	·	22
23	·	·05	·03	·	·07	·	·20	·	·	·12	·	·05	23
24	·	·	·10	·03	·01	·	·06	·	·	·17	·12	·	24
25	·03	·	·15	·	·	·	·01	·08	·	·28	·01	·15	25
26	·	·	·10	·	·	·	·02	·02	·	·02	·10	·45	26
27	·05	·	·01	·	·	·	·	·	·	·	·01	·17	27
28	·	·05	·	·	·15	·	·	·	·	·06	·40	·93	28
29	·03		·09	·	·	·	·	·	·	·31	·08	·	29
30	·		·02	·	·	·	·	·	·	·03	·22	·30	30
31	·01		·		·13		·04	·		·		·03	31
Total	·72	1·94	3·82	·75	1·27	1·87	1·80	1·10	·99	2·29	2·11	5·81	YEAR'S TOTAL 24·47
Rain Days.	14	15	23	9	14	10	16	11	12	12	21	27	184

W. 8,000. X. 14.

Section A **for the entry of Daily Observations** **Station No.**............

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~15

Kept at LUTON SEWAGE PUMPING STATION

COPY

in the County of............

Diameter of funnel of gauge............in.

Height of top of gauge above ground............ft............in.

Height of ground above sea level............ft.

[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	23		02		05			02	14	07	07	30		1
2	10	33	17					62	04	04	03	10		2
3	48	01	02	21			11	43	02		03	15		3
4	05							03			02	57		4
5	03	28						02				22		5
6	18	05		18			68	03				05		6
7	06	22	09	02			19	04				27		7
8	02	38	03	01			03							8
9		03		05		07		02			22	40		9
10	30							40			02	07		10
11	02		06								82			11
12	07	02		30				15		05	69			12
13	02	20			125		54							13
14	~~07~~	06			01			14				59		14
15	08		04		03		01	04			11	09		15
16	01	26					47					05		16
17	[illegible]	30			25		07							17
18	[illegible]	22	12		01						05			18
19		03	04				09							19
20	30			06								24		20
21	08	05					02					05		21
22	95	07	38				45					10		22
23	03	15	24				26		09	37		28		23
24			03				49		52	07		22		24
25				04		04	04			01		27		25
26		21					14					34		26
27		03				11	10		01	34		05		27
28		14				08			1·11	13				28
29		X					14	26			12	04		29
30	02	X				69					04	02		30
31	09	X		X		X		04	X	82	X	27		31
TOTAL	3·12	3·04	1·24	·87	1·60	·99	3·83	164 2·24	1·93	1·90	2·22	4·74 ~~4~~	Year's Total 27·72	2712
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)............(P.T.O.)

corrected for W.D. 30.iii.16.

End [illegible]

1257

FORM A. BRITISH RAINFALL. 10. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Luton

in the County of Bedford 2

by Borough Engineer Luton

Lat. —— Long.

Time of Observation 9 a.m.

Nearest Railway Station G N Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 342.75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·09	·14				·69		·04		·82	·04	1
2	·23		·02		·05			·02	·14	·07	·07	·30	2
3	·10	·33	·17					·62	·04	·04	·03	·10	3
4	·48	·01	·02	·21			·11	·43	·02		·03	·15	4
5	·05							·03			·02	·57	5
6	·03	·28						·02				·22	6
7	·18	·05		·18			·68	·03				·05	7
8	·06	·22	·09	·02			·19	·04				·27	8
9	·02	·38	·03	·01			·03						9
10		·03		·05		·07		·02			·22	·40	10
11	·30							·40			·02	·07	11
12	·02		·06								·82		12
13	·07	·02		·30				·15		·05	·69		13
14	·02	·20			1·25		·54						14
15		·06			·01			·14				·59	15
16	·08		·04		·03		·01	·04			·11	·09	16
17	·01	·26					·47					·05	17
18		·30			·25		·07						18
19		·22	·12		·01						·05	–	19
20		·03	·04				·09					·24	20
21	·30			·06								·05	21
22	·08	·05					·02					·10	22
23	·95	·07	·38				·45					·28	23
24	·03	·15	·24				·26		·09	·37		·22	24
25			·03				·49		·52	·07		·27	25
26				·04		·04	·04			·01		·34	26
27		·21					·14					·05	27
28		·03				·11	·10		·01	·34			28
29		×				·08			1·11	·13		·04	29
30		×					·14	·26			·12	·02	30
31	·02	×		×		×			×		×	·27	31
—	·09	·14	–	–	–	·69	–	·04	–	·82	·04	+	YEAR'S TOTAL
Total	~~3·06~~ 3·12	~~2·99~~ 3·04	~~1·38~~ 1·24	~~·87~~ ·87	~~1·60~~ 1·60	~~·30~~ ·99	~~4·52~~ 3·83	~~2·20~~ 2·24	~~1·97~~ 1·93	~~1·08~~ 1·90	~~3·00~~ 2·22	~~4·78~~ 4·74	~~27·75~~ 27·72
Rain Days.	20	20	~~13~~ 12	8	5	~~4~~ 5	~~18~~ 17	~~13~~ 14	~~8~~ 7	~~8~~ 9	~~12~~ 12	~~24~~ 23	~~153~~ 152

W. 8,000. X. 15.

Section A for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~16

Kept at LUTON SEWAGE PUMPING STATION

in the County of BEDFORDSHIRE

COPY

Diameter of funnel of gauge..........in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	13				01	01			02	06	31			1
2	40	03	26		21	03			05	35	03			2
3		50	05		02				06	19	11			3
4	17	13				30	39		11	54	27			4
5	06			13	04	07	16		01	09	36			5
6	01	06	25	19	02					11	34			6
7	05		50		05	07				03	36	05		7
8			05		24	13	01					26		8
9					18	03				04		08		9
10		10	15	07		23	19			01		02		10
11	05	11	09	11	03	14	23					09		11
12	02	02	10	04	32	14		03		21				12
13	01	55	11	06	03	09	23	14		03				13
14		15		02	03			06		03		02		14
15		10	45				23	10		02		04		15
16			29	09	08		12			04				16
17	10	06		07			01	04	21	49				17
18		06	03	05				22	22	04	67			18
19	03	04	18	05					52		63	07		19
20	22		35	02				01			03	49		20
21			72				23					44		21
22		06	02		06	09						51		22
23		75				24		03		07	04	05		23
24					01			04		13	01	33		24
25		46	07		03	06		12		18	06	03		25
26		23	03			17		03		04	01			26
27	06	04	70			10		16	06	15				27
28		33	66						08	04		21		28
29		07						64		38		05		29
30		X						17		28		02		30
31		X		X		X			X	05	X	01		31
TOTAL	1·31	3·85	5·06	·90	1·36	1·90	1·80	1·79	1·34	3·60	3·23	2·77	Year's Total 28·91	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..........

(P.T.O.)

1238

FORM A.
BRITISH RAINFALL.
6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at *Luton.*

in the County of *Bedford.*

by *J. W. Tomlinson. Borough Engineer*

Lat. ______ Long. ______

Time of Observation 9. A.M.

Nearest Railway Station Great Northern Railway

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 342.75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27		·07								·05		1
2	·13				·01	·01			·02	·06	·31		2
3	·40	·03	·26		·21	·03			·05	·35	·03		3
4		5	·05		·02				·06	·19	·11		4
5	·17	·13				·30	·39		·11	·54	·27		5
6	·06			·13	·04	·07	·16		·01	·09	·36		6
7	·01	·06	·25	·19	·02					·11	·34		7
8	·05		·5		·05	·07				·03	·36	·05	8
9			·05		·24	·13	·01					·26	9
10					·18	·03				·04		·08	10
11		·10	·15	·07		·23	·19			·01		·02	11
12	·05	·11	·09	·11	·3	·14	·23					·09	12
13	·02	·02	·10	·04	·32	·14		·03		·21			13
14	·01	·55	·11	·06	·03	·09	·23	·14		·03			14
15		·15		·02	·03			·06		·03		·02	15
16		·10	·45				·23	·10		·02		·04	16
17			·29	·09	·08		·12			·04			17
18	·10	·06		·07			·01	·04	·21	·49			18
19		·06	·03	·05				·22	·22	·04	·67		19
20	·03	·04	·18	·05					·52		·63	·07	20
21	·22		·35	·02				·01			·03	·49	21
22			·72				·23					·44	22
23		·06	·02		·06	·09						·51	23
24		·75				·24		·03		·07	·04	·05	24
25					·01			·04		·13	·01	·33	25
26		·46	·07		·03	·06		·12		·18	·06	·03	26
27		·23	·03			·17		·03		·04	·01		27
28	·06	·04	·70			·1		·16	·06	·15			28
29		·33	·66						·08	·04		·21	29
30		✕						·64		·38		·05	30
31		✕		✕		✕		·17	✕	·28	✕	·02	31
	–	·07	–	–	–	–	–	–	–	·05	–	·01	YEAR'S TOTAL
Total	~~1·58~~	~~3·65~~	~~5·13~~	·90	1·36	1·90	1·80	1·79	1·34	~~3·55~~	~~3·28~~	~~2·76~~	~~29·04~~
	1·31	3·85	5·06							3·60	3·23	2·77	28·91
Rain Days.	~~14~~ 13	~~18~~ ~~19~~ 20	~~21~~ 20	12	16	16	10	14	10	~~24~~ 25	~~15~~ 14	~~17~~ 18	18~~6~~8

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1917

Kept at LUTON PUMPING STATION

in the County of BEDFORDSHIRE

COPY

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01			33				129	07		08			1
2	01			17		03		11			03			2
3				07				74		67	09			3
4		33	20					18		61				4
5	20			18				07	24	09	07			5
6				03		06			07	17	04			6
7	21					05	32			30				7
8	35			09			129	76		26	14			8
9	05			06			03	58			06	20		9
10	25		16	23				11		02	02			10
11	11	05	55	04						34				11
12	08		02	03	08			16		22				12
13	16		05					14	03	01				13
14	06			07				09		[illegible]				14
15	04			10	06		07	08		03				15
16	05	16		27	12	24	10			89		11		16
17	03			10	76	14	30	11	42	32				17
18	08	04		09	06	08	20	02	66	03				18
19	03	12	06	01	08				26					19
20		11	01		59		01				04			20
21		01	04		04	01					03			21
22			14					04		12				22
23		09	03		14			11						23
24		03				24		08		26				24
25		04	07			05				01	02			25
26			07					21	11	01	24	06		26
27			01			26		61						27
28			03			123		11				25		28
29		X	12			14	112	63		34		01		29
30		X	09				109	09						30
31	08	X	20	X		X	41	08	X		X	02		31
TOTAL	1·80	·98	1·85	1·87	1·93	2·53	4·94	6·40	1·86	4·70	·86	·65	Year's Total 30·37	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..........(P.T.O.)

1191

cnd pr autts for WD

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

3. JAN 19

Kept at Pumping Station, Windmill Road, Luton

in the County of Bedford

by J. W. Tomlinson. Borough Engineer. Luton.

Lat. .... Long. ....

Time of Observation 9 am.

Nearest Railway Station G N Rly + Midland Rly Luton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 342·75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (·02)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·08		·20				·41	·08				1
2	·01			·33				1·29	·07		·08		2
3	·01			·17		·03		·11			·03		3
4				·07				·74		·67	·09		4
5		·33	·20					·18		·61			5
6	·20			·18				·07	·24	·09	·07		6
7				·03		·06			·07	·17	·04		7
8	·21					·05	·32			·30			8
9	·35			·09			1·29	·76		·26	·14		9
10	·05			·06			·03	·58			·06	·20	10
11	·25		·16	·23				·11		·02	·02		11
12	·11	·05	·55	·04						·34			12
13	·08		·02	·03	·08			·16		·22			13
14	·16		·05					·14	·03	·01			14
15	·06			·07				·09					15
16	·04			·10	·06		·07	·08		·03			16
17	·05	·16		·27	·12	·24	·10			·89		·11	17
18	·03			·10	·76	·14	·30	·11	·42	·32			18
19	·08	·04		·09	·06	·08	·20	·02	·66	·03			19
20	·03	·12	·06	·01	·08				·26				20
21		·11	·01		·59		·01				·04		21
22		·01	·04		·04	·01					·03		22
23			·14					·04		·12			23
24		·09	·03		·14			·11					24
25		·03				·24		·08		·26			25
26		·04	·07			·05				·01	·02		26
27			·07					·21	·11	·01	·24	·06	27
28			·01			·26		·61					28
29			·03			1·23		·11				·25	29
30		✕	·12			·14	1·12	·63		·34		·01	30
31		✕	·09	✕		✕	1·09	·09	✕		✕		31
	·08	–	·20	–	–	–	·41	·08	–	–	–	(·02)	YEAR'S TOTAL
Total	~~1·78~~	~~1·06~~	~~1·65~~	~~2·07~~	~~1·93~~	~~2·53~~	~~4·53~~	~~6·73~~	~~1·94~~	~~4·70~~	~~·86~~	~~·63~~	~~30·36~~
	1·80	·98	1·85	1·87	1·93	2·53	4·94	6·40	1·86	4·70	·86	·65	30·37
Rain Days.	17	16	16	16	9	12	10	23	9 8	19	12	5 6	160

4·76

W. 8,000, IX. 17.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1918

Kept at LUTON SEWAGE PUMPING STATION

COPY

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan. in.	Feb. in.	Mar. in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	†	Date
1				22							17	12		1
2		12		20				14			20	03		2
3		03	05		45			07	52		45	18		3
4		05	04					02	17	03	41	05		4
5	09	07			12			12	02	06		02		5
6		09	01	23	06			01				02		6
7		11		11	09				07	16	16			7
8				07				01	13	06		04		8
9	03	06		03			23		34	11		03		9
10	06			06			27		02	07		12		10
11		08		03	05		09		09	47		16		11
12	07				15		10		03			04		12
13		03		01	27		12		14			01		13
14	19					21	06		27	14		15		14
15	56			123		08	33		02			16		15
16	33			52			01		82	03		14		16
17	32			29	15		30	01	03			03		17
18	52					11	44		29	19		11		18
19	04	04	03	11		16	17		04	08				19
20	04	04		38		04	02		12	14		27		20
21	07			32		04			83	03		01		21
22	09				26		06		12			01		22
23	03				64		41	04	09			12		23
24		14			03	05	11		08		26	01		24
25						05	17	26						25
26							07	12			23	19		26
27		03		10				28	15		17	07		27
28		06	28	03				01			17	17		28
29		X							132					29
30		X	27						01			06		30
31		X	20	X		X			X	10	X	03		31
TOTAL	2·44	·95	·88	3·94	2·27	·74	2·96	1·09	572 ~~5·71~~	1·67	2·22	235 2·25	27·23	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) (P.T.O.)

upon WP 25.III.19
1 Sep 24 (30)
Jan-1-25

and by other] [WP]

EFE

3

FORM A.
BRITISH RAINFALL.
6.1.19

REGISTER OF RAINFALL IN 19

Kept at Luton (Sewage Pumping Station)
in the County of Bedford.
by J W Tomlinson. Borough Engineer.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station G. N. Rly.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 342·75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·		·06	·20	·					·01	·10		1
2	·			·22	·						·17	·12	2
3	-	·12		·20	·			·14			·20	(·03)	3
4	·	·03	·05		·45			·07	·52		·45	·18	4
5	·	·05	·04		·			·02	·17	·03	·41	·05	5
6	·09	·07			·12			·12	·02	·06		·02	6
7	·	·09	·01.	·23	·06			·01	·			·02	7
8	·	·11.		·11	·09				·07	·16	·16	·	8
9	·			·07	·			·01	·13	·06		·04	9
10	·03	·06.		·03	·		·23		·34	·11		·03	10
11	·06			·06			·27		·02	·07		·12	11
12		·08.		·03	·05		·09		·09	·47		·16	12
13	·07				·15		·10		·03			·04	13
14		·03		·01	·27		·12		·14			·01	14
15	·19				·	·21.	·06		·27	·14		·15	15
16	·56			1·23	·	·08	·33		·02			·16	16
17	·33			·52	·		·01		·82	·03		·14	17
18	·32			·29	·15		·30	·01	·03			·03	18
19	·52				·	·11	·44		·29	·19		·11.	19
20	·04	·04.	·03	·11	·	·16	·17		·04	·08			20
21	·04	·04		·38	·	·04	·02		·12	·14		·27	21
22	·07	·		·32	·	·04	·		·83	·03		·01	22
23	·09	·			·26		·06		·12			·07	23
24	·03	·			·64		·41	·04	·09			·12	24
25	-	·14			·03	·05	·11		·08		·26	·07	25
26	·	·			·	·05	·17	·26	·			·	26
27	·	·			·	·	·07	·12	·		·23	·	27
28	·	·03		·10.	·	·	·	·28	·15		·17	·	28
29	·	—	·28	·03.	·	·	·	·01	·		·17	·	29
30	·	X		·	·	·	·	·	1·32		·	·	30
31		X	·27	X	·	X		·	X		X	·	31
Total	- 2·44	·06 ·89 ·95	·20 ~~·74~~ ·96	- ~~4·14~~ 3·94	2·27	·74	2·96	1·09	·01 5·71 ~~4·39~~ 5·72	·10 1·58 1·67	~~2·32~~ 2·22	(–) 1·83	YEAR'S TOTAL 26·71 ~~25·39~~
Rain Days.	14	~~13~~ 14	9	~~18~~ 17	11	8	17	12	~~23~~ 24	14	~~10~~ 9	22	~~168~~ 169

W, 6,500, VIII. 18. w w c

1123

6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

OK ✓

Kept at Sewage Pumping Station Luton

in the County of Bedford

by J. W. Tomlinson Borough Engineer

Lat. 51°-52'-30" Long. 0°-24'

Time of Observation 9 a.m.

Nearest Railway Station Luton M.R. & G.N.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 392.45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·16		·04	·06		·07			·02	·01	1·83	1
2	·14		·01		·06		·03		·23	·12	·22	·30	2
3	·44		·18				·12		·10		·09	·24	3
4	·09		·26			·04	·10	·10	·06			·15	4
5	·04	·50	·34				·12		·42		·01	·23	5
6	·01		·16		·22					·02	·04	·13	6
7	·04		·45								·09		7
8	·14		·08	·05							·02		8
9	·01		·02	·06	·08						·04		9
10	·03		·14	·02							·05	·06	10
11	·04		·10	·18			·24						11
12			·34			·10	·08			·09	·08		12
13	·06			·30					·01	·05			13
14	·24			·33			·05			·10	·05	·33	14
15	·32	·05	·13	·17					·08	·03		·03	15
16	·03	1·26		·05							·15	·02	16
17		·54									·14	·04	17
18		·14	·06					·19			·04	·02	18
19	·05	·14	·49			·22	·15	·39	·08		·04	·02	19
20	·13	·04	·09			·54	·64	·35			·01	·06	20
21	·23	·36	·06				·32				·01	·23	21
22		·19	·01				·12		·23			·02	22
23		·01				·06	·02	·05		·06	·04	·09	23
24				·12			·12			·22		·01	24
25	·02			·15	·04	·02		·25				·34	25
26	·28	·28	·12	·04			·06	·14	·12			·04	26
27	1·00	·03	·06	1.15				·35				·32	27
28			·08	·05			·02	·59		·01	·02	·04	28
29				·06				·18		·23		·45	29
30				·16		·16		·04		·04	·55	·02	30
31										·04			31
TOTAL	3·82	3·46	3·21	2·93	·49	1·14	2·29	2·69	1·33	1·06	1·43	5·08	YEAR'S TOTAL 29·53
Days with ·01 in. or more	21	13	20	16	5	4	16	11	9	13	20	24	145

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

TELEPHONE Nº 93.

SCIENTIÆ ET LABORI DETUR

J. W. TOMLINSON,
ASSOCIATE MEMBER OF THE INSTITUTION OF CIVIL ENGINEERS.
MEMBER OF THE INSTITUTION OF MUNICIPAL & COUNTY ENGINEERS.
MEMBER OF THE SOCIETY OF ARCHITECTS.
BOROUGH ENGINEER & SURVEYOR.

JWT/AN.

Borough Engineer & Surveyor's Office,
Town Hall,
Luton.

26th., March, 1919.

Dear Sir,

RAINFALL IN 1918.

In reply to your letter of 25th., March, the entry for 30th. September should have been 1.52 inches.

With respect to the day on which the returns are booked the quantity read is sent up to this office on a daily record sheet and owing to a mistake here the quantities were returned on the day on which they were taken instead of the day previous as should have been done.

Yours faithfully,

J.W. Tomlinson

Borough Engineer.

The Director,
British Rainfall Organization,
62, Camden Street,
LONDON, N.W.1.

Section A **for the entry of Daily Observations** **Station No.**

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~20

Kept at

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				68	12		16	07		38		29		1
2				06			05	15	04	04		15		2
3				04	04		07		12	06		02		3
4				14			18	13	03	34		04		4
5			04		07		57	05	03			02		5
6			14		12		32					04		6
7				10			15					03		7
8	14	05		34	05		07							8
9	29			12				09						9
10	30	07				03	08							10
11	17		10	80	06	10	07							11
12	06			12		65	01				11			12
13	02	05	13	20		03					06			13
14			24	28		35	12		16	30	29			14
15	03		22						14		07			15
16			02	12	13				10	09				16
17	03		01	09		10	04		37			08		17
18	05	02		02	02			40	13			08		18
19	07	02		22		10		05						19
20	07	09		25		33						03		20
21							~~3~~22	05	30			05		21
22				13					29			11		22
23							80					38		23
24	03		12	03								03		24
25		09	07	05	68		25							25
26	17		10	02	04		09					03		26
27	28			18		29	02				55	10		27
28	32		17		39	01	03				03	01		28
29	14		05		01		10				12	19		29
30	03	X				10	19		36		19	29		30
31	01	X	09	X	05	X			X	18	X	06		31
TOTAL	2·21	·39	1·50	3·99	1·78	2·09	3·59	·99	2·07	1·39	1·42	203 1·80	Year's Total 23·22	2345
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Confd WD

cordly obs. 30 Dec

1864

JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sewage Pumping Station. Luton

in the County of Bedfordshire.

by Luton Corporation.

Lat. 51° 52′ 30″ Long. 0° 24′ W.

Time of Observation 9. a.m.

Nearest Railway Station Luton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 342·75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·06

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01		·09		·05	·10			·36	·18	·19	1
2				·68	·12		·16	·07		·38		·29	2
3				·06			·05	·15	·04	·04		·15	3
4				·04	·04		·07		·12	·06		·02	4
5				·14			·18	·13	·03	·34		·04	5
6			·04		·07		·57	·05	·03			·02	6
7			·14		·12		·32					·04	7
8				·10			·15					·03	8
9	·14	·05		·34	·05		·07						9
10	·29			·12				·09					10
11	·30	·07				·03	·08						11
12	·17		·10	·80	·06	·10	·07						12
13	·06			·12		·65	·01				·11		13
14	·02	·05	·13	·20		·03					·06		14
15			·24	·28		·35	·12		·16	·30	·29		15
16	·03		·22						·14		·07		16
17			·02	·12	·13				·10	·09			17
18	·03		·01	·09		·10	·04		·37			·08	18
19	·05	·02		·02	·02			·40	·13			·08	19
20	·07	·02		·22		·10		·05					20
21	·07	·09		·25		·33						·03	21
22							·22	·05	·30			·05	22
23				·13					·29			·11	23
24							·80					·38	24
25	·03		·12	·03								·03	25
26		·09	·07	·05	·68		·25						26
27	·17		·10	·02	·04		·09					·03	27
28	·28			·18		·29	·02				·55	·10	28
29	·32		·17		·39	·01	·03				·03	·01	29
30	·14	X	·05		·01		·10				·12	·19	30
31	·03	X		X		X	·19		X		X	·29 ·06	31 23·22 ✓
	·01	–	·09	–	·05	·10	–	–	·36	·18	·19	–	YEAR'S TOTAL
TOTAL	~~2·22~~ 2·21	~~·40~~ ·39	~~1·41~~ 1·50	~~4·08~~ 3·99	~~1·73~~ 1·78	~~2·04~~ 2·09	~~3·69~~ 3·59	·99	~~1·71~~ 2·07	~~1·57~~ 1·39	~~1·44~~ 1·42	2·03 ~~1·93~~ 1·80	~~23·18~~
Days with ·01 in. or more	18	~~8~~ 7	~~13~~ 14	~~22~~ 21	~~12~~ 13	11	~~22~~ 21	8	~~11~~ 12	7	8	20	160
Days with ·04 in. or more	12	5	~~11~~ 12	~~19~~ 18	~~10~~ 11	8	~~19~~ 18	8	~~9~~ 10	7	7	13	~~128~~ 129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

METEOROLOGICAL OFFICE, LONDON.

Rec'd 4 - MAR 1921
ENGINEER'S OFFICE

IMPORTANT.

All communications should be addressed to
THE SUPERINTENDENT.

British Rainfall Organization,

62, Camden Square,

London, N.W.1.

Telephone : North 142.

RAINFALL AT SEWAGE PUMPING STATION.

Dear Sir,

From examination of the rainfall return for last year which you have been good enough to supply, it appears that the measurements have been entered on the register as the rainfall of the day on which the reading was taken. As you will observe from the enclosed pamphlet, it is the general custom among observers of rainfall, both in this country and abroad, to enter the fall measured on any morning **to the previous day,** thus bringing the measurement made at 9 a.m. on the first day of each month into the previous month. As it is important that all the records should refer to the same period, it would be a kindness if you would be good enough to enter the amount measured on the morning of January 1st of this year overleaf and to return this form in order that your record may be brought into harmony with those from other stations.

Yours sincerely,

Carle Salter

Superintendent.

Enc. R.

(x) (66559) Wt. 27062/242 Gp 163 250 11-19 W B & L.

BEDFORD.

LUTON.

"WHITTLESEY"

1911 - 1920

FORM A1.
BRITISH RAINFALL.

11 JAN 1912

REG 11

rawdon

Kept at Whittlesey Te

5 in.

in the County of Bedf

ove Ground 1 ft. 1 in.

,, Sea Level 530 ft.

by Harold Smi

9 am

Name Luton

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·35	·13			·01					1
2	·03			·31	·13						·15	·09	2
3											·11	·06	3
4	·05	·05	·13	·14						·07	·12	·47	4
5	·02							·05		·09	·01	·06	5
6	·20		·05							·01		·44	6
7	·03		·02							·06	·31	·24	7
8	·18		·15							·03	·06	·14	8
9	·16										·01	·01	9
10	·02	·09	·09								·06	·41	10
11	·29		·02		·58						·51	·01	11
12	·06		·58						·06	·30	·31		12
13			·07		·25				·24	·28	·01	·37	13
14					·19					·01		·40	14
15		·05	·18							·01	·05	·03	15
16						·10				·01	·31	·05	16
17						·18					·08	·20	17
18		·14				·05					·31	·18	18
19						·18			·04	·06	·19	·16	19
20		·03						·29	·18	·08		·66	20
21		·12						·15		·30		·11	21
22		·01	·28			·19		·05		·07		·64	22
23		·15	·27			·60			·22			·14	23
24		·07				·14		·02		·40		·14	24
25		·06		·05		·17		·01	·01			·03	25
26		·01		·16	·02	·06	·02	·01		·12	·04	·16	26
27		·29	·10				·04		·16		·01	·06	27
28		·28		·21				·06			·04		28
29						·18	·12		·28	·24	·01		29
30					·04				·01	·13		·01	30
31					·84								31
Total	1·05	1·35	1·94	1·22	2·18	1·85	·18	·65	1·20	2·27	2·70	5·27	TOTAL for year 21·86
No. of Rain Days	11	13	12	6	8	10	3	9	9	18	20	26	145

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A1.
BRITISH RAINFALL.
11 JAN 1912

REG 11

Kept at Whittlesey Tennyson Rd Luton

in the County of Bedford 2

by Harold Smith

Rain Gauge	Pattern Snowdon
	Diameter of top 5 in.
	Height of top above Ground 1 ft. 1 in.
	" " " Sea Level 530 ft.

Time of Observation 9 am

Nearest Railway Station: Name Luton; Distance ; Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·35	·13			·01					1
2	·03			·31	·13						·15	·09	2
3											·11	·06	3
4	·05	·05	·13	·14						·07	·12	·47	4
5	·02							·05		·09	·01	·06	5
6	·20		·05							·01		·44	6
7	·03		·02							·06	·31	·24	7
8	·18		·15							·03	·06	·14	8
9	·16										·01	·01	9
10	·02	·09	·09								·06	·41	10
11	·29		·02		·58						·51	·01	11
12	·06		·58						·06	·30	·31		12
13			·07		·25				·24	·28	·01	·37	13
14					·19					·01		·40	14
15		·05	·18							·01	·05	·03	15
16						·10				·01	·31	·05	16
17						·18					·08	·20	17
18		·14				·05					·31	·18	18
19						·18			·04	·06	·19	·16	19
20		·03						·29	·18	·08		·66	20
21		·12						·15		·30		·11	21
22		·01	·28			·19		·05		·07		·64	22
23		·15	·27			·60			·22			·14	23
24		·07				·14		·02		·40		·14	24
25		·06		·05		·17		·01	·01			·03	25
26		·01		·16	·02	·06	·02	·01		·12	·04	·16	26
27		·29	·10				·04		·16		·01	·06	27
28		·28		·21				·06			·04		28
29						·18	·12		·28	·24	·01		29
30					·04				·01	·13		·01	30
31					·84								31
Total	1·05	1·35	1·94	1·22	2·18	1·85	·18	·65	1·20	2·27	2·70	5·27	TOTAL for year 21·86
No. of Rain Days	11	13	12	6	8	10	3	9	9	18	20	26	145

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

Ex F.L.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
7 JAN 1913

Kept at Whittlesey Tennyson Road Luton

in the County of Bedford 2

by Harold F. Smith

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 530 ft.

Time of Observation 9 am

Nearest Railway Station
Name Luton
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			6			1	5	2	6	37		10	1
2		2	4			31	50	~~2~~1				1	2
3	9	1	1		4	9	1	~~17~~21	2			8	3
4	22		58		18	19	1	~~23~~17			24		4
5	12	6	28			1		~~33~~23	3		6		5
6	28	5	1		1	9	1	~~4~~33			1	7	6
7	1		2		2	67	1	~~10~~4				7	7
8	48	32	16			1		~~3~~10	3			2	8
9	3	14		9	5	36	2	~~30~~3				26	9
10	1	3						30	4		15	8	10
11	10	22	1			1		3	6		1	16	11
12	6	18	7		2	24	2	1			8		12
13	1	4	1			8		~~7~~			21		13
14	1		2		2	1		1		2		1	14
15		3	7		20	22		5				18	15
16	35		2		10	4		5		6	2		16
17	56		26			7		8				1	17
18	4		19					34		1	2	11	18
19	16	8	19				16	41			1		19
20	2		17		2		9	9		24			20
21	1	3	62		40			12		17	3		21
22	31	12	3		6		5	16		3		2	22
23	45	53	30		1		83	40			18	10	23
24	16						1	20				19	24
25						15		50			36	36	25
26		1					8	46		40	49	32	26
27			1			4	1			25		17	27
28		2	2			1	1	9	5	39	34	30	28
29		2	1			20	17	40	1·43	23	1		29
30			~~11~~		28	1	5		66	10			30
31			4		28		21	22				·02	31
Total	3·48	1·91	3·20	·09	1·69	2·82	2·30	5·06	2·38	2·27	2·22	2·64	TOTAL for year 30·06
No. of Rain Days.	21	18	25	1	15	21	19	28	9	12	16	21	206

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

5 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at "Whittlesey" Tennyson Rd Luton
in the County of Bedford
by Harold V. Smith

Lat. 51° 52′ 30″ Long. 0° 24′ 50″ W
Time of Observation 9 am
Nearest Railway Station Luton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	2	16	7	6	10				54		14	9	1
2	1	11					10		3	79	3		2
3	2		7	4	72							10	3
4	27		1		5		18			36	2	7	4
5	10	1				2	5		1	3	1	6	5
6	1	20	4		12	24	19		2	20		3	6
7		11			9	1	3	4		39	3	1	7
8			1		17	18				9	13		8
9		22	2	2	1	14			11		2	9	9
10	1		1	9			10	2			24		10
11	50			45	4			3		27	30		11
12		1			2					1	46		12
13	1							2	9		31		13
14	7	1	9	3			26	6		15	12		14
15	18	2	19	27			10	1					15
16	3		27	24					1				16
17	4	1	6	3		118	5				1	3	17
18	2		27	22					16		1	1	18
19	38		4	2			17		60			2	19
20	11		4	2		5				32			20
21	2		10	7	7					9	33		21
22	51		13	4				7	17				22
23						7	1	7	4			6	23
24				5				5					24
25	1	1		12				9					25
26		1	20	15						50		14	26
27			3	5						1			27
28	22		26	10						8		2	28
29	3		10	61	29			5		6		5	29
30	27			1				8		22	6	1	30
31			2					55					31
Total	2·84	·88	2·03	2·69	1·68	1·89	1·24	1·14	1·78	3·57	2·22	·79	YEAR'S TOTAL 22·75
Rain Days.	22	~~11~~ 12	21	21	11	8	11	13	11	16	16	15	17~~6~~ 177

W. 7,500, XI. ·12

Br LMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

11 JAN 1915

Kept at Whittlesey 117 Tennyson Rd Luton

in the County of Bedford 2

by Harold F Smith

Lat. 51°.52'.30"N Long. 0° 24' 50" W

Time of Observation 9. am

Nearest Railway Station Luton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							3	24			4	1	1
2				2			3	9			6	12	2
3	1		1		17		61	16			9		3
4	19			23				6			27	35	4
5	2		6	35	1	13	52	27			1		5
6		9		1	3	8	3	2			8	21	6
7		27	20	6	38	3	3					36	7
8	11	11	72	3	2	55	18	11				1	8
9	16		45	23		43			4			1·10	9
10	6	12	3	11	5				16			1	10
11		18	33	1	14	46			3		31	30	11
12	4	3	8			1	5		37			41	12
13	1	31	14						15	15	5	32	13
14		4	33				2			46	14	44	14
15	7	3	18						3	2	7	8	15
16	2		4				2		1		6		16
17		39	11						20		1	24	17
18			5									53	18
19		5	16			3			4		19	3	19
20		32	32									13	20
21		43	7			38		2		2		10	21
22		1			15	2	4	6		64			22
23		4	5		9		21			12		4	23
24			10	3			7			20	11		24
25	3		17					11		36	1	9	25
26			6				1	4		2	15	54	26
27	5		2								1	21	27
28		4			14					7	54	109	28
29	4		9							36	9		29
30			4							4	24	33	30
31	1				11		4					3	31
Total	·82	2·46	3·81	1·08	1·29	2·12	1·89	1·18	1·03	2·46	2·53	7·08	YEAR'S TOTAL 27·75 ✓
Rain Days.	14	16	24	10	11	10	15	11	9	12	20	25	~~27·75~~ 177 ✓

W. 8,000. X. 14.

1258

FORM A.
BRITISH RAINFALL.

4 JAN 1916

REGISTER OF RAINFALL IN 1915

117 Tennyson Rd

Kept at Luton

in the County of Bedfordshire 2

by Harold Smith

Lat. 51·52·30 Long. 0° 24' 50" W

Time of Observation ~~Luton~~ 9 am

Nearest Railway Station Luton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	47	12	2		4			1	11	8	11	29	1
2	13	32	18	9		2		79	7	4	1	9	2
3	62	1	1	13			10	75	3			14	3
4	8							1			1	57	4
5	2	42						1		1		22	5
6	17	11	1	25			61	1				4	6
7	6	32	11	3			24	3				30	7
8	1	37	2	1			2				1		8
9		1		5		6		2			23	54	9
10	31		1					57			1	5	10
11	2		5		1						74		11
12	6	2	1	31	37			17		4	80	6	12
13	1	34			1·42								13
14		8			1		49	14	3			54	14
15	14				2			7			11	13	15
16	2	36					60					6	16
17		39			34		19						17
18		17	13								4		18
19		2	1				8						19
20	31			6								22	20
21	12	5					2			2		3	21
22	97	7	45				45					15	22
23	2	32	15			2	20		8	34		30	23
24			13				49		58	8		21	24
25				4		4	5			1	3	31	25
26		7				4	6					32	26
27		4				6	12			42		9	27
28		13	1			4			1·10	14			28
29							24	21			10	3	29
30	2					·95				1	3	1	30
31	7							4		85		26	31
Total	3·63	3·74	1·30	·97	2·21	1·23	3·96	2·83	2·	2·04	2·23	4·96	YEAR'S TOTAL 31·10
Rain Days.	20	21	15	9	7	8	16	14	7	12	13	24	166

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

8 JAN 1917

Kept at 117 Tennyson Road Luton

in the County of Bedford

by Harold F Smith

Lat. 51.52.30 Long. 0° 24' 50" W

Time of Observation 9 am (Summer time)

Nearest Railway Station Luton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	15		1			1	1		3	5	30		1
2	44	4	23		19	4			3	40	1		2
3		60	4						19	22	16		3
4	24	14	2		1	41			1	40	43		4
5	4			7	4	9				7	48		5
6		6	33	20	1	4	33			11	54		6
7	6		30		4	1	18			1	36	4	7
8			2		29	34						25	8
9					19	1				3		12	9
10		9	17	7		32	3			1		1	10
11	5	14	6	10	1	15						8	11
12	3	1	8	4	34	16	7	2		20			12
13	1	58	11	6	4	10	22	12		3			13
14		42		1	4			8				2	14
15		11	49				2	8		3		1	15
16			32	13	7		14	10		6			16
17	10	3		24			1	2	31	39			17
18		6	2	17				25	19	3	65		18
19	2	2	18	5					54		69	10	19
20	21		38	3							3	48	20
21			77	1			17					62	21
22		12	2		6	✓				2		47	22
23	2	42				5		2		4	3	8	23
24		6	1			25		2		7	1	33	24
25		48	12		3			11		21	11		25
26		11	2			4		1		5			26
27	5	5	80			8		13	10	18			27
28		38	37			3			3	3		26	28
29		8				14		82		40		11	29
30		X			1	6		18		28		1	30
31		X		X		X		1	X	4	X	1	31
Total	1·42	4	4·87	1·18	1·37	2·34	1·18	1·97	1·43	3·36	3·80	3	YEAR'S TOTAL 29·92
Rain Days.	13	21	23	13	15	20	10	15	9	23	13	17	194

Copy

W. 8,000, VIII. 16

Ex Dl

1192

FORM A.
BRITISH RAINFALL.
6 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at 117 Tennyson Road Luton

in the County of Bedford

by Harold F. Smith

Lat. 51.52.30 Long. 0.24'50" W

Time of Observation 9 am

Nearest Railway Station Luton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				18				1·33	4		8		1
2	1			4		2		15		1	3		2
3				3				75		78	10		3
4		24	14					16		75			4
5	17		1	24				3	19	7	5		5
6			3			5			4	7	3		6
7	23		1			12	28			38			7
8	39			12			1·08	81		36	14	3	8
9	3		5	5			20	76			6	14	9
10	21		17	24				10			2		10
11	7	4	47	3						36			11
12	11		1	3				15		24			12
13	20		3		13			12	2				13
14	1			5				8				1	14
15	3			9	6		7	7		2			15
16	2	14		46	9	15	10			85		10	16
17	1	2		12	90		29	7	38	30			17
18	5	2		14	5	14	19	2	60	4			18
19	2	11	10	1	6	8			28				19
20	1	19	10		56				1		5		20
21	2		6	3	2	1					4	1	21
22			13	1				4		13			22
23		8			14			10		1		1	23
24		2	1		1	22		8		34		2	24
25		2	7			2					2		25
26			8			2		19	8	1	25	1	26
27						32		62				2	27
28			3			1·06		19				4	28
29			12			10	88	47		35		13	29
30	2	X	8				91	8				1	30
31	4	X	19	X		X	40	3	X		X	2	31
Total	1·65	·88	1·89	1·87	2·02	2·31	4·40	6·40	1·64	5·07	·87	·55	YEAR'S TOTAL 29·55
Rain Days.	19	10	20	17	10	13	10	23	9	18	12	13	174

W. 8,000. X. 15.

Exd EFE

4

FORM A. BRITISH RAINFALL

6. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at 117 Tennyson Road Luton

in the County of Bedfordshire

by Harme & Smith

Lat. Long.

Time of Observation 9. am

Nearest Railway Station as before

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		1		24							19	6	1
2		9		19				11	3		15	17	2
3		1	5		54			8	13		62	4	3
4		5	7					3	41	2	45	2	4
5		5	1		10			12	7	7	1	1	5
6	6	7		25	1							3	6
7	3	9		12	14	1			4	13	9		7
8		2		4					14	3	10	2	8
9	1	6		3		7	20		43	14		8	9
10	4			5			19			4		17	10
11	1			3			8		11	47	8	2	11
12	1	6			18		12		4				12
13		2			22		3		9			13	13
14	24					11	11		31	16		15	14
15	1·12			1·37		7	30		1			13	15
16	28			54			1		80	2		1	16
17	11			33	06		26	1	2			9	17
18	50			1		13	39		26	3		40	18
19	3	2	3	9		17	18		2	8		24	19
20	2	5		55		5	1		12	16	1	2	20
21	6			35		3			1·01	2			21
22	7				15		5		12		1	18	22
23	2				69		37	4	8			3	23
24		20				4			9		15		24
25						1	7	26		1			25
26							20	17			25	18	26
27		3		10			11	29	13		7	10	27
28	1	7	28	2				3			34	11	28
29	1								1·37		2		29
30		X	35						5		2	5	30
31		X	16	X		X			X	9	X	3	31
Total	2·63 ✓	·90 ✓	·95 ✓	4·31 ✓	2·09 ✓	·69 ✓	2·68 ✓	1·44 ✓	5·88 ✓	1·47 ✓	2·56 ✓	2·47 ✓	YEAR'S TOTAL 27·77 ✓
Rain Days	18 ✓	16 ✓	7 ✓	17 ✓	9 ✓	10 ✓	17 ✓	10 ✓	24 ✓	15 ✓	16 ✓	25 ✓	184 ✓

W. 6,500, VII. 18. W W C

1124

6 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Whittlesey 117 Tennyson Road Luton
in the County of Beds
by Harold Smith

Lat. 51° 52' 30" Long. 0° 24' 50" W
Time of Observation 9 am
Nearest Railway Station Luton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	43	5		1	10		12			2		1·35	1
2	17		2		10		3		19	11	17	51	2
3	50		29				16		10		7	29	3
4	9	1	32			6	7	12	7		1	16	4
5	6	30	56				29		48			22	5
6	1		11		29					1	3	11	6
7	4		43								12		7
8	13		5	10							1		8
9			3	9	8						5		9
10	2		12	3						1	2	6	10
11	2		13	17			39					2	11
12			31	2		8	12			7	3		12
13	5	4		26			3		1	5		1	13
14	30	1		35			4		6	6			14
15	37	2	10	16						2	3	36	15
16	1	71		2							10	1	16
17		54									22	3	17
18		15	7					22	2		2	6	18
19	3	13	64			16	15	39	6		6	1	19
20	22	7	11			60	62	42					20
21	30	37	5				21					6	21
22		19				1	19		19		1	31	22
23						4		3	4	4	2	1	23
24				11			9			22	1	7	24
25	6			10	19	1		24				2	25
26	19	33	13	4			9	14	12			35	26
27	1·03	5	2	1·22				32			1	5	27
28			7	4			3	81		1	22	36	28
29	1			10				16		31	3	3	29
30			4	25		17		6		8	31	48	30
31	5		1							4		3	31
Total	4·09 ✓	2·97 ✓	3·61 ✓	3·07 ✓	·76 ✓	1·13 ✓	2·63 ✓	2·91 ✓	1·34 ✓	1·05 ✓	1·55 ✓	4·97 ✓	Year's Total 30·08
Days with ·01 in. or more	22 ✓	15 ✓	21 ✓	17 ✓	5 ✓	8 ✓	16 ✓	11 ✓	11	14 ✓	21 ✓	25 ✓	186 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1665

28 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at 117 Tennyson Road Luton

in the County of Bedford

by Harold J Smith

Lat. 51° 52' 4" Long. 0° 24' 50"

Time of Observation 9 am

Nearest Railway Station Luton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				60	13		19	6		32	1	29	1
2				5			6	15	4	4		14	2
3		1		4	5		13		12	6		2	3
4				13			8	14		34		5	4
5			2		4		60		4			2	5
6			14		10		36					2	6
7			3	9			18					2	7
8	12	2		36	3		5						8
9	31			9				10					9
10	25	5	5			2	8					2	10
11	37		3	72	5	10	7					2	11
12	6			12		60	1				4		12
13	1	2	10	23		1					9	2	13
14		1	30	26		60	10		12	23	34	2	14
15		4	14	11					11		5	1	15
16			1	6	2	1			10	9			16
17	1		1	1	13	8	5		35			2	17
18	6				1			45	11			6	18
19	11			25	1	7		2			1		19
20	6	15		27		39					1	1	20
21							23	4	28			5	21
22				18					36			9	22
23	1						97				1	41	23
24	2		12	1								5	24
25		6	5	3	1·14		27						25
26	18		13	1	3	1	5					2	26
27	28	2		22		30	4				62	14	27
28	46		17		37	1	2				2	2	28
29	16		4		2		15				13	22	29
30	2	X			1	6	20		34		19	23	30
31	2	X	9	X	3	X			X	27	X	15	31
TOTAL	2·51	·38	1·43	3·84	2·17	2·26	3·89	·96	1·97	1·30	1·52	2·12	YEAR'S TOTAL 24·35 ✓
Days with ·01 in. or more	18	9	16	21	16	13	21	7	11	7	12	25	176 ✓
Days with ·04 in. or more	12	4	11	17	8	8	19	6	11	7	7	12	122 ✓

RE /1

Copy fro

FORM A2.
BRITISH RAINFALL.
-8 JUN 1912

LUTON

THE DOWNS

BEDFORDSHIRE

1911 - 1920

Kept at Luton , in.

Ground ft. in.

in the County of Be Sea Level ft.

a. m.

by Geo. W. Pr Name

Distance Direction

IMPORTANT NOT the result entered to the
previous day. If an Obs versal rule, he is earnestly
requested to add the read ear in the space provided
for it at the end of this ment of rain,
the selection and placing ritish Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·38	-	-	·07	·03	-	-	-	·01	1
2	·06	-	·01	·30	·11	-	-	-	-	-	·17	·10	2
3	-	·04	-	·15	·13	-	-	-	-	-	·11	·09	3
4	·07	·05	·13	-	-	-	-	-	-	·13	·09	·43	4
5	·03	·04	-	-	-	-	-	·12	-	·07	-	·04	5
6	·20	-	·04	-	-	-	-	-	-	·02	-	·44	6
7	-	-	·02	-	-	-	-	-	-	·10	·31	·20	7
8	·18	-	·16	-	-	-	-	-	-	·05	·08	·17	8
9	·14	-	-	·03	-	-	-	-	-	-	·03	·04	9
10	·03	·11	·10	-	-	-	-	-	-	-	·08	·36	10
11	·25	-	·03	-	·68	-	-	-	-	-	·53	·02	11
12	·03	-	·35	-	-	-	-	-	·08	·28	·23	-	12
13	-	-	·28	-	·40	-	-	-	·25	·49	·02	·45	13
14	-	-	·03	-	·11	·14	-	-	-	-	-	·43	14
15	-	·05	·20	-	-	-	-	-	-	·03	·04	-	15
16	-	-	·04	-	-	-	-	-	-	-	·31	·09	16
17	-	-	·04	-	-	·22	-	-	-	-	·07	·23	17
18	-	·07	-	-	-	·05	-	-	-	-	·28	·19	18
19	-	-	-	-	-	·23	-	-	·10	·10	·26	·19	19
20	·04	·05	·04	-	-	-	-	·34	·19	·07	-	·73	20
21	-	·12	-	-	-	-	-	·14	-	·31	-	·12	21
22	-	·02	·29	-	-	·20	-	·03	·26	·04	-	·62	22
23	-	·08	·26	-	-	·61	-	-	-	-	-	·15	23
24	-	·08	·03	-	-	·17	-	·03	-	·41	-	·15	24
25	·03	-	·02	·06	-	·16	·03	·02	·02	-	-	·04	25
26	-	-	-	·18	·02	·08	·02	·02	-	·13	-	·16	26
27	-	·36	·13	·02	-	-	·06	-	·17	-	-	·08	27
28	-	·25	-	·20	-	-	-	·07	-	-	·10	-	28
29	-		·02	-	-	·17	·12	-	·25	·26	-	-	29
30	-		·02	·03	·05	-	-	-	·04	·14	·01	-	30
31	-		-		·90		-	-		-		-	31
Total	1·06	1·32	2·24	1·35	2·40	2·03	·30	·80	1·36	2·63	2·72	5·53	TOTAL for year 23·94
No. of Rain Days.	11	13	21	9	8	10	5	9	9	16	17	25	153

W. 8,000, X. '11.

✓

RE 11

Copy fro

FORM A2.
BRITISH RAINFALL.
8 JUN 1912

Kept at Luton, "Downs"

in the County of Beds.

by Geo. W. Pryor

RAIN GAUGE
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·38	-	-	·07	·03	-	-	-	·01	1
2	·06	-	·01	·30	·11	-	-	-	-	-	·17	·10	2
3	-	·04	-	·15	·13	-	-	-	-	-	·11	·09	3
4	·07	·05	·13	-	-	-	-	-	-	·13	·09	·43	4
5	·03	·04	-	-	-	-	-	·12	-	·07	-	·04	5
6	·20	-	·04	-	-	-	-	-	-	·02	-	·44	6
7	-	-	·02	-	-	-	-	-	-	·10	·31	·20	7
8	·18	-	·16	-	-	-	-	-	-	·05	·08	·17	8
9	·14	-	-	·03	-	-	-	-	-	-	·03	·04	9
10	·03	·11	·10	-	-	-	-	-	-	-	·08	·36	10
11	·25	-	·03	-	·68	-	-	-	-	-	·53	·02	11
12	·03	-	·35	-	-	-	-	-	·08	·28	·23	-	12
13	-	-	·28	-	·40	-	-	-	·25	·49	·02	·45	13
14	-	-	·03	-	·11	·14	-	-	-	-	-	·43	14
15	-	·05	·20	-	-	-	-	-	-	·03	·04	-	15
16	-	-	·04	-	-	-	-	-	-	-	·31	·09	16
17	-	-	·04	-	-	·22	-	-	-	-	·07	·23	17
18	-	·07	-	-	-	·05	-	-	-	-	·28	19	18
19	-	-	-	-	-	·23	-	-	·10	·10	·26	·19	19
20	·04	·05	·04	-	-	-	-	·34	·19	·07	-	·73	20
21	-	·12	-	-	-	-	-	·14	-	·31	-	·12	21
22	-	·02	·29	-	-	·20	-	·03	·26	·04	-	·62	22
23	-	·08	·26	-	-	·61	-	-	-	-	-	·15	23
24	-	·08	·03	-	-	·17	-	·03	-	·41	-	·15	24
25	·03	-	·02	·06	-	·16	·03	·02	·02	-	-	·04	25
26	-	-	-	·18	·02	·08	·02	·02	-	·13	-	·16	26
27	-	·36	·13	·02	-	-	·06	-	·17	-	-	·08	27
28	-	·25	-	·20	-	-	-	·07	-	-	·10	-	28
29	-		·02	-	-	·17	·12	-	·25	·26	-	-	29
30	-		·02	·03	·05	-	-	-	·04	·14	·01	-	30
31	-		-		·90		-	-		-		-	31
Total	1·06	1·32	2·24	1·35	2·40	2·03	·30	80	1·36	2·63	2·72	5·53	TOTAL for year 23·74
No. of Rain Days.	11	13	21	9	8	10	5	9	9	16	17	25	153

W. 8,000, X. '11

Eoc 46

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

1913

Kept at Luton, The Downs

in the County of Bedfordshire 2

by G. W. Pryer

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			07			05		04	08	37		13	1
2			06	01		45	58						2
3	09					15	02	27	02			11	3
4	15		59		24	25	02	11			25		4
5	15	06	26		02			27	07		08	02	5
6	27	09			04	12		43	01			08	6
7	02		03		04	676	03	03				08	7
8	42	35	16			01		07	06			03	8
9	06	15		08	10	36	03						9
10		06				02		32	05		09	33	10
11	12	22	03			02		03	06		03	16	11
12	09	20	12		02	21		02			09		12
13		06	02			07			02		22		13
14	03		03		04	01		04		04	02		14
15	01	06	08		23	06		05			01	16	15
16	31		04		09	20 ~~26~~		06		08	03		16
17			29			08		11					17
18	84		21					33		02		16	18
19		11	20				19	59			03		19
20			14		02		07	13		22			20
21	01	04	64		46			11		24	04		21
22	32	14	07		07		07	14		01		04	22
23	62	71	32		01		68	35			18	11	23
24		02					02	23				14	24
25						17		50			29	37	25
26		02					07	46		42	38	31	26
27										28		18	27
28		04				07	03	09	07	38	36	28	28
29		03	01			20	14	40	1.45	27		04	29
30					30	02	10	04	66	10			30
31			06		35		22	22		01		02	31
Total	3.57	2.36	3.43	09	2.03	3.18	2.27	5.44	2.55	2.44	2.10	2.75	YEAR'S TOTAL 32.15
Rain Days.	19	17	21	2	15	19	15	27	11	13	15	19	193

W. 7,500, XI. 12

209

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Luton

in the County of Bedfordshire

by G. W. Pryer

9

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·17	·08	·10	·16		·11		·42		·16	·09	1
2	·02	·11		·	·01				·04	1·03	·03		2
3	·05		·08	·05	·75							·07	3
4	·29				·05		·23			·23	·03	·09	4
5	·10	·02				·04	·07		·02	·04	·02	·12	5
6		·06	·04		·17	·24	·09		·04	·25		·06	6
7		·20			·10		·03	·07		·39	·07		7
8		·01			·21	·14				·09	·11	·02	8
9		·24		·03	·02	·11			·12		·03	·07	9
10	·03			·10			·15	·02			·30		10
11	·45			·46	·05			·08		·26	·40		11
12					·04						·53		12
13	·03	·02	·05	·02				·03	·08		·37		13
14	·10	·02	·09	·04				·08		·14	·03		14
15	·17	·03	·16	·32			·36		·03				15
16	·05		·24	·27					·02				16
17	·05	·03	·07	·09		·75	·05					·04	17
18	·03		·21	·13					·24		·02		18
19	·47		·08	·15			·19		·48			·02	19
20	·12		·06	·04		·12				·34			20
21	·02		·12	·09	·09					·11	·29		21
22	·53		·14	·08				·09	·20				22
23						·11	·02	·10				·07	23
24	·01			·06				·06					24
25				·13									25
26		·03	·22	·16				·09		·54	·02	·11	26
27			·04	·06	·01					·03			27
28	·23		·24	·08						·12			28
29	·04		·11	·56	·30			·07		·09		·08	29
30	·25			·02				·09		·26	·13		30
31	·		·04					·50					31
Total	3·08	·94	2·07	3·04	1·96	1·51	1·30	1·28	1·69	3·92	2·54	·84	YEAR'S TOTAL 2417
Rain Days.	21	12	18	22	13	7	10	12	11	15	16	12	169

W. 7,500, XI. 12

Obsr says Oct 30 correct 21.XI.14

203

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at The Downs, Luton
in the County of Bedfordshire 2
by G. W. Pryer.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.08	.14				.02	1
2			.01								.38	.11	2
3					.17		.65				.10	.02	3
4	.21			.25				.43			.33	.25	4
5			.03	.32		.16	.57	.24					5
6		.10			.06	.08	.04	.03			.14	.19	6
7		.27	.22	.11	.42		.07					.40	7
8	.09	.11	.61		.03	.55	.21	.12				.01	8
9	.13		.46	.17		.45			.06			1.04	9
10	.07	.14		.09	.06				.16				10
11		.16	.40		.14	.39					.23	.27	11
12		.03	.08			.02	.05		.39	.06		.44	12
13		.32	.12						.12	.21	.04	.29	13
14		.04	.35				.05			.56	.17	.45	14
15	.14		.15								.04	.11	15
16	.03		.08						.04				16
17		.45	.13						.17			.25	17
18			.06				.06					.59	18
19		.06	.27			.05	.02			.03	.28	.05	19
20		.26	.31									.16	20
21		.45	.10			.36		.05		.04		.07	21
22		.01			.14		.04	.07		.65			22
23		.05	.08		.10		.23			.14			23
24			.09				.08			.23	.13		24
25			.18	.04				.12		.33	.02		25
26			.11				.04	.05		.03	.16	.65	26
27	.08		.03								.02	.21	27
28		.05			.13					.09	.56	1.17	28
29	.04		.14		.02					.41	.11		29
30			.05							.44?	.25	.32	30
31	.01				.12		.05			.04		.04	31
Total	.80	2.50	4.06	.98	1.39	2.06	2.24	1.25	.94	3.26?	2.96	7.11	YEAR'S TOTAL 29.55
Rain Days.	9	15	23	6	11	8	15	9	6	14	16	23	155

W.7,000, XI. 13

8L

1259

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Luton

in the County of Bedfordshire

2

by G. W. Pryer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	13	·04		·07			·03	·13	·09	·10	·23	1
2	·15	·25		·11		·04		1·61	·07	·06	·02	·11	2
3	·70	·02	·20	·12			·09		·03			·16	3
4	·09		·02					·05				·55	4
5	·03	·41						·03		·02		·26	5
6	·19	·14	·01	·26			·61	·06				·04	6
7	·07	·33	·13	·03			·20	·04				·24	7
8	·02	·37	·01				·02						8
9		·02		·08		·07					·26	·50	9
10	·29							1·25				·06	10
11	·05		·06		·03			·01			·80	·02	11
12	·07			·31	·40			·15		·04	·66	·05	12
13	·02	·36			1·41								13
14		·08					·51	·06	·04			·52	14
15	·08				·04			·08			·15	·14	15
16	·03	·36					·60	·04				·11	16
17		·29			·36		·25						17
18		·19	·05										18
19			·17		·02		·11						19
20	·24			·09								·20	20
21	·10	·05								·02		·03	21
22	·96		·48				·50						22
23	·03		·24			·03	·22		·10	·38		·43	23
24		·36	·03			·01	·25		·60	·08		·20	24
25				·04		·04	·06			·02	·09	·31	25
26							·16					·33	26
27		·14				·16	·09			·42		·06	27
28		·20	·03			·08			1·16	·15			28
29							·32	·21			·13	·04	29
30	·02					·51					·06	·02	30
31	·09							·04		·90		·20	31
Total	3·71	3·70	1·47	1·04	2·33	·94	3·99	3·66	2·13	2·18	2·27	4·81	YEAR'S TOTAL 32·23
Rain Days.	20	17	13	8	7	8	15	14	7	11	9	24	153

W. 8,000. X. 14.

8h

Ex. Db

1240
193

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Luton

in the County of Bedfordshire

by G. W. Pryer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07				·03	·02	·02		·04	·08	·28		1
2	·36	·06	·39		·19	·05			·05	·42	·02		2
3		·55	·02		·02	·02			·30	·25	·14		3
4	·21	·19				·35			·02	·84	·47		4
5	·04	·01		·15	·05	·16	·02			·08	·45		5
6		·04	·05	·21		·06	·38			·09	·50		6
7	·05		·47		·07	·12	·29			·04	·37		7
8					·28	·19						·33	8
9						·04				·02		·10	9
10			·30	·08		·35	·04		·02				10
11	·09	·24	·09	·09	·24	·18						·11	11
12	·03	·02	·08			·16	·19	·04		·20			12
13			·11	·14	·41	·14	·26			·03			13
14		·52		·04	·03			·25					14
15		·22	·50					·10	·02	·05			15
16			·31	·12	·09		·19	·11		·06			16
17	·12	·06	·04	·22			·02	·04	·20	·39			17
18		·07		·20				·37	·23	·03	·65		18
19	·02	·02		·06					·59		·56		19
20	·21		·60								·11	·70	20
21			·76				·15					·62	21
22		·12	·03		·04	·01		·07		·03		·49	22
23		·39				·08				·04	·04		23
24						·27				·10	·01	·26	24
25		·88	·12					·15		·17	·12		25
26			·02			·06				·07			26
27	·07		·92			·07		·14	·13	·20			27
28			·32			·05			·10	·03		·43	28
29		·12				·16		·97		·37		·07	29
30						·11		·17		·28		·03	30
31								·02		·04		·02	31
Total	1·27	3·51	5·13	1·31	1·45	2·65	1·56	2·43	1·70	3·91	3·72	3·16	YEAR'S TOTAL 31·80
Rain Days.	11	17	18	11 10	11	21	10	12	11	24	13	11	170

W. 8,000. X. 15.

8L

1193
~~179~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Luton, The Downs
in the County of Bedfordshire
by G. W. Pryer

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·19				1·48	·05		·09		1
2	·01			·03				·15		·03	·04		2
3				·04				·71		·80	·12		3
4		·23	·15					·16		·57			4
5	·18			·25				·06	·20	·09	·05		5
6	·01					·08			·05	·04	·04		6
7	·25					·02	·31			·57			7
8	·38			·14			1·16	·88		(·25)	·13	·32	8
9			·04	·09			·22	·81	·02		·06	·11	9
10	·25		·22	20				·11		(05)	·03		10
11	·08		·60	·05						(36)			11
12	·11			·03	·13			·29		·25			12
13	·22							·13	·02				13
14				·15				·05				·03	14
15	·04				·09		·09	·10		·04			15
16		·17		29	·12	23	·20			90		·05	16
17				·11	·93		·32	·11	43	·26			17
18	·09	05		·16	·06	·15	·33	·03	·66	·04			18
19	·03	·13	17	·02	·10	·08			·30				19
20		·17	·08		·60						·09		20
21			·07	·04	·05						·04		21
22			·16			·02		·04		·11	·02		22
23		·10			·15			·11		·02		·09	23
24		·04				·17		·06		·25	·03		24
25			·08						·02				25
26			·05			·06		·21	·08	·03			26
27			·02			·33		·74				·03	27
28		·05	·03			1·18		·09				·09	28
29			·09			·20	80	·66		·39		·17	29
30		X	·27				1·00	·09				·02	30
31	·07	X	·07	X		X	·45	·05	X		X	·03	31
													YEAR'S TOTAL
Total	1·72	·94	2·10	1·79	2·23	2·52	4·88	7·12	1·83	5·05	·74	·94	31·86
Rain Days.	13	8	15	15	9	11	10	23	10	19 ~~17~~	12	10	155

W. 8,000, VIII. 16

8h

REGISTER OF RAINFALL IN 1918

~~173~~ 5

FORM A.
BRITISH RAINFALL.

Kept at Luton

in the County of Bedfordshire

by G. W. Pryer

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.15							.20	.05	1
2		.12		.22				.13		.01	.12	.17	2
3		.05	.05	.01	.62			.16	.17		.58	.04	3
4		.05	.08					.03	.58	.04	.45	.04	4
5		.06	.02		.11			.14	.02	.05		.02	5
6	.08	.05		.28	.04			.01				.03	6
7	.04	.09		.13	.11	.02			.06	.10	.17		7
8				.08					.17	.02	.06		8
9				.02		.08	.22		.42	.17		.13	9
10	.07			.06			.31		.02	.05		.16	10
11				.03	.03		.07		.07	.48	.10	.03	11
12	.04	.09			.16		.09		.04				12
13		.03		.01	.29		.05		.10			.12	13
14	.23					.15	.10		.33	.17		.15	14
15	1.36			1.33			.20		.02			.14	15
16	.25			.40			.02		.80	.04		.03	16
17	.12			.29	.06		.28	.01	.04			.10	17
18	.48					.18	.26		.33	.04		.47	18
19	.04	.03	.05	.12		.15	.16		.04	.10		.32	19
20	.04	.05		.44		.05	.02		.10	.20		.03	20
21	.08			.38		.03			1.00	.03		.02	21
22	.08				.19		.08		.18			.17	22
23	.04				.67		.40	.04	.08				23
24		.21			.01	.05			.06		.22		24
25						.02	.10	.30					25
26							.21	.22			.24	.27	26
27		.03	.01	.08			.09	.29	.12		.14	.02	27
28		.10	.35	.05				.02			.29	.08	28
29									1.46		.02		29
30			.37						.06		.05	.08	30
31			.09							.11		.03	31
Total	2.95	.96	1.02	4.08	2.29	.73	2.66	1.35	6.27	1.61	2.64	2.70	YEAR'S TOTAL 29.26
Rain Days.	14	13	8	18	11	9	17	11	24	15	13	24	177

W. 8,000, IX. 17.

8/

B made

Exc Df

Aug + Sept amts - corrd for T.V

1125

FORM A. BRITISH RAINFALL

10 APR 20

REGISTER OF RAINFALL IN 1919

Kept at The Downs, Luton
in the County of Bedfordshire
by G. W. Pryer

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·43	·05		·03	·14		·15			·02		1·37	1
2	·18		·03				·03		·19	·13		·52	2
3	·60		·32				·13		·10		·28	·20	3
4	·07		·28			·08	·08		·08			·16	4
5	·07	·30	·62				·23		·56			·20	5
6	·02		·14		·30					·02	·06	·18	6
7	·05		·36								·10		7
8	·12		·07	·10							·02		8
9			·03	·12	·09	·01					·07		9
10	·03		·10	·04						·01		·07	10
11	·03		·17	·20			·40					·02	11
12			·36	·03		·04	·11			·09	·03		12
13	·06			·22					·03	·08			13
14	·31	·06		·32			·05		·08	·09		·02	14
15	·33		·12	·20						·03	·04	·38	15
16	·03	·78		·05							·13	·03	16
17		·34									·15	·03	17
18		·37	·09					·29	(·04)		·04	·08	18
19	·05	·14	·62			·15	·24	·35	(·08)		·04		19
20	·23	·07	·13			·63	·65	·42					20
21	·31	·37	·05			·01	·27					·09	21
22		·21					·11		·21			·26	22
23						·09		·04		(·04)		·02	23
24				·13			·11			(·26)	·03	·08	24
25	·13			·13	·14	·02		·33				·03	25
26	·16	·33	·09				·17	·23	·10			·35	26
27	1.64	·09	·07	1·35				·38				·03	27
28			·09	·06			·04	·81		·03	·21	·36	28
29	·10			·09				·17		·34		·03	29
30		X	·07	·25		·18		·07		·10	·35	·45	30
31	·02	X	·01	X		X			X	·06	X	·03	31
Total	4·97	3·11	3·82	3·32	·67	1·21	2·77	3·09	1·47	1·30	1·55	4·99	YEAR'S TOTAL 32·27
Rain Days.	22	12	21	16	4	9	15	10	~~9~~ 10	~~13~~ 14	14	24	~~169~~ 171

W. 6,500, VII. 18. W W C

TV 195

17066

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

4 MAR 1921

REGISTER OF RAINFALL IN 1920.

Kept at Luton, The Downs

in the County of Bedfordshire

by G. W. Pryer

Lat.................. Long..................

Time of Observation..................

Nearest Railway Station..................

Diameter of Funnel of Rain Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

" " " Sea Level..................ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·65	·16		·21	·10		·34		·30	1
2				·05			·10	·14	·05	·19		·14	2
3		·03		·05	·05	·02	·21		·12	·10		·02	3
4				·13				·18		·37		·10	4
5			·03		07		·72	·04	·05				5
6			·16		·11		·35					·06	6
7			·03	·11			·19					·03	7
8	·15	·03		·38	·04		·07						8
9	·27			·12				·11					9
10	·15	·04	·03			·03	·11						10
11	·23		·04	·72	·06	·10	·08					·01	11
12	·05	·01		·14		·64	·02				·08		12
13	·02	·03	·11	·19		·02					05	·03	13
14			·26	·24		·66	·12		·18	·14	25	·03	14
15		·04	·08	·13					·10	·01	07 ~~·37~~	·02	15
16				·09	07				·09	·11			16
17	·03			·02	·13	·09	·05		·41			·04	17
18	·09			·01	·02			·50	·09			·07	18
19	·11			·33				·03				·02	19
20	·06	·18		·25		·50							20
21							·25	·05	·32			·08	21
22				·18					·43			·10	22
23	·02						·79					·42	23
24	·03		·15	·01								·03	24
25		·07	·05	·05	·74	·01	·27						25
26	·15		·10	·02	·11		·07					·03	26
27		·02		·20		·33	·03				·70	·14	27
28	·73		+		·27		·04				·03	·01	28
29	·13		·24		·14		·15				·16	·20	29
30	·05		·01		·02	·11	·25		·33		·17	·29	30
31			·11		·04					·27		·06	31
Total	2·27	·45	1·40	4·07	2·03	2·51	4·08	1·15	2·17	1·53	1·50	2·23	Year's Total 25·39
Days with ·01 in. or more	16	9	16 ~~14~~	22	15	11	20	8	11	8	8	23	164 ~~163~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

12	4	10	18	13	7	18	7	11	7	57	13	128

FORM A. 2 METEORO ZATION.

R

2 MAR 1921

LUTON

WARDOWN PK

1920

Kept at Luton 'w

in the County of N ge in.

by C. A. Morn und 1 ft. - in.

Level 390 ft.

IMPORTANT NOT to the previous day.

If an Observer prefers no o add
the reading at 9 a.m. on end of
this paragraph. Full instr auges,
and particulars as to the rvers,”
sent post-free on applicat amden
Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	17·2	3·2	-	4·2	2·7	-	8·5	-	7·3	1
2	-	-	-	1·3	-	-	0·5	3·0	0·6	6·3	-	3·0	2
3	-	0·6	-	1·5	0·8	0·3	1·7	-	2·8	2·0	-	1·6	3
4	0·2	-	-	3·3	-	-	1·7	4·0	-	7·8	-	2·0	4
5	-	-	0·6	-	1·2	-	16·6	0·2	1·0	-	-	0·7	5
6	-	-	3·9	-	2·7	-	8·0	-	-	-	-	0·6	6
7	-	-	0·6	2·3	0·1	-	4·4	-	-	-	-	0·5	7
8	3·5	0·8	-	9·6	0·8	-	0·8	-	-	-	-	-	8
9	7·7	-	-	3·1	-	-	-	1·5	-	-	-	-	9
10	5·5	1·6	1·5	-	-	0·5	2·3	-	-	-	-	-	10
11	8·5	-	1·0	19·2	1·3	2·4	1·3	-	-	-	-	-	11
12	1·5	0·2	0·2	3·3	-	19·1	0·2	-	-	-	-	0·6	12
13	0·3	1·4	2·3	4·8	-	0·4	-	-	-	-	1·1	-	13
14	-	0·3	7·6	6·1	-	9·6	2·3	-	0·3	-	6·6	0·6	14
15	0·1	0·6	6·8	2·9	-	-	-	-	1·8	2·6	2·7	0·4	15
16	-	0·2	0·3	2·8	0·6	-	-	-	0·2	-	-	-	16
17	0·5	-	0·1	0·4	2·9	0·4	0·8	-	14·8	2·3	-	0·9	17
18	2·2	-	-	-	0·2	-	-	11·5	0·9	-	-	1·3	18
19	2·7	-	-	8·1	-	1·8	-	0·9	-	-	-	-	19
20	1·6	4·9	-	6·3	-	10·0	-	0·1	-	-	-	-	20
21	-	-	-	-	-	-	8·3	-	8·1	-	-	1·7	21
22	-	-	-	4·5	-	-	-	-	20·7	-	-	2·5	22
23	0·2	-	-	-	-	-	13·8	-	-	-	-	0·9	23
24	0·7	-	3·3	0·2	-	-	-	-	-	-	-	1·3	24
25	-	1·1	1·4	1·3	18·7	0·2	6·4	-	-	-	-	-	25
26	4·0	-	2·4	0·3	0·4	-	2·0	-	-	-	-	0·6	26
27	7·2	0·3	0·1	6·3	-	8·2	1·8	-	-	-	17·9	3·4	27
28	12·7	-	4·3	-	7·3	0·2	0·4	-	-	-	0·7	0·3	28
29	3·1	-	1·2	-	2·9	-	3·4	1·0	-	-	3·6	5·5	29
30	0·7		0·3	-	0·6	2·1	5·6	-	8·4	-	3·8	5·2	30
31	0·4		2·0		0·8		-	-		7·1		3·2	31
TOTAL	63·3	12·0	39·9	104·8	44·5	55·2	86·5	24·9	59·6	36·6	36·4	44·1	YEAR'S TOTAL 607·8
Days with 0·2 mm. or more	19	11	17	21	15	13	21	8	11	7	7	22	172
	16	4	12	18	8	7	16	6	9	7	6	12	115

(44,284). W. 2 958—2 . 500. 10/19. Gp.132. A.&E.W.

Copied from rr 3203

FORM A. 2 METEORO ZATION.

REGISTER OF RAINFALL IN 1920.

2 MAR 1921

Kept at Luton (Aro)
in the County of Bedford
by C. A. Mornder

Lat. 51° 53' N Long. 0° 25' W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	17·2	3·2	-	4·2	2·7	-	8·5	-	7·3	1
2	-	-	-	1·3	-	-	0·5	3·0	0·6	6·3	-	3·0	2
3	-	0·6	-	1·5	0·8	0·3	1·7	-	2·8	2·0	-	1·6	3
4	0·2	-	-	3·3	-	-	1·7	4·0	-	7·8	-	2·0	4
5	-	-	0·6	-	1·2	-	16·6	0·2	1·0	-	-	0·7	5
6	-	-	3·9	-	2·7	-	8·0	-	-	-	-	0·6	6
7	-	-	0·6	2·3	0·1	-	4·4	-	-	-	-	0·5	7
8	3·5	0·8	-	9·6	0·8	-	0·8	-	-	-	-	-	8
9	7·7	-	-	3·1	-	-	-	1·5	-	-	-	-	9
10	5·5	1·6	1·5	-	-	0·5	2·3	-	-	-	-	-	10
11	8·5	-	1·0	19·2	1·3	2·4	1·3	-	-	-	-	-	11
12	1·5	0·2	0·2	3·3	-	19·1	0·2	-	-	-	-	0·6	12
13	0·3	1·4	2·3	4·8	-	0·4	-	-	-	-	1·1	-	13
14	-	0·3	7·6	6·1	-	9·6	2·3	-	0·3	-	6·6	0·6	14
15	0·1	0·6	6·8	2·9	-	-	-	-	1·8	2·6	2·7	0·4	15
16	-	0·2	0·3	2·8	0·6	-	-	-	0·2	-	-	-	16
17	0·5	-	0·1	0·4	2·9	0·4	0·8	-	14·8	2·3	-	0·9	17
18	2·2	-	-	-	0·2	-	-	11·5	0·9	-	-	1·3	18
19	2·7	-	-	8·1	-	1·8	-	0·9	-	-	-	-	19
20	1·6	4·9	-	6·3	-	10·0	-	0·1	-	-	-	-	20
21	-	-	-	-	-	-	8·3	-	8·1	-	-	1·7	21
22	-	-	-	4·5	-	-	-	-	20·7	-	-	2·5	22
23	0·2	-	-	-	-	-	13·8	-	-	-	-	0·9	23
24	0·7	-	3·3	0·2	-	-	-	-	-	-	-	1·3	24
25	-	1·1	1·4	1·3	18·7	0·2	6·4	-	-	-	-	-	25
26	4·0	-	2·4	0·3	0·4	-	2·0	-	-	-	-	0·6	26
27	7·2	0·3	0·1	6·3	-	8·2	1·8	-	-	-	17·9	3·4	27
28	12·7	-	4·3	-	7·3	0·2	0·4	-	-	-	0·7	0·3	28
29	3·1	-	1·2	-	2·9	-	3·4	1·0	-	-	3·6	5·5	29
30	0·7		0·3	-	0·6	2·1	5·6	-	8·4	-	3·8	5·2	30
31	0·4		2·0		0·8		-	-		7·1		3·2	31
TOTAL	63·3	12·0	39·9	104·8	44·5	55·2	86·5	24·9	59·6	36·6	36·4	44·1	YEAR'S TOTAL 607·8
Days with 0·2 mm. or more	19	11	17	21	15	13	21	8	11	7	7	22	172
	12	4	12	18	8	7	16	6	9	7	6	12	115

(44,284). Wt. 2[illegible]058—2[illegible]. 500. 10/19. Gp.132. A.&E.W.

Copied from ref 3203

DL

RE

MILTON BRYANT
MANOR GDNS
BEDFORDSHIRE

1911 – 1920

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

2/11

Kept at Wobурn,
in the County of Bed
by Mr C. J. K

5 in.
Ground 1 ft. in.
Sea Level 510 ft.

Name
Distance Direction

IMPORTANT NOTE … the result entered to the previous day. If an Ob… …versal rule, he is earnestly requested to add the read… …ar in the space provided for it at the end of this… …ent of rain, the selection and placing… …itish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·35	·02		·17	·02				·03	1
2	·06			·31	·09			·02			·12	·19	2
3		·08			·18			·02		·02	·10	·06	3
4	·04	·03	·11	·06						·05	·10	·35	4
5		·02						·16			·03	·03	5
6	·31										·03	·33	6
7	·05			·02						·09	·41	·08	7
8	·15		·14							·04	·17	·19	8
9	·15										·03	·03	9
10	·03	·11	·10								·07	·39	10
11	·22		·19		·16						·62	·02	11
12			·45							·03	·28		12
13			·06		·17				·23	·55		·49	13
14			·04		·15							·15	14
15		·08	·17							·03	·11	·09	15
16			·11			·07				·02	·30	·06	16
17			·01								·04	·17	17
18		·27				·03					·17	·09	18
19						·15			·07	·03	·29	·03	19
20		·05	·04					·27	·15	·02		·56	20
21		·12						·32		·37		·13	21
22		·01	·21			·08		·01		·10		·50	22
23		·16	·21			·41	·06		·18			·21	23
24		·09	·02			·15		·02		·30		·17	24
25		·07	·07	·05	·40	·27		·27	·01			·04	25
26		·01		·07	·14			·02		·14	·03	·14	26
27		·29	·15	·05			·13	·01	·20			·07	27
28		·26		·30				·17			·08		28
29						·27	·10		·29	·23			29
30			·03		·01					·16		·02	30
31					·11					·02			31
Total	1·03	1·65	2·11	1·21	1·43	1·43	·46	1·31	1·13	2·20	2·98	4·62	TOTAL for year 21·56
No. of Rain Days	9	15	17 ~~16~~	8	10	8	4	12	7	17	18	27	152

9,000, IX. '10.

DA

2/11

FORM A2.
BRITISH RAINFALL

20 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Wobūrn, Milton Bryant

in the County of Bedfordshire 3

by Mr C. J. Kilby

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 510 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·35	·02		·17	·02				·03	1
2	·06			·31	·09			·02			·12	·19	2
3		·08			·18			·02		·02	·10	·06	3
4	·04	·03	·11	·06						·05	·10	·35	4
5		·02						·16			·03	·03	5
6	·31										·03	·33	6
7	·05			·02						·09	·41	·08	7
8	·15		·14							·04	·17	·19	8
9	·15										·03	·03	9
10	·03	·11	·10								·07	·39	10
11	·22		·19		·16						·62	·02	11
12			·45							·03	·28		12
13			·06		·17				·23	·55		·49	13
14			·04		·15							·15	14
15		·08	·17							·03	·11	·09	15
16			·11			·07				·02	·30	·06	16
17			·01								·04	·17	17
18		·27				·03					·17	·09	18
19						·15			·07	·03	·29	·03	19
20		·05	·04					·27	·15	·02		·56	20
21		·12						·32		·37		·13	21
22		·01	·21			·08		·01		·10		·50	22
23		·16	·21			·41	·06		·18			·21	23
24		·09	·02			·15		·02		·30		·17	24
25		·07	·07	·05	·40	·27		·27	·01			·04	25
26		·01		·07	·14			·02		·14	·03	·14	26
27		·29	·15	·05			·13	·01	·20			·07	27
28		·26		·30				·17			·08		28
29						·27	·10		·29	·23			29
30			·03		·01					·16		·02	30
31					·11					·02			31
Total	1·03	1·65	2·11	1·21	1·43	1·43	·46	1·31	1·13	2·20	2·98	4·62	TOTAL for year 21·56
No. of Rain Days	9	15	17 ~~16~~	8	10	8	4	12	7	17	18	27	152

9,000, IX. '10.

DL

Ex. HOb

2/10

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Woburn, Milton Bryant

in the County of Bedfordshire 3

by C. J. Kilby

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
„ „ „ Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01			·02	·05		·11	·41		·18	1
2			·03	·01		10	·56						2
3		·03	·15		·13	·07		·26	·01			·10	3
4	·11		·34		·14	·23		·10		·02	·30		4
5	·19	·10	·19					·30			·10		5
6	·16	·03			·03		·27	·49					6
7	·20					·56	·01	·33				·05	7
8		·23	·10	·10					·10				8
9	·27	·08	·02			·19		·02				·39	9
10	·07	·03				·01		·48	·02		·15		10
11		·10				·03					·02	·22	11
12	·20	·14	·10		·03	·26		·06			·10		12
13	·08	·21									·13		13
14	·03		·07		·10	·03		·08		·07			14
15	·03	·05	·12		·39	·23		·05				·20	15
16	·50		·06		·03	·01		·03			·04		16
17	·63		·11					·20			·02	·07	17
18	·04		·25					·09				·10	18
19	·10		·16				·10	1·13			·02		19
20	·03		·10		·05		·05	·37		·23			20
21	·02	·03	·39		·62			·24		·20	·10		21
22	67	·13	·06		·11		·28	·37		·03		·06	22
23	·34	·47	·32				·25	·34				·12	23
24	·33					·03		·24				·20	24
25						·09		·40			·30	·27	25
26		·02	·01				·28	·50		·49	37	·15	26
27		·01	·01			·04	·05			·41		·20	27
28		·06					·01	·30	·06	·22	·17	·68	28
29		·13				·12	·15	·06	·85	·31		·04	29
30					·32	·02		·01	·46	·22			30
31			·15		·09		·42	·24				·04	31
Total	4·00	1·85	2·75	·11	2·04	2·04	2·48	6·69	1·61	2·61	1·82	3·07	TOTAL for year 31·07
No. of Rain Days	19	17	21	2	12	17	13	25	7	11	13	17	174

9,000, IX. '10.

82 Walter 1/1.2.14 Ok. cnd. by mar28 est. 26.11.14

REGISTER OF RAINFALL IN 1913

2/10

FORM A. BRITISH RAINFALL.

28 JAN 1914

Kept at Milton Bryant, Woburn

in the County of Bedfordshire 3

by C. J. Kilby

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·12	·15					·55		·13	·14	1
2	·03	·15					·12		·13	1·15			2
3	·02		·15	·03	·87							·35	3
4	·26		·01		·03		·13			·10	·06	·25	4
5	·02						·12				·03		5
6		·08	·13		·14		·06		·04	·20		·04	6
7		·23			·08	·07	·02	·13		·50	·09		7
8			·05		·18	·06			·25	·08		·02	8
9		·25				·07					·11	·04	9
10							·36				·33		10
11	·43			·45						·31	·43		11
12					·29						·38		12
13									·15		·40		13
14	·04		·21					·10		·17			14
15	·14			·29			·27		·02				15
16			·44										16
17	·03		·02	·25		·76	·06					·01	17
18				·10								·03	18
19	·35		·13			·02	·22		·23				19
20	·19		·24					·03		·30			20
21	·01		·13	·17	·12	·08	·03			·08	·35		21
22	·58		·22					·09	·17				22
23									·03			·02	23
24				·12		·10					·05		24
25	·03			·20									25
26		·04	·18	·04				·09		·40		·22	26
27			·08	·02						·02			27
28	·39		15	·16						·06			28
29	·03		·13	·54				·05		·05		·08	29
30	·33				·33			·17		·03			30
31			·05		·03			·20					31
Total	2·94	·75	2·44 ~~2·39~~	2·52	2·07	1·16	1·39	·86	1·57	3.45 3·45	2·36	1·20	YEAR'S TOTAL 22·71
Rain Days.	17	5	~~16~~ 17	13	9	7	10	8	9	14	11	11	131

W. 7,500, XI. 12

25.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2/10

23 JAN 1915

Kept at Milton Bryant

in the County of Bedfordshire 3

by C. J. Kilby

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04				·03	·20			·08		1
2				·05		·14		·07			·13	·12	2
3					·22		·72	·29					3
4	·32		·06	·23	·02			·15			·33	·33	4
5			·06	·27	·03	·08	·50				·01		5
6		·04			·08	·14	·08	·14			·33	·17	6
7	·02	·12	·50	·09	·25	·01	·12	·02				·48	7
8	·09	·07	·36	·15		1·02	·04	·08					8
9			·47	·04	·05	·54			·07			·45	9
10	·05	·13		·08	·07			·02	·20				10
11			·27	·01	·07	·50			·03		·35	·30	11
12		·06	·07			·01			·46		·02	·36	12
13		·26	·20						·10	·18	·06	·22	13
14		·03	·29				·04			·86	·07	·28	14
15			·16						·05	·02	·07	·12	15
16			·05						·01		·02		16
17		·43	·10						·07			·20	17
18			·02									·70	18
19		·07	·16								·14	·04	19
20		·08	·38			·09			·10			·20	20
21		·33	·07			·02				·07	·01	·14	21
22		·03	·07		·05	·05	·07	·15		·47			22
23		·05	·08		·04		·05			·16			23
24			·05				·08			·49	·12		24
25	·08		·16					·13		·37	·01		25
26			·09				·02	·04		·04		·46	26
27			·03							·02	·04	·26	27
28	·04	·09			·07					·22	·73	1·65	28
29	·04		·18		·06					·29	·14		29
30			·05							·08	·39	·20	30
31					·06		·05					·03	31
Total	·64	1·79	3·97	·92	1·07	2·60	1·80	1·29	1·09	3·27	3·05	6·61 6·71	YEAR'S TOTAL 28·20
Rain Days.	7	14	25	8	13	11	12	11	9	13	19	20	162

W.7,000, XI. 13

81

corrd by mm stats. Obv agrees 9.III.16

1261
2/10

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Milton Bryant

in the County of Bedfordshire 3

by C. J. Kilby

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·41	·11	·04		·08		·03	·08	·04	·06	·07	·29	1
2	·09		·22	·11		·02		·46	·17	·08		·08	2
3	·53	·16		·10			·07	·65	·05			·16	3
4							·55	·01				(·50) ~~·15~~	4
5	·09	·32		·01								·05	5
6	·10	·20		·19			·53	·07		·04		·05	6
7	·05	·18	·10	·02				·01				·18	7
8	·01	·33	·02	·03		·04	·02					·07	8
9		·01		·04							·26	·50	9
10	·31		·05									·04	10
11				·04	·01						·79		11
12	·06			·34	·36			·19			1·00		12
13		·48			1·22			·08					13
14		·03					·32	·22	·03			·54	14
15	·13				·03			·06			·12	·22	15
16		·25					·53					·11	16
17		·23			·21		·24						17
18		·20	·19										18
19			·03										19
20	·39			·13			·17					·28	20
21	·13	·02					·02					·06	21
22	·50	·25	·43				·62		·02			·16	22
23	·05		·20			·04	·38		·08	·44		·24	23
24						·04	·91		·61	·04		·10	24
25		·12				·03	·19					·24	25
26		·03					·15		·02			·26	26
27		·01				·28	·15			·40		·05	27
28		·11					·03		·71	·05			28
29						·03		·14			·15	·03	29
30						·27				·09		·02	30
31	·08							·04		·50		·10	31
Total	2·93	3·04	1·28	1·01	1·91	·75	4·91	2·01	1·73	1·70	2·39	(4·33) ~~3·98~~	YEAR'S TOTAL ~~27·64~~ 27·99
Rain Days.	15	18	9	10	6	8	17	12	9	9	6	24	143

W. 8,000. X. 14.

8L ✓ Ex D L

1242
2/9

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

30 JAN 1917

Kept at Milton Bryant, Woburn

in the County of Bedfordshire

by C. J. Kilby

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16				·07		·03			·44	·29		1
2	·51	·01	·13		·13					·06	·04		2
3		·48	·07						·15	·23			3
4	·22	·23	·01		·03	·25			·03	·68			4
5	·04		·08		·04	·22	·03			·08	·49		5
6			·15	·26	·05	·16	·30			·12	·35		6
7	·03		·40?		·15	·02	·20			·12	·37	·06	7
8			·06?		·32							·12	8
9			·01		·26	·05							9
10		·08	·19	·09		·25	·05					·06	10
11	·10	·09	·06	·11	·04	·19			·03				11
12	·02	·03	·17	·04	·24	·17	·17			·15			12
13		·44	·15	·07	·04	·18	·19	·15		·05			13
14		·46		·04	·04					·05			14
15		·25	·47		·02		·05	·32	·03				15
16	·02	·04	·30	·21	·13		·23						16
17	·07	·06		·13			·03	·10	·29	·36			17
18		·05	·04	·11				·10	·08		·84		18
19	·03		·23	·06				·05			·81		19
20	·20		·15					·03			·09	·40	20
21			·71				·23					·74	21
22			·04		·14	·04				·05		·49	22
23	·03	·16				·26		·05			·03	·13	23
24		·50	·04			·66		·06			·02	·35	24
25		·75	·13					·17			·08		25
26		·10	·06			·04		·08			·01		26
27	·08	·09	·76			·21		·13	·10	·48			27
28		·26	·67			·10			·10			·24	28
29		·16		·02		·17		1·42		·10		·16	29
30		×						·10	·04	·28			30
31		×		×		×			×		×	·02	31
Total	1·51	4·24	5·08	1·14	1·70	2·97	1·51	2·76	·85	3·25	3·42	2·77	YEAR'S TOTAL 31·20
Rain Days.	13	19	24	11	15	16	11	13	9	15	12	11	169

W. 8,000. X. 15.

8h 1195 /9

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Milton Bryant
in the County of Bedfordshire
by C. J. Kilby

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·20				1·67	·08		·17	·03	1
2	·02			·06				·18		·03	·05		2
3								·72		·07	·15		3
4		·34						·10		·90			4
5	·18		·02	·19						·10	·12		5
6				·04		·05			·09	·02	·05		6
7	·04			·02		·25	·24			·39	·12	·05	7
8	·20			·06			·72	·22			·06	·07	8
9	·40		·08	·04			·23	·30	·02	·10	·12		9
10	·29		·22					·11			·04		10
11	·04	·03	·27	·30	·01			·13		·32			11
12	·09		·02	·06	·02			·25		·20	·01		12
13	·09		·07					·19	·05				13
14	·02			·10				·30		·05		·15	14
15	·03			·10				·02		·72			15
16		·13		·18		·20							16
17	·03	·12		·16	·92		·28	·05	·40	·21			17
18	·04			·10	·04		·31		·86	·06			18
19	·04	·12	·12	·03	·12	·02			·19				19
20	·04	·18	·15		·51						·07		20
21			·05		·02						·03		21
22			·06			·04		·10		·22			22
23					·08			·17		·16			23
24		·01	·04			·12		·12					24
25		·03	·04								·09		25
26			·04					·41	·12		·19	·06	26
27								·61					27
28			·06			·83		·32					28
29						·80	·37	·28		·24		·30	29
30		✕	·06				1·03	·15					30
31		✕	·21	✕	·01	✕	·33	·05	✕		✕		31
Total	1·55	1·00	1·51	1·64	1·73	2·31	3·51	6·45	1·81	3·79	1·27	·66	YEAR'S TOTAL 27·23
Rain Days.	15	9	16	15	9	8	8	22	8	16	14	6	146

W. 8,000, VIII. 16

4·30

82

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

23 . 1 19

Kept at Milton Bryant, Woburn
in the County of Bedfordshire
by C. J. Kilby

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07							·18	·15	1
2				·18				·06	·20		·09		2
3		·06		·01	·57			·06	·50		·62	·03	3
4		·02	·10						·05	·05	·63	·04	4
5		·05			·08			·15		·07		·07	5
6	·09	·10		·13						·04		·04	6
7		·15				·03			·14	·07	·19		7
8									·20			·03	8
9	·03	·10		·02		·03	·19		·02	·14		·05	9
10	·04			·03		·01	·17		·05	·06	·01	·15	10
11				·04	·03		·18		·06	·53			11
12		·08			·06		·34		·04				12
13					·21				·64			·10	13
14	·10	·01					·05		·01	·14		·32	14
15	2.00			1·20					·70			·07	15
16				·82								·05	16
17	·31			·12	3·07		1·33		·17			·12	17
18	·58			·01		·26	·05			·05		·26	18
19	·02	·03		·08		·02	·21		·14	·05		·36	19
20	·03	·08		·05		·04			·10	·19			20
21				·70		·06			·10	·02			21
22	·06				·24		·20		·02			·23	22
23					·57		·38	·05	·06			·03	23
24		·18									·21		24
25							·14	·20					25
26							·16	·16			·12	·28	26
27		·03		·04			·32	·20	·14		·16	·04	27
28		·08	·22	·10		·01		·10			·29	·02	28
29									1·51				29
30	·02		·34						·07			·11	30
31	·01		·01							·15		·07	31
Total	3·29	·97	·67	3·60	4·83	·46	3·72	·98	4·92	1·56	2·50	2·62	YEAR'S TOTAL 30·12
Rain Days.	12	13	4	16	8	8	13	8	21	13	10	22	148

W. 8,000, VIII. 16

8L [illegible] 1127 2/10

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Millon Bryant, Woburn

in the County of Bedfordshire

by C. J. Kilby

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40			·03	·05	·04	·27				·03	1·27	1
2	·22				·05		·20		·30	·18	·23	·35	2
3	·72		·25		·01		·10		·10		·11	·27	3
4	·08		·27			·07	·05		·06			·17	4
5	·09	·45	·50				·25		1·37		·10	·18	5
6			·05		·49							·10	6
7	·04		·45	·10					·11		·05		7
8	·13		·10	·19							·05		8
9			·02	·07	·06						·04		9
10			·50	·05							·04	·11	10
11	·08		·15	·14			·50						11
12			·40	·05		·23	·14			·18			12
13				·16									13
14	·20			·25			·21						14
15		·05	·20	·28								·38	15
16	·18	·54									·18		16
17		·50									·20		17
18		·24	·09					·05			·06	·12	18
19		·29	·35				·15	·75	·06		·01	·02	19
20	·43	·05	·09			·23	·62	·20					20
21	·23	·30	·06			·48	·36	·05			·01		21
22		·19					·15		·07		·02	·30	22
23							·23		·02	·21	·03	·04	23
24				·21			·18	·03		·30		·06	24
25	·08	·10		·11	·04			·56				·06	25
26			·17	·16				·12	·10			·41	26
27	1·07	·25	·09	1·01			·03	·89				·08	27
28			·03	·05							·06	·27	28
29				·06				·20		·30	·16	·06	29
30		X	·06	·19		·35		·08		·06	·23	·13	30
31		X		X		X			X		X	·02	31
Total	3·95	2·96	3·83	3·11	·70	1·40	3·44	2·93	2·19	1·23	1·61	4·40	YEAR'S TOTAL 31·75
Rain Days.	14	11	19	17	6	6	15	10	9	6	18	20	151

W, 6,500, VII. 18. W W G

~~Post~~ M wd. 3.IV.1

REGIST

BEDFORD.

OLD WARDEN PARK.

~~1911~~-1912 - 1914-15

FORM A2.
BRITISH RAINFALL.

15 JAN 1912

Kept at Old Warden
in. ound 1 ft. 2 in.
in the County of Bedford
a Level 90 ft.
by W. C. Mon
m
me Southill
stance 1½ Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·18		·02		·01				·02		1
2	·06			·10			·03	·05					2
3	·05			·19	·09		·08	·03			·13	·05	3
4		·05			·12			·03			·04	·07	4
5	·06	·04	·20	·12					·05	·05	·11	·17	5
6	·03							·06	·04	·04		·16	6
7	·28		·02	·02								·18	7
8	·04								·10	·10	·32	·26	8
9	·15		·12						·03	·03	·12	·07	9
10	·22		·01	·04									10
11	·01	·11	·01								·16	·26	11
12	·23				·06						·50		12
13	·09		·51						·09	·06	·20	·01	13
14			·10		·05				·25	·01	·04	·33	14
15			·05		·58					·01		·28	15
16		·05	·16							·02	·09	·01	16
17			·19			·15					·31	·04	17
18			·05			·12				·01	·01	·14	18
19		·28				·01					·25	·02	19
20						·20			·05	·10	·33	·04	20
21	·01	·04	·03			·02	·03	·36	·19	·01		·47	21
22		·09	·01					·65		·20		·13	22
23			·21			·04		·10		·16		·45	23
24		·07	·39			·98	·07	·01	·22			·13	24
25		·05	·05			·15				·28		·19	25
26		·07	·07	·03		·22		·17		·01			26
27				·28		·10	·01			·14	·02	·20	27
28		·25	·12	·05					·11			·03	28
29				·29	·02	·02	·01	·17			·08	·05	29
30			·01	·10		·22	·15		·18	·18			30
31			·01		·98			·03		·12			31
	–	·18		·02		·01				·02		(–)	
Total	1·23 1·23	1·10 1·28	2·50 ~~2·50~~	1·22 1·24	1·92 1·90	2·23 2·24	·39 ·38	1·66 1·66	1·09 1·09	1·53 1·55	2·73 ~~2·73~~	3·74 3·74	TOTAL for year ~~21·34~~
No. of Rain Days.	12	~~11~~ 12	21 2·32	~~10~~ 11	~~8~~ 7	~~12~~ 13	~~8~~ 7	11	7	~~18~~ 19	17 2·71	24	~~161~~ 159

W. 8,000, X. '11.

~~Post~~ M cord. 3. IV. 1

REGIST

FORM A2. BRITISH RAINFALL.

15 JAN 1912

Kept at Oldwarden Park

in the County of Bedfordshire 3

by W. C. Morral

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 90 ft.

Time of Observation 8. a. m

Nearest Railway Station
Name Southill
Distance 1½ Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·18		·02		·01				·02		1
2	·06			·10			·03	·05					2
3	·05			·19	·09		·08	·03			·13	·05	3
4		·05			·12			·03			·04	·07	4
5	·06	·04	·20	·12					[illegible]	·05	·11	·17	5
6	·03							·06	[illegible]	·04		·16	6
7	·28		·02	·02								·18	7
8	·04								·10	·10	·32	·26	8
9	·15		·12						·03	·03	·12	·07	9
10	·22		·01	·04									10
11	·01	·11	·01								·16	·26	11
12	·23				·06						·50		12
13	·09		·51						·09	·06	·20	·01	13
14			·10		·05				·25	·01	·04	·33	14
15			·05		·58					·01		·28	15
16		·05	·16							·02	·09	·01	16
17			·19			·15					·31	·04	17
18			·05			·12				·01	·01	·14	18
19		·28				·01					·25	·02	19
20						·20			·05	·10	·33	·04	20
21	·01	·04	·03			·02	·03	·36	·19	·01		·47	21
22		·09	·01					·65		·20		·13	22
23			·21			·04		·10		·16		·45	23
24		·07	·39			·98	·07	·01	·22			·13	24
25		·05	·05			·15				·28		·19	25
26		·07	·07	·03		·22		·17		·01			26
27				·28		·10	·01			·14	·02	·20	27
28		·25	·12	·05					·11			·03	28
29				·29	·02	·02	·01	·17			·08	·05	29
30			·01	·10		·22	·15		·18	·18			30
31			·01		·98			·03		·12			31
Total	– 1·23 1·23	·18 1·10 1·28	2·60 ~~2·50~~	·02 1·22 1·24	1·92 1·90	·01 2·23 2·24	– ·39 ·38	– 1·66 1·66	– 1·09 1·09	·02 1·53 1·55	2·73 ~~2·73~~	(–) 3·74 3·74	TOTAL for year 21·34
No. of Rain Days.	12	~~11~~ 12	20 2·32	~~10~~ 11	~~8~~ 7	~~12~~ 13	~~8~~ 7	11	7	~~18~~ 19	16 2·71	24	~~161~~ 159

W. 8,000, X. '11.

Corr for arith
- by mm stats
- for WD } 25.11.13

W. 186

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

13 FEB 1913

Kept at Oakwarden Park

in the County of Bedfordshire 3

by W. C. Mottram

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 90 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Southill
Distance 1½ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·		·04	·08		·10	·05	·36	·26	·54	·27		1
2	·		·02			·01	·02		·07	·30	·16	·12	2
3	·	·03	·01	·03		·17	·73		·04				3
4	·08	·03			·22	·20	·04	·15	·02			·12	4
5	·08		·45		·10	·26		·15					5
6	·10	·09	·19		·04	·02		·05	·05	·01			6
7	·27	·03	·02	–		·02	·16	·60				·07	7
8	·		·01		·01	·80		·09				·03	8
9	·29	·15	·09			·13	·05	·31	·20		·02		9
10	·	·08	·01	·07		·79						·22	10
11	·01	·01					·03	·43	·12		·14	·04	11
12	·24	·04				·03		·12	·05			·22	12
13	·11	·22	·07			·16		·03			·06		13
14	·02	·06				·02	·01	·19			·25		14
15	·03				·05	·04		·09		·02	·04		15
16	·01	·02	·12		·33	·15		·03				·12	16
17	·20		·02		·04	·04		·04			·03		17
18	·75		·18			·10		·09					18
19	·06		·16					·16			·05	·20	19
20	·11	·04	·12				·15	·29		·03	·05		20
21	·05		·06		·11		·05	·81		·20			21
22	·01		·21		·47			·70		·25			22
23	·47	·06			·38		·09	·07		·04	·04	·04	23
24	·38	·36	·27		·		·84	·20		·04	·20	·24	24
25	·27	·01				·02	·05	·65				·10	25
26						·15	·03	·37			·26	·24	26
27		·03				·01	·28	1·04		·42	·36	·42	27
28					[illegible]	·04	·15			·26		·20	28
29		·03						·06	·06	·30	·20	·53	29
30			·04			·13	·1[illegible]	·12	·60	·20			30
31	·03				·22					·24			31
Total	~~3·67~~ 3·67	·04 ~~1·29~~ 1·33	·08 ~~2·09~~ 2·13	– ~~·18~~ ·10	·10 ~~1·92~~ 2·07	·05 ~~3·39~~ 3·34	·36 ~~2·83~~ 3·14	·26 ~~6·[illegible]~~ 6·60 660	·54 ~~1·[illegible]~~ 1·75	·27 ~~2·[illegible]~~ 2·58	~~2·13~~ 1·86	(–) ~~2·91~~ 2·91	TOTAL for year 31·48
No. of Rain Days.	21	18	19	2	~~12~~	22	17	26	10	14	~~15~~ 14	16	19[illegible]

W. 8,000, X. '11.

cnd for W.D, 25.11.15 Ex LMCC.

REGISTER OF RAINFALL IN 19 14

FORM A. BRITISH RAINFALL. 7 JAN 1915

Kept at Old Warden Park

in the County of Bedfordshire

by W. C. Morral

Lat. .... Long. ....

Time of Observation 8 a.m

Nearest Railway Station Southill

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·03)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·07			·20		·06				·27	1
2							·05	·22			·12		2
3	·04							·10			·05	·19	3
4					·20		·80	·23			·09		4
5	·20			·16	·03			·15			·40	·24	5
6				·34			·53	·22			·01	·15	6
7		·07			·03	·06	·32	·06			·15	·38	7
8		·05	·25	·06	·29		·04						8
9	·08	·10	·30	·03	·07	·90	·14	·14				·40	9
10	·30		·48	·02		·70			·04				10
11	·12	·04		·03	·09				·04			·35	11
12		·68	·38		·04	·42			·13		·32	·23	12
13		·02	·10			·02	·02				·20	·20	13
14		·25	·21						·62	·25	·06	·35	14
15		·02	·25						·08	1·03	·02		15
16	·04		·20				·02		·31		·06	·12	16
17	·02		·07				·04		·06		·04		17
18		·38	·03						·14	·02		·10	18
19			·04				·02					·46	19
20		·05	·23						·04		·30		20
21		·08	·43							·03		·05	21
22		·46	·12			·14				·04		·19	22
23		·05	·11		·15	·02	·10	·05		·27			23
24			·10		·15		·10			·10			24
25			·02	·03			·06			·60	·19		25
26	·04	·02	·11					·05		·35			26
27							·02	·76		·04	·13	·38	27
28	·04									·01		·22	28
29					·08		·02			·14	·50	1·25	29
30		X	·20							·30	·05	·10	30
31		X	·03	X		X			X	·06	X	·20	31
	·02	·07			·20		·06				·27	(·03)	YEAR'S TOTAL
Total	·88 ·90	2·29 2·34	3·73 3·66	·67 ·67	1·13 1·33	2·46 2·26	2·28 2·34	2·04 1·98	1·46 1·46	3·24 3·24	2·69 2·96	5·83 5·59	28·70 28·73
Rain Days.	~~9~~ 10	15	~~21~~ 20	7	~~10~~ 11	~~8~~ 7	~~15~~ 16	~~11~~ 10	9	14	~~17~~ 18	20	156 157

W. 8,000. X. 14.

corrected for W.D. 30.III.16. Ex DL

1275

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

JAN 1916

Kept at Oldwarden Park

in the County of Bedfordshire 3

by W. C. Modral

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Southill

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·10

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·05	·19				·64		·07		·35		1
2		·08	·24		·10			·02	·10		·03	·17	2
3	·10	·11	·16	·05		·04		·38		·08			3
4	·32		·08	·28			·08	·20	·15		·04	·24	4
5	·11						·64	·14				·50	5
6	·04	·27										·17	6
7	·19	·10		·20			·83	·05				·06	7
8	·08	·23	·14	·04			·21	·11				·14	8
9		·30	·03										9
10		·10	·03			·08					·22	·50	10
11	·26		·05					·82			·03	·07	11
12	·02				·03						·68	·02	12
13	·04			·36	·31			·15			1·17	·07	13
14	·02	·32			1·05								14
15		·05			·01		·29	·10	·10			·30	15
16	·14				·04		·07	·28			·15	·14	16
17		·18					·51	·30				·07	17
18		·22			·15		·21	·14		·05			18
19		·08	·21										19
20		·02					·15						20
21	·38			·05								·30	21
22	·20				·10		·05					·06	22
23	·55		·47				·52		·03			·14	23
24		·25	·17				·77		·09	·25		·18	24
25			·16			·15	·12		·35	·09		·12	25
26				·03		·07	·23					·24	26
27		·12		·01			·06					·15	27
28		·03				·18	·17			·44		·06	28
29							·03		·61	·06			29
30		╳			·01	·06	·21	·18			·12	·09	30
31	·04	╳		╳		╳			╳		╳		31
	·05	·19	–	–	–	·64	–	·07	–	·35	–	·10	
Total	~~2·78~~ 2·54	~~2·51~~ 2·65	~~1·93~~ 1·74	~~1·02~~ 1·02	~~1·80~~ 1·80	~~·58~~ 1·22	~~5·79~~ 5·15	~~2·87~~ 2·94	~~1·50~~ 1·43	~~·97~~ 1·32	~~2·79~~ 2·44	~~3·79~~ 3·89	YEAR'S TOTAL ~~28·33~~ 28·14
Rain Days.	16	17	~~12~~ 11	~~8~~ 8	9	~~6~~ 7	~~19~~ 18	~~13~~ 14	~~8~~ 7	~~6~~ 7	~~9~~ 8	~~22~~ 23	~~145~~ 144

W. 8,000. X. 15.

BEDFORD.

SANDY RECTORY

1911, 1913

FORM A2.
BRITISH RAINFALL.
30 JAN 1912

REGIS

wdon

Kept at Sandy Re

in the County of Beds

by Revd. John Richa

5 in.

Ground 1 ft. – in.

Sea Level ft.

a.m.

Name Sandy

Distance ¼ mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·01	·06		·09	·01					1
2	·05			·06	·11			·03			·10	·09	2
3		·01	·11	·13		·09	·03			·02	·03	·07	3
4	·04	·02		·04						·03	·08	·21	4
5	·01	·01		·02				·05		·03		·09	5
6	·22		·01	·02						·01	·01	·21	6
7	·03									·06	·27	·19	7
8	·14		·09							·03	·12	·06	8
9	·12			·04							·09		9
10	·01	·05	·07									·21	10
11	·25				·02						·44		11
12	·07		·41						·07	·12	·10	·01	12
13			·11		·03				·23	·47		·27	13
14		·01	·03		·45	·01				·02		·29	14
15		·03	·17				·01			·03	·11		15
16		·01	·11			·11				·01	·29	·05	16
17			·01			·10					·02	·14	17
18		·23	·01			·03					·30	·03	18
19	·01	·02				·09			·08	·03	·22	·04	19
20	·02	·03	·04	·01				·19	·19	·02		·46	20
21		·07						·49		·16		·11	21
22	·01		·23	·02		·05		·10		·11	·02	·45	22
23	·01	·05	·26			·06	·13		·26			·14	23
24		·05	·06			·21				·29		·16	24
25		·06	·07	·03	·06	·21		·14				·01	25
26			·11	·24		·08		·01		·16	·03	·18	26
27		·21		·04			·03	·19	·16	·01	·01	·03	27
28		·13	·02	·22	·01	·03	·04				·06	·06	28
29				·09		·33	·12		·20	·19	·01		29
30			·01							·12		·01	30
31			·01		·11					·06		·01	31
Total	1·01	·99	1·94	·97	·85	2·30	·45	1·21	1·19	1·98	2·31	3·58	TOTAL for year 18·78 ✓
No. of Rain Days.	15	16	20	14	8	13	7	9	7	21	19	26	175 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
30 JAN 1912

REGIS

Kept at Sandy Rectory

in the County of Beds 3

by Rev. John Richardson M.A.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9. am.

Nearest Railway Station
Name Sandy
Distance ¼ mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·01	·06		·09	·01					1
2	·05			·06	·11			·03			·10	·09	2
3		·01	·11	·13		·09	·03			·02	·03	·07	3
4	·04	·02		·04						·03	·08	·21	4
5	·01	·01		·02				·05		·03		·09	5
6	·22		·01	·02						·01	·01	·21	6
7	·03									·06	·27	·19	7
8	·14		·09							·03	·12	·06	8
9	·12			·04							·09		9
10	·01	·05	·07									·21	10
11	·25				·02						·44		11
12	·07		·41						·07	·12	·10	·01	12
13			·11		·03				·23	·47		·27	13
14		·01	·03		·45	·01				·02		·29	14
15		·03	·17				·01			·03	·11		15
16		·01	·11			·11				·01	·29	·05	16
17			·01			·10					·02	·14	17
18		·23	·01			·03					·30	·03	18
19	·01	·02				·09			·08	·03	·22	·04	19
20	·02	·03	·04	·01				·19	·19	·02		·46	20
21		·07						·49		·16		·11	21
22	·01		·23	·02		·05		·10		·11	·02	·45	22
23	·01	·05	·26			·96	·13		·26			·14	23
24		·05	·06			·21				·29		·16	24
25		·06	·07	·03	·06	·21		·14				·01	25
26			·11	·24		·08		·01		·16	·03	·18	26
27		·21		·04			·03	·19	·16	·01	·01	·03	27
28		·13	·02	·22	·01	·03	·04				·06	·06	28
29				·09		·33	·12		·20	·19	·01		29
30			·01							·12		·01	30
31			·01		·11					·06		·01	31
Total	1·01	·99	1·94	·97	·85	2·30	·45	1·21	1·19	1·98	2·31	3·58	TOTAL for year 18·78 ✓
No. of Rain Days.	15	16	20	14	8	13	7	9	7	21	19	26	175 ✓

W. 8,000, X. '11.

Exd JL

FORM A2.
BRITISH RAINFALL.

1 - FEB 19

REGISTER OF RAINFALL IN 1912

Kept at The Rectory Sandy

in the County of Bedfordshire 3

by The Revd. John Richardson

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Sandy
Distance 405 440 Direction SSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02			·21	·05		·04	·24		·09	1
2	·04				·01	·25	·45		·01				2
3		·03			·26	·25		·19	·01			·10	3
4	·06		·40		·11	·03	·01	·02			·23		4
5	·11	·10	·19			·03		·08	·03		·08		5
6	·24				·02	·03	·17	·63			·01	·03	6
7	·03				·04	·98	·01	·04		·01		·01	7
8	·22	·21	·06			·06		·29	·26	·01			8
9		·05		·10		·20	·01			·01	·01	·11	9
10		·01	·02			·01		·19	·16		·11	·02	10
11	·21	·04				·04		·19	·03		·01	·13	11
12		·15	·07		·02	·09	·03	·09	·01		·05	·01	12
13	·13	·02				·01	·02	·01			·21		13
14	·03				·05	·03		·15		·01	·01		14
15	·01	·02	·15		·32	·16		·04			·01	·13	15
16	·61				·01	·01		·03	·01	·03	·02		16
17	·59		·19			·15						·10	17
18	·04		·15				·02	·14		·01	·03	·04	18
19	·13	·05	·12					·38		·01	·02		19
20	·02		·06		·14			·29		·23			20
21	·01		·13		·35	·01		·85		·27	·05		21
22	·61	·04			·01		·06	·32		·02		·03	22
23	·36	·32	·23		·01		1·30	·49	·01		·23	·16	23
24	·27	·02					·14	·13		·01	·01	·11	24
25	·01	·01				·15	·01	·52			·20	·34	25
26			·01			·01	·21	·91		·38	·28	·20	26
27						·05	·04			·24		·19	27
28		·03			·01	·01		·02	·04	·27	·15	·54	28
29		·08				·22	·08	·19	·61	·18		·01	29
30	·01				·27	·03	·01	·01	·46	·17			30
31			·06		·02			·28		·02		·02	31
Total	3·74	1·18	1·86	·10	1·65	3·02	2·62	6·48	1·68	2·12	1·72	2·37	TOTAL for year
No. of Rain Days.	21	16	15	1	16	24	17	26	13	18	19	20	28·54 206

W. 8,000, X. '11.

Exe DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

22 DEC 1913

Kept at The Rectory Sandy Beds
in the County of Bedfordshire 3
by The Rev John Richardson M.A.

Lat. .... Long. ....
Time of Observation 9. a.m.
Nearest Railway Station Sandy
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·17	·07	·10					1·06				1
2		·16	·01		·08		·09		·52				2
3	02		·14		·73								3
4	21	·01	·02	·04	·04	·01	·08			·18			4
5	01	·01			·01	·06	·02		·01	·31			5
6		·01	·09		·13	·13	·18			·10			6
7		·08			·05	·01	·11	·02		·54			7
8		·01	·06	·01	·04	·06				·04			8
9		·19	·03	·02	·03	·05		·01					9
10			·07	·04			·39	·02					10
11	·74			·44	·05			·01		·21			11
12		·01						·01		·01			12
13	·01			·01				·03	·12				13
14	·03	·02	·07				·21	·01		·21			14
15		·03	·21	·15			·14		·01				15
16	·05		·46	·17									16
17	·09			·07		·45	·04		·10				17
18	·01		·12	·09			·02		·30				18
19	·12		·06			·03	·10	·01	·39				19
20	·05		·11	·01						·20			20
21			·19	·01	·11		·04		·03	·11			21
22	·35		·21		·01		·02	·04	·16				22
23			·02			·06	·02	·01	·03				23
24	·02			·03		·01		·04					24
25				·11		·03	·02			·01			25
26		·04	·28	·02				·06		·53			26
27			·03	·02	·03			·02		·02			27
28	·26		·16	·08									28
29	·04		·11	·49	·23			·08		·04			29
30	·21			·02				·01		·16			30
31					·01					·02			31
Total	2·22	·74	2·52	1·93	1·65	·90	1·48	·38	2·73	2·69			YEAR'S TOTAL
Rain Days.	16	12	21	20	14	11	15	15	11	16			

W.7,000, XI. 13

Rainfall to Oct 31 - 17·24 151 days of rain

REG ... 11

BEDFORD

SANDY

"BEESTON GRANGE"

1911 - 1920 ~~[illegible]~~

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

...rowdon

Kept at Beeston Grang... ...5 in.

...ove Ground 1 ft. – in.

in the County of Bedf... „ Sea Level 85(?) ft.

...9 am

by Colonel Manas...

Name Sandy G.N.R

Distance 1 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·10	—	—	·09	·05	—	—	—	·02	1
2	·06	—	—	·08	·06	—	·06	·04	—	·02	·10	·08	2
3	—	·03	—	—	·09	·25	—	·04	—	·02	·03	·07	3
4	·05	·04	·11	·12	—	—	—	—	·02	·05	·08	·18	4
5	·04	·03	—	·02	—	—	—	·05	—	·04	—	·06	5
6	·20	—	·02	·02	—	—	—	—	—	·02	·01	·23	6
7	·03	—	·01	·03	—	—	—	—	—	·05	·28	·14	7
8	·13	—	·09	—	—	—	—	—	—	·04	·12	·02	8
9	·16	—	·01	·03	—	—	—	—	—	—	·01	·01	9
10	·02	·07	·08	·02	—	—	—	—	—	—	·13	·12	10
11	·21	·02	—	—	·04	—	—	—	—	—	·40	·01	11
12	Snow ·10	—	·33	—	—	—	—	—	·07	·14	·20	—	12
13	—	—	·13	—	·05	—	—	—	·20	·10	—	·27	13
14	—	—	·04	—	·32	—	—	—	—	·02	—	·19	14
15	—	·04	·15	—	—	—	·01	—	—	·03	·11	·01	15
16	Fog ·02	—	·12	—	—	·11	—	—	—	—	·29	·05	16
17	—	—	·03	—	—	·10	—	—	—	—	·03	·13	17
18	—	·20	·01	—	—	·03	—	—	—	—	·29	·02	18
19	—	·02	—	—	·01	·11	·04	—	·07	·03	·30	·02	19
20	·02	·04	·04	—	—	·03	—	·22	·17	·01	—	·42	20
21	·01	·07	—	—	—	—	—	·40	—	·19	—	·10	21
22	·02	—	·20	·02	—	·06	—	·06	—	·09	·02	·41	22
23	—	·06	·23	—	—	·69	·11	—	·18	—	—	·12	23
24	—	·05	·08	—	—	·18	—	·03	—	·26	—	·15	24
25	—	·06	·04	·04	·02	·18	—	·12	—	—	—	—	25
26	—	—	—	·22	—	·08	·02	—	—	·13	·04	·14	26
27	—	·17	·10	·05	—	—	·03	·02	·15	—	—	·03	27
28	—	·12	—	·20	·02	·04	·08	·17	—	—	·05	·05	28
29	Fog ·02		·02	·13	—	·26	·11	—	·17	·15	·01	—	29
30	—		·02	·01	—	·07	—	—	—	·12	—	·01	30
31	—		—		·10		—	—		·07		·01	31
Total	1·13	1·02	1·86	1·09	·71	2·19	·55	1·20	1·03	1·58	2·50	3·07	TOTAL for year 17·93
No. of Rain Days	16	15	21	15	9	14	9	11	8	20	19	28	185

9,000, IX. '10.

17.93

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

REG 11

Kept at Beeston Grange. Near Sandy

in the County of Bedford. 3

by Colonel Mansell Bowers

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 85 (?) ft.

Time of Observation 9 am

Nearest Railway Station
Name Sandy. G.N.R
Distance 1 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·10	—	—	·09	·05	—	—	—	·02	1
2	·06	—	—	·08	·06	—	·06	·04	—	·02	·10	·08	2
3	—	·03	—	—	·09.	·25	—	·04	—	·02	·03	·07	3
4	·05	·04	·11	·12	—	—	—	—	·02	·05	·08	·18	4
5	·04	·03	—	·02	—	—	—	·05	—	·04	—	·06	5
6	·20	—	·02	·02	—	—	—	—	—	·02	·01	·23	6
7	·03	—	·01	·03	—	—	—	—	—	·05	·28	·14	7
8	·13	—	·09	—	—	—	—	—	—	·04	·12	·02	8
9	·16	—	·01	·03	—	—	—	—	—	—	·01	·01	9
10	·02	·07	·08	·02	—	—	—	—	—	—	·13	·12	10
11	·21	·02	—	—	·04	—	—	—	—	—	·40	·01	11
12	Snow ·10	—	·33	—	—	—	—	—	·07	·14	·20	—	12
13	—	—	·13	—	·05	—	—	—	·20	·10	—	·27	13
14	—	—	·04	—	·32	—	—	—	—	·02	—	·19	14
15	—	·04	·15	—	—	—	·01	—	—	·03	·11	·01	15
16	Fog ·02	—	·12	—	—	·11	—	—	—	—	·29	·05	16
17	—	—	·03	—	—	·10	—	—	—	—	·03	·13	17
18	—	·20	·01	—	—	·03	—	—	—	—	·29	·02	18
19	—	·02	—	—	·01	·11	·04	—	·07	·03	·30	·02	19
20	·02	·04	·04	—	—	·03	—	·22	·17	·01	—	·42	20
21	·01	·07	—	—	—	—	—	·40	—	·19	—	·10	21
22	·02	—	·20	·02	—	·06	—	·06	—	·09	·02	·41	22
23	—	·06	·23	—	—	·69	·11	—	18	—	—	·12	23
24	—	·05	·08	—	—	·18	—	·03	—	·26	—	·15	24
25	—	·06	·04	·04	·02	·18	—	·12	—	—	—	—	25
26	—	—	—	·22	—	·08	·02	—	—	·13	·04	·14	26
27	—	·17	·10	·05	—	—	·03	·02	·15	—	—	·03	27
28	—	·12	—	·20	·02	·04	·08	·17	—	—	·05	·05	28
29	Fog ·02		·02	·13	—	·26	·11	—	·17	·15	·01	—	29
30	—		·02	·01	—	·07	—	—	—	·12	—	·01	30
31	—		—		·10.		—	—		·07.		·01	31
Total	1·13	1·02	1·86	1·09	·71	2·19	·55	1·20	1·03	1·58	2·50	3·07	TOTAL for year 17·93
No. of Rain Days	16.	15	21	15	9	14	9	11	8	20	19	28	185

9,000, IX. '10.

17·93

Ex JL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Beeston Grange Near. Sandy
in the County of Bedford. 3
by Colonel Maunsell Bowers.

RAIN GAUGE
Pattern Snowdon.
Diameter of top 5· in.
Height of top above Ground 1 ft. in.
" " " Sea Level 85 ft.

Time of Observation 9 am

Nearest Railway Station
Name Sandy. G.N.R.
Distance 1 Mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	Snow ·01	·01	—	—	·02	·11	—	·04	·25	—	·06	1
2	—	Snow ·01	·01	·01	—	·20	·44	—	·01	—	—	·01	2
3	·05	Snow ·01	—	—	·29	·26	·05	·21	·03	—	—	·09	3
4	·07	—	·40	—	·12	·26	·01	·61	—	—	·23	·01	4
5	·12	Snow ·09	·20	—	—	·02	—	·07	·03	—	·11	—	5
6	·19	·02	—	—	·02	—	·15	·63	—	—	—	·04	6
7	·04	—	—	—	·04	·94	—	·03	—	—	—	·01	7
8	·11	·17	·06	—	—	·07	—	·32	·26	Fog ·01	·01	—	8
9	·01	·05	·01	·08	—	·26	·01	—	—	—	—	·11	9
10	—	·01	·01	—	—	—	—	·20	·14	Fog ·01	·08	·02	10
11	·20	·05	—	—	—	·03	—	·14	·03	—	·01	·11	11
12	·12	·15	·07	—	·02	·14	·02	—	—	—	·06	—	12
13	—	·03	—	—	—	—	·02	·09	—	—	·19	·01	13
14	·02	—	—	—	·04	·04	—	·08	—	—	·01	—	14
15	—	·01	·15	—	·29	·15	—	·04	—	—	·01	·12	15
16	Sleet ·47	—	·02	—	·02	—	—	·03	—	·03	·01	—	16
17	Snow ·62	—	·19	—	—	·14	—	·09	—	—	—	·09	17
18	·04	—	·14	—	—	—	—	·15	·01	·01	·04	·06	18
19	·13	·05	·11	—	—	—	·13	·38	—	—	·02	—	19
20	·04	—	·04	—	·12	—	·04	·30	—	·22	—	—	20
21	·01	—	·12	—	·38	—	—	·80	—	·27	·05	—	21
22	·69	·05	—	—	·01	—	·06	·28	—	·03	—	·02	22
23	·39	·31	·21	—	—	—	1·08	·52	·01	—	·22	·15	23
24	·27	·02	—	—	—	·01	·10	·13	—	·01	—	·10	24
25	—	—	—	—	—	·12	—	·53	—	—	·21	·26	25
26	—	—	—	—	—	—	·23	·85	—	·29	·23	·18	26
27	—	—	—	—	·01	·06	·07	·04	—	·22	—	·18	27
28	—	·03	—	—	—	—	—	·06	·04	·24	·12	·49	28
29	—	·09	—	—	—	·25	·08	·11	·33	·18	·02	—	29
30	·02		—	—	·29	·03	—	·02	·45	·18	—	—	30
31	—		·06		·05		·24	·26		·01		·01	31
Total	3·60	1·16	1·81	·09	1·69	3·00	2·84	6·37	1·38	1·96	1·63	2·12	TOTAL for year 27·65
No. of Rain Days.	20	18	17	2	14	18	17	27	12	15	18	21	199

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at *Beeston Grange. near Sandy.*
in the County of *Bedford.*
by *Col. Maunsell Bowers.*

3

Lat. .... Long. ....
Time of Observation *9 am*
Nearest Railway Station *Sandy. G.N.R.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. . in.
" " " " Sea Level *95* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·13	·07	·11	—	—	—	—	·55	—	·12	·03	1
2	·01	·16	—	—	·08	—	·08	—	·48	—	·03	—	2
3	—	—	·14	·04	·66	—	—	—	·01	·02	—	·05	3
4	·19	—	·02	—	·03	·01	·09	—	—	·16	·05	·30	4
5	·01	·01	—	—	—	·05	·02	—	—	·25	·02	·02	5
6	—	·01	·08	—	·14	·13	·23	—	·03	·20	~~·07~~	—	6
7	—	·08	—	—	·06	—	·13	·03	—	·48	~~·02~~ ·07	—	7
8	—	—	·06	—	·12	·05	—	—	—	·03	·02	—	8
9	—	·19	·02	·02	·02	·05	—	—	·11	—	·07	·02	9
10	—	—	·08	·05	·02	—	·38	·02	—	—	·29	·02	10
11	·53	—	—	·29	·03	—	—	—	—	·15	·32	—	11
12	—	·01	—	—	·20	—	—	—	—	·01	·17	—	12
13	—	—	—	—	—	—	—	·03	·03	—	·33	—	13
14	·03	·02	·05	·01	—	—	·21	·01	—	·21	·06	—	14
15	·13	·02	·19	·15	—	—	·18	—	—	—	—	—	15
16	·09	—	·45	·15	—	—	—	—	~~·11~~ ·02	—	—	—	16
17	·08	·03	·05	·08	—	T ·37	·04	—	·11	—	·01	·05	17
18	·01	—	·09	·11	—	—	—	—	·30	—	—	·02	18
19	·11	—	·07	—	·02	·03	·09	·01	·35	—	—	·05	19
20	·05	—	·11	—	—	—	—	—	—	·19	—	—	20
21	·03	—	·13	·01	·08	—	·05	—	·01	·06	·16	—	21
22	·25	—	TS ·15	·05	—	—	·02	·04	·16	—	—	—	22
23	—	—	·01	—	—	·04	·01	·02	·03	—	·01	·05	23
24	·02	—	—	·03	—	—	—	·03	—	—	—	—	24
25	—	·01	—	·12	—	·02	·02	—	—	·01	—	·01	25
26	—	·03	·28	·02	—	—	—	·08	—	·50	·02	·15	26
27	—	·01	·02	·01	T ·01	—	—	—	—	·01	—	—	27
28	·18	—	·13	·07	—	—	—	—	—	·03	—	·01	28
29	·05		·11	T ·44	TS ·22	—	—	·11	—	·04	·01	·05	29
30	·20		—	·02	—	—	—	·02	—	·14	·09	·02	30
31	—		—		·01		—	·49		·02		—	31
Total	1·99	·71	2·31	1·78	1·70	·75	1·55	·89	2·19	2·51	1·85	·83	YEAR'S TOTAL 19·06
Rain Days.	18.	13.	21.	19	15	9	14	12	13	18	18	14	184

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

1 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Beeston Grange. Sandy
in the County of Bedford 3
by Colonel Maunsell Bowers.

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station 1½ miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 85 (?) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	T ·11	·24	—	—	·07	—	1
2	·02	—	·01	—	—	—	·03	·03	—	·01	·03	·15	2
3	—	·01	·04	—	·16	—	·49	·27	—	—	·09	—	3
4	·24	—	·02	·13	·01	—	—	·13	—	—	·33	·15	4
5	—	—	·01	·17	·06	·09	·40	·04	—	—	—	—	5
6	—	·04	—	—	·02	·04	·32	·05	—	—	T ·11	·12	6
7	—	·07	·29	·06	·12	·06	·08	·02	—	—	—	·33	7
8	·06	·05	·28	·02	·07	T ·82	·04	·08	—	—	—	·01	8
9	·34	—	·44	·01	—	·61	—	—	·03	—	—	·45	9
10	·11	·08	—	·06	·06	—	—	—	·12	—	—	·01	10
11	—	·04	·29	—	·14	·31	—	—	·01	—	·40	·22	11
12	—	·02	·06	—	—	·01	—	—	·44	—	·01	·22	12
13	—	·16	·13	—	—	—	—	—	·04	·28	·06	·19	13
14	—	·01	·25	—	—	—	·01	—	—	·60	·08	·33	14
15	·05	·01	·22	—	—	—	·10	—	·23	—	·06	·13	15
16	—	—	·04	—	—	—	·16	—	·04	—	·05	—	16
17	·01	·26	·05	—	—	—	—	—	·17	·04	—	·09	17
18	—	—	·03	—	—	—	·01	* —	—	—	—	·40	18
19	—	·02	·18	—	—	—	·02	—	·02	—	·19	·01	19
20	—	·06	snow & rain ·33	—	—	—	—	—	—	·01	—	·03	20
21	—	·24	·08	—	—	T ·20	—	—	—	·04	·02	·14	21
22	sleet ·01	·08	·01	·01	·13	·01	·05	·64	—	·20	—	—	22
23	—	·01	·05	—	·14	—	—	—	—	·08	—	—	23
24	·01	fog ·01	·03	·03	·01	—	·10	·01	—	·41	·16	—	24
25	·05	·01	·09	—	—	—	·04	·08	—	·20	·01	·08	25
26	—	—	·02	—	·01	—	·02	·46	—	·03	·11	·30	26
27	·05	—	·01	—	—	—	—	—	—	·02	·01	·15	27
28	—	·04	—	—	·05	—	·08	—	—	·10	·31	1·65	28
29	·01		·10	—	—	—	—	—	—	·28	·03	—	29
30	—		·02	—	—	—	—	—	—	·04	·22	·20	30
31	·01		—		·13		·06	—		—		·05	31
Total	·97	1·19	3·08	·49	1·11	2·15	2·12	1·45	1·10	2·34	2·29	5·41	YEAR'S TOTAL 23.70
Rain Days.	13	19	26	10	14	9	18	12	9	15	20	23	188.

W.7,000, XI. 13

esch 98

1277

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Beeston Grange, near Sandy

in the County of Bedford 3

by Col Maunsell Bowers.

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Sandy G.N.R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	·09	·18	—	·09	—	·03	—	·13	·01	·07	·13	1
2	·08	·09	·20	·11	—	·03	—	·42	·03	·05	·02	·06	2
3	·30	—	·02	·15	—	—	·09	·24	·16	—	·02	·16	3
4	·07	—	—	—	—	—	T. ·97	·35	—	—	—	·56	4
5	·03	·11	—	—	—	—	—	·02	—	·01	·01	·12	5
6	·21	·07	—	·15	—	—	T ·92	·08	—	·03	—	·05	6
7	·04	·17	·18	—	—	—	·23	·08	—	—	—	·13	7
8	—	·30	·02	·01	—	—	·03	·02	—	—	—	—	8
9	—	·02	—	—	—	·07	—	—	—	—	·14	·39	9
10	·21	—	·01	—	—	—	—	T 1·11	—	—	·02	·06	10
11	·01	—	·05	—	·05	—	·01	—	—	—	·71	—	11
12	·05	—	·01	·38	·31	—	—	T ·04	—	Fog ·01	1·07	·08	12
13	·01	·25	—	—	1·10	—	—	—	—	Fog ·01	—	—	13
14	—	·01	—	—	·01	—	·18	T ·07	·07	~~·01~~	—	·27	14
15	·14	—	—	—	·02	—	·20	T ·02	—	—	snow ·20	·11	15
16	·01	·17	—	—	—	—	·46	T ·84	—	·05	—	·05	16
17	—	·18	—	—	·11	—	·18	T ·21	—	—	—	—	17
18	—	·07	snow ·20	—	—	—	—	—	—	Fog ·01	·04	·01	18
19	—	·03	snow ·02	—	—	—	·20	—	—	Fog ·01	—	—	19
20	·37	—	—	·03	—	—	—	—	—	—	—	·30	20
21	snow ·14	·01	—	—	·01	—	·06	—	—	·01	—	·05	21
22	·55	~~snow ·30~~	·42	—	—	—	·56	—	·03	—	—	·12	22
23	—	snow ·30	·29	·01	—	·05	T. ·52	—	·10	·17	—	·22	23
24	—	—	·13	—	—	·04	·01	—	·34	·06	—	·07	24
25	—	~~·08~~	—	—	—	·03	·34	—	—	—	—	·25	25
26	—	·08	—	—	—	—	·12	—	—	—	—	·13	26
27	—	·03	—	—	—	·19	·08	—	—	·28	—	·02	27
28	—	·16	—	—	—	—	—	·02	·60	·04	·01	—	28
29	—	X	—	—	·02	·18 T	·08	·13	—	Fog ·01	·09	·11	29
30	·03	X	—	—	—	·28 T	—	·01	·01	—	·01	—	30
31	·01	X	—	X	—	X	—	·08	X	·19	X	·09	31
Total	2·48	2·14	1·73	·84	1·72	·87	5·27	3·74	1·47	·95	2·41	3·54	YEAR'S TOTAL 27·16
Rain Days.	18	18	13	7	9	8	20.	17.	9.	16.	13	24	172.

W. 8,000. X. 14.

1257

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Beeston Grange. W. Sandy.

in the County of Bedford.

by Col. Maunsell Bowers

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Sandy G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 77 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	—	·67	—	·13	·02	·01	—	·01	—	·19	—	1
2	·25	—	·11	—	·22	·04	—	—	·06	·44	·01	—	2
3	—	·19	Snow ·02	—	—	·03	·07	—	T ·17	·17	·07	—	3
4	·17	T. ·15	Snow ·06	—	·03	·18	·01	—	—	·02	·12	—	4
5	·03	—	·01	·17	·04	·16	·25	—	—	·05	·32	·01	5
6	—	·12	Snow ·39	·29	·06	T ·05	·33	—	—	·03	·21	—	6
7	·10	—	Sleet ·27	—	·10	T ·03	·12	—	—	·09	·22	·05	7
8	—	—	Snow ·04	—	·22	T ·04	—	—	—	—	—	·14	8
9	·01	—	·02	—	·23	T ·10	—	—	—	—	—	·03	9
10	—	·07	Snow ·13	·07	—	T ·14	·02	T ·02	—	·02	—	·01	10
11	·07	·15	·06	·12	·05	·14	—	—	—	—	—	·06	11
12	·02	·01	·07	·02	·39	·22	·10	·05	—	·24	·02 Fog	—	12
13	—	·36	·18	·03	·16	·07	·60	·05	—	·05	—	—	13
14	—	Snow ·32	·01	·06	·02	—	—	·01	—	·01	—	·01	14
15	—	·11	·38	—	·02	—	·09	T ·16	·01	·01	—	Sleet ·01	15
16	—	·05	·19	·22	·08	—	·21	·02	—	·06	—	—	16
17	·67	·05	—	·08	—	—	·07	·23	·21	·13	—	—	17
18	—	·09	·07	·06	—	—	—	T ·50	·06	—	Snow ·53	—	18
19	·04	·04	·19	·07	—	—	—	·04	·33	—	·69	Snow ·04	19
20	·15	—	·23	·04	—	—	—	·01	—	—	·05	·23	20
21	—	—	·67	—	—	—	T ·48	—	—	—	·02	Snow & sleet ·81	21
22	—	Snow ·05	·01	—	·15	·01	—	—	—	·02	—	·44	22
23	·02	Snow ·82	—	—	—	·05	—	·04	—	·01	·03	Snow & sleet. ·12	23
24	—	Snow ·09	Snow ·06	—	—	·07	—	·03	—	—	·02	·31	24
25	—	Sleet ·17	·15	—	·05	—	—	·18	—	·08	·07	·02	25
26	—	Sleet. ·11	Snow ·07	—	—	·09	—	·04	—	·01	·01	—	26
27	·07	Sleet & ·08	Snow ·92	—	—	·58	—	·06	·02	T ·15	—	—	27
28	—	Snow ·28	Sleet Snow ·82	—	—	·07	—	—	·05	—	—	·14	28
29	—	·07	—	—	—	·08	—	·77	—	·14	—	·08	29
30	Fog. ·01	X	—	—	T. ·07	·10	—	·20	—	·23	—	—	30
31	—	X	—	X	—	X	—	·02	X	·04	X	—	31
Total	1·11	3·38	5·20	1·23	2·02	2·27	2·36	2·43	·92	2·00	2·58	2·51	YEAR'S TOTAL 28·01
Rain Days.	14	21	26	12	17	21	13	18	9	21	16	17	205

W. 8,000. X. 15.

Ese D1

1207

REGISTER OF RAINFALL IN 1917

2 JAN 1918

FORM A.
BRITISH RAINFALL.

Kept at Beeston Grange. Nr Sandy.
in the County of Bedford.
by Col. Maunsell Bowers

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Sandy. G. N. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level under 100. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	~~March~~.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	Snow ·15	—	—	—	1·20	T ·22	—	·21	—	1
2	·04	Snow ·02	—	Snow ·04	—	·04	—	·12	—	·01	·04	—	2
3	—	—	—	—	—	—	—	·46	—	·20	·11	—	3
4	—	Snow ·08	Sleet ·03	—	—	—	—	·01	—	·50	—	—	4
5	·12	—	Sleet ·01	Snow ·18	—	—	—	—	T ·17	·06	·08	—	5
6	—	—	—	—	—	·05	—	—	·10	—	·02	—	6
7	·20	—	—	—	—	T 1·52	—	—	—	·31	—	—	7
8	Snow & rain ·40	—	—	Snow & Sleet ·10	—	—	1·23	T ·64	—	·20	·07	·03	8
9	Sleet ·04	—	Snow ·08	Snow ·07	—	—	—	T ·13	·02	·01	·12	·07	9
10	Snow ·29	—	·15	Snow ·15	—	—	—	·05	—	·04	·01	—	10
11	·05	—	·30	Snow ·12	—	—	—	·04	—	·14	—	—	11
12	·10	—	·01	—	T.S. ·10	—	—	·11	—	·19	·01	—	12
13	Snow ·10	—	·03	—	—	—	·02	·13	·04	·02	—	—	13
14	Snow ·03	·01	—	Sleet & rain ·07	—	—	—	·25	—	—	—	—	14
15	Snow ·03	—	—	~~[illegible]~~ —	—	—	—	·01	—	·01	—	—	15
16	Snow ·04	·08	—	·18	—	T.S. ·30	·06	—	—	·53	—	·03	16
17	·01	—	—	·17	·66	T ·06	·21	—	·44	·43	—	Snow ·01	17
18	·04	·02	—	·11	·03	T ·17	·30	·05	·93	·01	—	—	18
19	Sleet ·02	·06	·06	—	·26	·03	—	—	·21	—	—	—	19
20	Sleet ·02	·12	·15	—	T.S. ·72	—	—	—	·01	—	·11	—	20
21	—	—	·02	—	·03	—	—	—	—	—	·02	—	21
22	—	—	·12	—	—	—	—	—	·01	·17	—	—	22
23	—	·10	—	—	·09	—	—	·14	·01	·03	—	·04	23
24	Sleet ·01	·02	—	—	—	·18	—	·09	—	·11	·08	—	24
25	—	·01	·04	—	—	—	T ·03	—	—	—	·05	—	25
26	—	—	Snow ·08	—	—	—	—	·26	·05	—	·23	—	26
27	—	—	·01	—	—	T ·14	—	·44	—	—	—	—	27
28	—	·04	·11	—	—	·63	—	·07	—	·01	—	·08	28
29	—	✕	·02	—	·05	·47	·47	·04	—	·16	—	·20	29
30	Snow ·02	✕	—	—	—	—	·68	·12	—	—	—	—	30
31	Snow ·01	✕	Snow & rain ·24	✕	—	✕	·25	·07	✕	—	✕	Snow ·04	31
Total	1·57	·56	1·46	1·34	1·94	3·59	3·25	4·43	2·21	3·14	1·16	·50	YEAR'S TOTAL 25·15
Rain Days.	19	11	17	11	8	11	9	21	12	20	14	8	161

3·18

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

1. 1. 19

18

Kept at Beeston Grange. Sandy.
in the County of Bedford.
by Col. Maunsell Bowers.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Sandy. G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	—	·02	—	—	—	—	—	—	·03	·04	1
2	Snow ·01	·11	—	T ·25	—	—	—	·05	—	·02	·14	·11	2
3	—	·04	·04	—	·44	—	—	T ·04	·17	—	·61	·01	3
4	—	·01	·06	—	—	—	·02	·01	·62	—	·44	·01	4
5	—	·03	—	—	·12	—	—	·06	·11	·06	—	—	5
6	·05	·09	—	·20	—	—	—	·04	·05	—	—	·01	6
7	Snow ·08	·11	—	·04	·02	·03	—	—	·02	·07	·08	—	7
8	—	—	—	·02	—	—	—	—	·23	·04	·11	—	8
9	Snow ·04	·05	—	—	—	·07	T. ·18	—	·41	·04	—	·02	9
10	·03	—	—	·02	—	·02	T. ·30	—	·08	·02	—	·14	10
11	—	—	—	·01	·06	—	·03	—	·15	·59	·04	·03	11
12	—	·09	—	—	·10	—	·25	—	·03	—	—	—	12
13	—	·01	—	—	·14	—	—	—	·05	—	—	·10	13
14	·14	—	—	·01	—	·09	·19	—	·46	·12	—	·07	14
15	Snow 1·78	—	—	Sleet & Snow 1·57	—	·02	·21	—	·03	·02	—	·03	15
16	·23	—	—	·38	—	·04	—	·02	·79	—	—	—	16
17	·09	—	—	·05	TS 1·23	—	·51	—	—	—	—	·09	17
18	·45	—	—	—	—	·11	T ·18	—	·19	—	·01	·30	18
19	·01	·04	·08	Sleet ·11	—	·06	·19	—	—	·07	—	·13	19
20	·01	·07	—	Sleet ·41	—	·05	—	—	·13	·13	Fog ·01	—	20
21	·02	—	—	·12	—	—	—	—	·68	·07	—	·01	21
22	—	—	—	·01	T. ·13	—	·05	—	·09	—	—	·24	22
23	·06	—	—	—	·43	—	·14	·04	·09	—	·03	·06	23
24	—	·14	—	—	—	·03	·08	—	·07	—	·06	·01	24
25	—	—	—	—	—	·05	—	·22	—	·04	·09	—	25
26	—	—	—	—	—	—	·10	·08	—	·02	·09	·09	26
27	—	—	—	·07	—	—	·09	·19	·06	—	·11	·01	27
28	—	Sleet ·09	·12	·01	—	·01	—	·01	—	—	·24	·06	28
29	·01	X	—	—	—	—	—	—	1·38	—	—	·06	29
30	—	X	·26	—	—	—	—	·01	·03	·01	·08	·07	30
31	—	X	·02	X	—	X	—	—	X	·07	X	·04	31
Total	3·01	·89	·58	3·30	2·67	·58	2·52	·77	5·92	1·39	2·17	1·74	YEAR'S TOTAL 25·54
Rain Days.	15	14	6	17	9	12	15	12	23	16	16	24	179

W. 8,000, IX. 17.

1139

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Beeston Grange . Sandy

in the County of Bedford.

by Col Maunsell Bowers

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Sandy . G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 80· ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	Sleet ·05	—	·01	·02	·01	·04	—	—	—	·07	·85	1
2	·20	—	·02	—	·03	—	·06	—	·27	·01	·23	·56	2
3	·46	—	·24	—	—	—	·10	—	·07	—	·14	·14	3
4	·08	—	·27	—	—	·05	·24	·06	·02	—	—	·09	4
5	·06	Snow ·24	·34	—	—	—	·20	·04	·90 T	—	—	·14	5
6	—	—	·05	—	·41	—	—	—	—	·02	·05	·04	6
7	·03	—	·24	—	—	—	·02	—	—	—	·07	—	7
8	·02	—	·05	·13	·03	—	—	—	—	—	·05	—	8
9	—	—	·03	·06	—	—	—	—	—	—	·03	—	9
10	—	—	·23	·05	—	—	—	—	—	—	Sleet ·05	·04	10
11	·09	—	·13	·07	—	—	·54	—	—	—	—	·02	11
12	—	—	·29	·02	—	·05	·07	—	—	·03	Snow ·04	—	12
13	·08	—	—	·12	—	—	—	—	·02	—	—	—	13
14	·17	—	—	·13	—	—	·01	—	·15	·04	—	—	14
15	·12	·03	·08	·18	—	—	—	—	—	·17	Snow ·11	·21	15
16	·02	·57	—	·01	—	—	—	—	—	—	·09	·04	16
17	—	·48	·01	·01	—	—	—	—	—	—	·17	—	17
18	—	·09	·05	—	·04	—		·17	·03	—	·01	·08	18
19	·01	·22	·31	—	—	·25	·24	·13	·18	—	·01	·05	19
20	·24	—	Sleet ·03	—	—	·38	·35	·35	—	—	·02	·02	20
21	·36	·28	Sleet ·02	—	—	—	·50	—	—	—	·01	·07	21
22	—	·10	Snow ·02	—	—	—	·02	—	·13	—	·03	·42	22
23	—	—	—	—	—	·02	·05	·02	·05	07	—	·03	23
24	—	—	—	·32	—	·01	·06	·01	—	·12	—	·01	24
25	Snow & sleet ·07	—	—	·03	·02	·03	—	·19	—	—	—	·03	25
26	·18	·09	·08	·05	—	—	—	·09	·07		—	·26	26
27	Snow ·88	·12	·05	Snow 1·05	—	—	—	·43	—		Snow ·05	·05	27
28	—	—	—	·05	—	—	·03	·53	·01	·02	·10	·18	28
29	Sleet ·04	X	—	·04	—	·02	·02	·22	—	·18	Snow ·06	·03	29
30	—	X	·04	·28	—	·29	—	·04	—	·06	·14	·26	30
31	—	X	—	X	—	X	·01	—	X	·01	X	·01	31
Total	3·30	2·27	2·58	2·61	·55	1·11	2·56	2·28	1·90	·73	1·53	3·63	YEAR'S TOTAL 25·05
Rain Days.	19	11	21	18	6	10	18	13	12	11	21	24	184

W. 6,500, VII. 18. W W G

1081

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Beeston Grange Sandy.
in the County of Bedford.
by Col. Maunsell Bowers.

Lat. Long.
Time of Observation 9. am
Nearest Railway Station SANDY
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·52	·16	—	·15	·14	·02	·66	·01	·07	1
2	—	—	—	·02	—	—	—	·13	·07	·06	—	·04	2
3	—	·03	—	·11	·04	·01	TS ·63	—	·02	—	—	—	3
4	·01	—	·10	·09	—	—	·14	·18	·04	·09	—	—	4
5	—	—	·05	—	·10	—	·50	·04	·09	—	—	·07	5
6	—	—	·05	—	·07	—	·68	—	—	—	—	—	6
7	—	·01	Snow ·10	·06	·02	—	·12	—	—	—	—	·02	7
8	·16	·01	—	·46	—	—	·12	—	—	—	—	—	8
9	·28	—	—	·20	—	—	·01	·16	—	—	—	—	9
10	·09	·03	·04	—	—	—	·04	—	—	—	·02	·03	10
11	·27	—	·04	·17	·09	—	·03	—	—	—	—	·01 Sleet	11
12	·04	—	·06	·02	—	T.S ·49	·04	—	—	—	—	·07 Snow	12
13	—	—	·06	·16	—	·04	—	—	·03	—	—	·03 Snow	13
14	—	—	Sleet ·26	·16	—	·06	·03	—	·16	T.S ·09	·14	·02	14
15	—	·02	Snow ·23	·09	—	—	—	—	·05	·02	·10	—	15
16	—	—	—	·03	—	—	—	—	·14	·03	·07	·01 Sleet	16
17	·01	—	·04	·02	·08	T.S ·09	·04	—	·13	—	—	·03	17
18	·08	—	—	—	·11	—	·02	·25	·06	—	—	·05	18
19	·08	—	—	·17	—	—	—	·01	—	—	—	—	19
20	·07	Snow ·17 & rain	—	·21	—	·56	—	—	·04	—	—	—	20
21	—	—	—	—	—	—	·08	·09	·19	—	—	·03	21
22	—	—	—	·20	—	—	—	—	·63	—	—	·07	22
23	—	—	—	—	—	—	·26	—	—	—	—	·22	23
24	·07	—	·13	—	—	—	—	—	—	—	·03	·03	24
25	—	·03	·04	·02	—	—	·29	—	—	—	—	—	25
26	·14	—	·04	·03	·16	·01	·07	—	—	—	—	—	26
27	·12	·04	—	·16	—	·32	·08	—	—	—	·48	·04	27
28	·39	—	·11	—	·28	—	·03	—	—	—	·02	—	28
29	·03	—	·11	—	TS ·17	—	·06	—	—	—	·05	·29	29
30	·05		—	·03	·01	·06	·09	—	·21	—	·12	·12	30
31	—		·01		·01		—	—		·20		·09	31
Total	1·89	·34	1·47	2·93	1·30	1·64	3·51	·94	1·88	1·15	1·04	1·34	Year's Total 19.43
Days with ·01 in. or more	16	8	17	21	13	9	22	8	15	7	10	20	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

16 2 16 14 10 7 17 7 12 5 6 11 120

SHARNBROOK
COLWORTH
GARDENS

BEDFORDSHIRE

1911- 1920

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

REGI

Kept at Colworth
in the County of Bed
by James F

in.
ound 2 ft. in.
a Level ft.
a.m.
ame Sharnbrook
stance 1½ Direction SE

IMPORTANT NOTE.- … he result entered to the previous day. If an Obser… sal rule, he is earnestly requested to add the reading… r in the space provided for it at the end of this … nt of rain, the selection and placing … ish Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08			·11							·03	·02	1
2	·02				·16			·03			·07	·10	2
3		·04									·01		3
4	·05		·11						·07	·52	·22	·37	4
5										·05		·03	5
6	·24							·13				·25	6
7	·02									·06	·21	·07	7
8	·14		·12								·07	·20	8
9	·13											·03	9
10		·13									·04	·22	10
11	·20										·53		11
12	·06		·40								·25		12
13					·08				·25	·05		·44	13
14	·03		·04		·42							·28	14
15		·06	·17						·03	·03	·10	·02	15
16			·04			·04					·42	·06	16
17			·10			·01					·04	·20	17
18		·22									·06	·07	18
19						·19			·25	·04	·29	·02	19
20			·04				·17	·45	·24	·03		·45	20
21		·12						·25		·11		·12	21
22			·22					·02		·20	·02	·30	22
23		·03	·24			·60	·23		·28			·14	23
24		·06				·42		03		·38		·10	24
25			·04		·15	·14						·02	25
26				·43						·35	·16	·17	26
27		·25	·17	·11			·70	·06	·15	·04		·03	27
28		·15		·15				·23			·04	·02	28
29			·01	·07		·23	·05		·14	·19			29
30						·04				·13		·02	30
31					·34					·06		·01	31
Total	·97	1·06	1·70	·87	1·15	1·71 1·67	1·15	1·20	1·41	2·24	2·56	3·76	TOTAL for year 19·74
No. of Rain Days.	129											19·7~~8~~4	
W. 8,000, X. '11.	10	9	13	5	5	8	4	8	8	15	17	27	129

REGISTER OF RAINFALL IN 1911

385

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

Kept at Colworth Gardens

in the County of Bedfordshire 3

by James Hoad

RAIN GAUGE	Pattern
	Diameter of top 5 in.
	Height of top above Ground 2 ft. in.
	„ „ „ Sea Level ft.
Time of Observation	9. a. m
Nearest Railway Station	Name Sharnbrook
	Distance 1½ Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08			·11							·03	·02	1
2	·02				·16			·03			·07	·10	2
3		·04									·01		3
4	·05		·11						·07	·52	·22	·37	4
5										·05		·03	5
6	·24							·13				·25	6
7	·02									·06	·21	·07	7
8	·14		·12								·07	·20	8
9	·13											·03	9
10		·13									·04	·22	10
11	·20										·53		11
12	·06		·40								·25		12
13					·08				·25	·05		·44	13
14	·03		·04		·42							·28	14
15		·06	·17						·03	·03	·10	·02	15
16			·04			·04					·42	·06	16
17			·10			·01					·04	·20	17
18		·22									·06	·07	18
19						·19			·25	·04	·29	·02	19
20			·04				·17	·45	·24	·03		·45	20
21		·12						·25		·11		·12	21
22			·22					·02		·20	·02	·30	22
23		·03	·24			·60	·23		·28			·14	23
24		·06				·42		03		·38		·10	24
25			·04		·15	·14						·02	25
26				·43						·35	·16	·17	26
27		·25	·17	·11			·70	·06	·15	·04		·03	27
28		·15		·15				·23			·04	·02	28
29			·01	·07		·23	·05		·14	·19			29
30						·04				·13		·02	30
31					·34					·06		·01	31
Total	·97	1·06	1·70	·87	1·15	1·67 1·67	1·15	1·20	1·41	2·24	2·56	3·76	TOTAL for year 19·74
No. of Rain Days.	129											19·74	
W. 8,000, X. '11.	10	9	13	5	5	8	4	8	8	15	17	27	129

ord auth 11·11·13 W DL

FORM A2. BRITISH RAINFALL. 18 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Colworth Gardens

in the County of Bedfordshire 3

by James Hoad

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Sharnbrook
Distance 1½ miles Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0·09		0·03	0·02		0·04	0·16		0·10	1
2			0·04			·15	·70						2
3	0·05				0·07	·08	·08	035	04			·12	3
4	·03		·57		·10	·28		·05			0·27		4
5	·19		·16			·15		·13			·08	·01	5
6	·21	0·26				·12	·12	·39				·01	6
7					·03	·75		·10					7
8	·26	·25	·12			·08		·03	·16				8
9			·02	·09		·38						·16	9
10						·08		·10			·20		10
11	·14	·04				·03		·14				·23	11
12	·10	·40	·03		·02	15					·05		12
13	·01	·02	·02			·03							13
14	·04				·10	·03		·06					14
15					·30	·17		·02				·16	15
16	·30		·15			·02		·09		·05	·14		16
17			·11			·14		·22				21	17
18			·09					·03			·06	·02	18
19	·75						·17	·34			·02		19
20	·04		·12				·19	·15		25			20
21			·25					1·15		·27	·05		21
22	·50	·14			·62		·36	·51		·02			22
23	·26	·43	30		·03		·54	·35			·13	·28	23
24	·20	·01				·02	·01	·15				·15	24
25						·20		·42			·20	·18	25
26							·27	1·03		·43	·21	·25	26
27						03	·03	·04		·34		·21	27
28		·02					·04	·35	·08	·20	·12	·82	28
29		·01				·13	·38	·06	·45	·32			29
30					·11	·09	·03		·34	·14			30
31					·07		·38	·27				·01	31
Total	3·08	1·58	1·98	·18	1·45	3·14	3·32	6·53	1·11	2·18	1·53	2·92	TOTAL for year 29·00
No. of Rain Days.	15 156	10	13	2	10	22	15	25	6	10	12	16	29·00 156

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Colworth Gardens

in the County of Bedfordshire 3

by James Hoad

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Sharnbrook

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.10	0.08	0.12					1.30		0.10		1
2		·20					0.09		·10	0.12			2
3			·17		0.77				·02	·12		0.03	3
4	0.26				·10					·10	·11	·32	4
5									·10	·48	·03		5
6			·03		·16	0.18	·10			·25		·02	6
7		·11				·04	·20			·40	·05		7
8					·15					·04	·06		8
9									·07		·06	·04	9
10		·20		·23	·07	·13	·20				·48		10
11	·28			·43	·01			0.03		·14	·08		11
12					·16					·01	·40		12
13	·54		·04						·02		·10		13
14			·12										14
15	·14		·18	·24			·05						15
16	·10		·60	·15					·12				16
17	·15		·08	·20		·15	·08					·06	17
18			·15	·02	·02								18
19	·18						·11		·15				19
20			·15			·08			·04	·80	·02		20
21			·14	·10	·06		·02				·18		21
22	·37		·19					·10	·07			·04	22
23									·02				23
24	·01			·02				·10					24
25	·02	·06		·16		·04							25
26			·22	·05						·34	·03	·25	26
27			·02		·94								27
28	·32		·08	·15						·04			28
29			·12	·60	·23			·08		·05			29
30	·23							·02		·03	·21		30
31								·41					31
Total	2.60	·67	2.37	2.47	2.67	·62	·80	·74	2.01	2.92	1.91	·76	YEAR'S TOTAL 20.54
Rain Days.	12	5	16	13	11	6	8	6	11	14	14	7	123

W.7,000, XI. 13

Ond 25.11.15 ~~xx~~ LMCC

FORM A.
BRITISH RAINFALL
13 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Colworth Gardens

in the County of Bedfordshire 3

by James Hoad

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Sharnbrook

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.17						0.05	0.95			0.08	0.03	1
2								15			.08	.15	2
3							25				.01		3
4	.18			0.23	0.14			.27			34	.16	4
5				.12	.07	0.15	.27	.14					5
6		0.11		.05		04		.01			.10	.04	6
7		.07	0.38	.01	.15		.11	.01				09	7
8	.07		.20	.10	.10	1.10	.05	.15					8
9	.30		.34	.23		.83			0.02			.09	9
10	09	.15		.09	.07	.06			.09			.02	10
11			.28	.03	.06	.25					.27	.35	11
12		.09	.08			.01			.44		.01	.26	12
13		15	.22						.02	0.12	.08	.17	13
14		.02	25						.02	1.17	.09	.30	14
15		.04	.24				.21	.05			05	.14	15
16			.01				08		.10		.02		16
17	.06	.26	.15						.20			.12	17
18			.02				.06					.53	18
19			.29			.09			02		.14	02	19
20		.09	32						.01			04	20
21		.16	.11			.06				.12		.19	21
22			01		.10		.11			.10			22
23			.05		.08								23
24							.14	.07		.34	.15		24
25		.01					.10	.14		.39		.14	25
26								.06		.04	.12	.35	26
27											.02	.08	27
28		08			.04					.18	.13	1.01	28
29			.18		.05						.10	.09	29
30		✗				.04				.27	.15	.46	30
31		✗		✗	.09	✗	.04		✗	.07	✗	.03	31
Total	.87	1.23	3.13	.84	.95	2.63	1.47	1.30	.92	2.74	1.94	4.84	YEAR'S TOTAL
Rain Days.	~~148~~	12	17	8	11	10	12	11	9	10	18	24	22.88 ~~148~~

W. 8,000. X. 14.

Ex JL

1284

FORM A.
BRITISH RAINFALL.
7 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Colworth Gardens
in the County of Bedfordshire 3
by James Hoad

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Sharnbrook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.37	.10	.14				.10	.04	.16	.01			1
2	05	.15	.20	.14	.12	.02		.16	.03	.06	.06	.10	2
3	.30		02	.09			.11	.18	.09		.02	.15	3
4	.05						.81	.58	.10			.49	4
5	.04	.23			52			.02				.21	5
6	20	.02		.12			.75	.03		.01		.06	6
7	.01	.32					.15	.08				.17	7
8	.05	.16					.01	.02					8
9	.05									.01	.20	.47	9
10	.26							.13			.03		10
11	.01		.15		.08						.66		11
12	.03		.02	.30	.48			.25		.04	.94		12
13	.01	.44			1.16								13
14		.03					.06	.12	.10			.46	14
15	20	.01			02		.07	.25		.01	.32	.11	15
16		.23					.62	.13				.05	16
17		.16					.27	~~.25~~				.04	17
18		.05											18
19		.03	.16				.10						19
20	.39		02	.02	.02							.25	20
21	.10						.06					.04	21
22	.37		.31				.55		.01			.16	22
23	.02		.12				.20		.10	.28		.42	23
24			09			.06	.32		.56	.07		.06	24
25						07	.23			.03		.24	25
26		.27	02				.15					.22	26
27		.04				04	.10			.44			27
28		.09					04	.05	.40	.04			28
29							.02	.05			.10	.15	29
30	.08	X				.44		.04			.16	01	30
31	02	X		X		X			X	.34	X	.14	31
Total	2.61	2.33	1.25	.67	2.40	.63	4.72	2.13	1.55	1.34	2.49	4.00	YEAR'S TOTAL 26.12
Rain Days.	20	16	11	5	7	5	20	16	9	12	9	21	151

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
8 JAN 1917

Kept at Colworth Gardens
in the County of Bedfordshire
by James Hoad

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Sharnbrook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05		.04		.01		.23				.73		1
2	.50	.05	.13		.24		.04			.36	.04		2
3		.30			.02				.40	.20	.11		3
4	32	.10			.02	.16				.01	.23		4
5	.03	.01			.06	.21				.10	.54		5
6		.11	.22	.26	.01	.01	.35			.05	.27		6
7	.07		.55		.10		.13				.11		7
8					.13	.10						.27	8
9					.22	.07							9
10		.11		.06		.10							10
11	.10	.12	.24	.13		.16							11
12		.06	.05		.45	.16	.06			.05			12
13		.27	.18	.08	.12	.10	.54	06		.02			13
14				.05									14
15		.76	.34		02		.12	.11					15
16		03	23	.20	.07		.10	.02					16
17	.15	.03		.29			.08	.15	.16	.25			17
18		.12	.05	.04			.16		.11		.86		18
19	.11	.03	.28	.08							.48	.15	19
20	.08		.25	.01				.09	.08		.32	1.02	20
21	.06		.62	03								.62	21
22			.01		.17	.06						.10	22
23	.04		.04			.31		.05		.09		.08	23
24		30	.04		.02	.18		.04		.04			24
25		53	.12					.21		.06	.10		25
26		.23	.03					.60		.02	.04		26
27	05	.02	.98			.03		.08		.18			27
28		.18	.15	.03	.01	.10			.07			.18	28
29		.05				.15		1.25		.12		.06	29
30		×						.15		.30			30
31		×		×		×		.02	×	.10	×		31
Total	1.56	3.41	4.35	1.26	1.67	1.90	1.76	2.78	.82	1.95	3.83	2.48	YEAR'S TOTAL 27.77
Rain Days.	12	20	20	12	16	15	10	13	5	16	12	8	159

W. 8,000, VIII. 16

End 45

1213

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
10 JAN 1918

Kept at Colworth
in the County of Bedfordshire
by James Hoall

Lat. ……… Long. ………
Time of Observation 9. a. m
Nearest Railway Station Sharnbrook
Diameter of Funnel of Rain Gauge [illegible] in.
Height of top of Gauge above Ground 2 ft. ……… in.
" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ………

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10				1·15	·50		·04		1
2	·02			·11		·20		·06		·03	·03		2
3			—					·45		·01	·15		3
4								·04		·97			4
5	·10		·10	·12					·31	·03	·04		5
6						·07				·20			6
7	·34					·03				·28			7
8	·49						·59	·94		·31	·12		8
9					·01			·14		·01	·21		9
10			·35	·15				·09			·02		10
11	·41		·24	·40				·08		·25			11
12			·01		·06	·07		·16		·22			12
13			·04	15			·50	·18	·09				13
14				·06				·36				·06	14
15				·06				27		·02			15
16				·17	·02	·75	·14			·54			16
17				·12	·66	·07	·25		·24	·13			17
18				12		·03		·15	·86				18
19		·02	·10		·09			·01	·05				19
20		·18			·77			01			·12		20
21													21
22			·14					12	·03	·21			22
23		·11			·07			·22				·09	23
24		·04				·21				·14	·05		24
25								·10	·04	·01	·01		25
26			·10					46	·06		·24		26
27						·18		·64					27
28		01	·21			·45		·04				·06	28
29					·11	·75	·40	·13		·26		·20	29
30		X					·67	·13					30
31		X		X		X	·22	·05	X		X		31
Total	1·36	·36	1·29	1·56	1·79	2·81	2·77	5·98	2·18	3·62	1·03	·41	YEAR'S TOTAL 25.16
Rain Days.	5	5	9	11	8	11	7	24	9	17	11	4	121

2·95

W. 8,000, IX. 17.

Corr for month

REGISTER OF RAINFALL IN 1918

24

FORM A.
BRITISH RAINFALL.

9. 1. 19

Kept at Colworth Gardens

in the County of Bedfordshire

by James Hoad

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Sharnbrook

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.13			.08							.12	.03	1
2	~~.05~~	.18		.10				.04			.05	.11	2
3		.02			.65			.03	.18	.02	.68	.03	3
4			.14				.05		.38		.27	.02	4
5		.14			.21			.11	.16	.12			5
6		.14		.14		.02						.01	6
7		.10							.09	.06	.15		7
8										.01			8
9	.05	.02				.06	.15		.50	.15		.04	9
10	.02			.20		.05	.59		.07	.06		.15	10
11		.08			.16		.29		.08	.40		.04	11
12			.03		.02		.14		.07			.01	12
13		.02		.03	.25		.06		.04			.07	13
14	.20	.03		.02		.06	.36		.29	.23		.05	14
15	.50			1.00			.36		.12			.10	15
16	.17			.59		.01		.03	.40				16
17	.16			.07		.01	.95		.03			.11	17
18	.45					.14	.10		.04			.44	18
19	.04		.05	.16		.01			.01	.07		.15	19
20		.04		.44		.05			.15	.18			20
21	.03								.34				21
22	.06				.19		.02		.02				22
23	.06				.40		.23		.10				23
24		.14					.10				.20		24
25					.02			.24					25
26						.06	.21	.03	.02		.15	.43	26
27			.01				.06	.20	.09		.05	.02	27
28			.08								.23	.11	28
29									1.38				29
30		X	.31					.07	.04	.06	.10	.10	30
31		X		X		X		.03	X	.05	X	.05	31
Total	187	91	62	2.83	1.90	.47	3.67	.78	~~4.50~~ 4.60	1.41	2.00	2.07	YEAR'S TOTAL ~~23.03~~ 23.13
Rain Days.	12	11	6	11	8	10	15	9	23	12	10	20	147

W. 8,000, IX. 17.

1146

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Colworth Gardens
in the County of Bedfordshire
by James Hoad

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Sharnbrook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24		.02				.06				.07	0.73	1
2	.15						.15		.04	.01		.27	2
3	.68		.12				.21		.08		.15	.12	3
4	.07		.34			.06	.03	.10			.30	.10	4
5	.06		.16				.07		.80			.05	5
6			.03		.92					.02	.05		6
7	.02		.30								.03		7
8	.10		.06	.23									8
9			.01	.03									9
10			.40	.03								.08	10
11	.08		.26	.05			.50						11
12			.27	.06			.06			.09			12
13	.10											.02	13
14	.26			.11			.03		.05				14
15	.10	.38	.15	.30					.06			.28	15
16	.10	.65		.03				.01		.08			16
17		.36									.56		17
18		.10	.11					.19			.10		18
19		.25	1.08			.10	.23	.30			.05	.15	19
20	.50	.03	.24			.20	.41	.31	.10			.04	20
21	.26	.47	.03				.60				.02		21
22		.51							.02			.46	22
23						.04		.05	.19			.02	23
24				.20	.01		.06	.05	.13	.34		.03	24
25	.13				.05			.17		.40		.05	25
26	.22	.15	.15	.05			.03	.05				.31	26
27			.05	.80				.16	.08			.09	27
28				.05				.84		.05	.06	.23	28
29	.50			.04				.16		.30	.20	.18	29
30		✕		.26		.30				.10	.15	.18	30
31		✕		✕		✕			✕		✕	.02	31
TOTAL	3.57	2.90	3.68	2.24	.98	.70	2.44	2.39	1.55	1.39	1.74	3.41	YEAR'S TOTAL 26.99
Days with ·01 in. or more	17	9	18	14	3	5	13	12	10	9	12	20	142

[illegible]

7 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Colworth Gardens
in the County of Bedfordshire
by James Hoad

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Sharnbrook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·14	·16	·02	·32			·36		·14	1
2				·08				·23	·08	·03		·03	2
3		·05		·12		·03	·22	·01	·03	·15			3
4			·06	·10			·04	·27	·03	·12			4
5			·04		·15		·56		·08			·05	5
6			·16		·06		·29						6
7			·12	·03	·01		·07					·03	7
8	·35	·03		·31	·01		·62						8
9	·33			·34			·08	·06					9
10	·11	·02		·02			·05				·03		10
11	·30		·06	·23	·16	·12	·04						11
12				·09		·53							12
13		·02	·10	·16		·01			·65		·01	·50	13
14		·02	·28	·20		·14	·07		·15		·13		14
15	·03	·04	·52	·08					·18	·06	·16		15
16			·01	·06	·08	·17			·16	·02	·04		16
17				·03	·10		·04		·27	·07		·08	17
18	·12			·04	·06		·07	·16	·17	·01		·07	18
19	·07	·06		·19		·07		·11					19
20	·06	·25		·32		·41							20
21							·07	·09	·07				21
22				·25				·03	·55				22
23							·31					·40	23
24			·11									·05	24
25	·07	·12	·02	·03		·02	·33						25
26	·05			·02	·06		·13						26
27	·15		·02	·11		·37					·55	·12	27
28	·40	·02	·32		·10		·12				·05		28
29	·05		·04		·25		·07					·42	29
30				·07		·08	·06		·21		·20	·15	30
31	·06		·02							·23		·07	31
													YEAR'S TOTAL
TOTAL	2.15	·63	1.88	3.02	1·20	1·97	2·96	·96	2·03	1·05	1·17	2·11	21·13 ✓
Days with ·01 in. or more	14	10	15	23	12	12	20	8	13	9	8	13	157 ✓
Days with ·04 in. or more	~~12~~ 13	~~4~~ 5	11	18	10	8	19	6	11	6	6	11	~~122~~ 124

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

126

SHARNBROOK

BEDFORDSHIRE

1916, 1918

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGIST

Kept at Sharnbrook 33 D.

5 a.m.

in the County of Bed f nbrook.

by L. Stileman-Gibbard uge .... in.

round .... ft. .... in.

ea Level 210 ft above ft.

IMPORTANT NOTE.— e result entered to the previous day. If an Observ al rule, he is earnestly requested to add the reading in the space provided for it at the end of this pa nt of rain, the selection and placing of h Rainfall Organization are given in "R plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	7	-	6	-	-	1	18	-	-	37	56	-	1
2	45	2	9	-	8	1	4	-	-	17	4	-	2
3	-	26	-	-	20	1	-	-	41	1	7	-	3
4	30	17	3	-	1	14	1	-	-	4	26	-	4
5	3	-	1	-	4	20	2	-	-	7	37	-	5
6	-	15	18	26	3	1	19	-	-	-	22	-	6
7	6	-	14	-	1	2	24	-	-	9	11	6	7
8	-	-	26	-	10	3	-	-	-	-	4	16	8
9	1	-	1	-	13	12	-	-	-	1	-	4	9
10	-	-	7	6	24	8	2	-	1	1	-	2	10
11	7	22	16	14	-	18	-	-	-	-	1	2	11
12	4	4	5	-	3	18	5	-	1	7	-	-	12
13	1	28	19	8	50	10	55	2	.	1	1	-	13
14	-	50	-	4	13	-	-	14	-	3	-	-	14
15	-	15	34	-	7	-	12	8	-	-	-	-	15
16	-	10	24	23	-	-	10	6	-	20		-	16
17	10	3	-	29	-	.	5	8	16	4	-	-	17
18	-	12	5	5	-	-	-	15	14	-	73	-	18
19	8	2	27	7	-	.	.	2	8	-	82	7	19
20	8	-	23	-	-	-	.	8	-	-	9	24	20
21	7	-	64	2	-	7	-	-	-	-	1	68	21
22	1	26	3	-	-	35	-	-	-	3	-	57	22
23	2	50	-	-	18	12	1	5	-	7	3	20	23
24	-	18	3	1	-	-	-	5	.	9	-	-	24
25	-	10	13	-	-	1	.	17	.	1	7	4	25
26	-	40	5	-	2	2	.	46	.	20	3	-	26
27	6	30	122	-	-	10	.	8	2	-	-	-	27
28	-	43	82	2	-	10	.	-	6	1	-	35	28
29	-	5	-	-	.	-	.	147	1	16	-	4	29
30	-	╳	-	-	.	-	.	16	-	28	-	-	30
31	-	╳	-	╳	-	╳	.	1	╳	5	╳	1	31
Total	1·46	4·28	5·30	1·27	1·77	1·86	1·58	3·08	·90	2·02	3·47	2·50	YEAR'S TOTAL 29·49
Rain Days.	16.	21	24.	12.	15	~~19~~ 20	13.	16.	9	23	17	14	200

W. 8,000, VIII. 16

1262

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGIST

Kept at Sharnbrook

in the County of Bedford

by L. Stileman-Gibbard. M. A.: D. L.

Lat. 52·13·N Long. 0·33 W.
Time of Observation 7·45 a.m.
Nearest Railway Station Sharnbrook.
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level 210 ft above ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	7	-	6	-	-	1	18	-	-	37	56	-	1
2	45	2	9	-	8	1	4	-	-	17	4	-	2
3	-	26	-	-	20	1	-	-	41	1	7	-	3
4	30	17	3	-	1	14	1	-	-	4	26	-	4
5	3	-	1	-	4	20	2	-	-	7	37	-	5
6	-	15	18	26	3	1	19	-	-	-	22	-	6
7	6	-	14	-	1	2	24	-	-	9	11	6	7
8	-	-	26	-	10	3	-	-	-	-	4	16	8
9	1	-	1	-	13	12	-	-	-	1	-	4	9
10	-	-	7	6	24	8	2	-	1	1	-	2	10
11	7	22	16	14	-	18	-	-	-	-	1	2	11
12	4	4	5	-	3	18	5	-	1	7	-	-	12
13	1	28	19	8	50	10	55	2	.	1	1	-	13
14	-	50	-	4	13	-	-	14	-	3	-	-	14
15	-	15	34	-	7	-	12	8	-	-	-	-	15
16	-	10	24	23	-	-	10	6	-	20	-	-	16
17	10	3	-	29	-	.	5	8	16	4	-	-	17
18	-	12	5	5	-	-	-	15	14	-	73	-	18
19	8	2	27	7	-	.	.	2	8	-	82	7	19
20	8	-	23	-	-	-	.	8	-	-	9	24	20
21	7	-	64	2	-	7	-	-	-	-	1	68	21
22	1	26	3	-	-	35	-	-	-	3	-	57	22
23	2	50	-	-	18	12	1	5	-	7	3	20	23
24	-	18	3	1	-	-	.	5	.	9	-	-	24
25	-	10	13	-	-	1	.	17	.	1	7	4	25
26	-	40	5	-	2	2	.	46	.	20	3	-	26
27	6	30	122	-	.	10	.	8	2	-	-	-	27
28	-	43	82	2	.	10	.	-	6	1	-	35	28
29	-	5	-	-	.	-	.	147	1	16	-	4	29
30	-	X	-	-	.	-	.	16	-	28	-	-	30
31	-	X	-	X	-	X	.	1	X	5	X	1	31
Total	1·46	4·28	5-30	1·27	1=77	1-86	1·58	3·08	·90	2·02	3·47	2·50	YEAR'S TOTAL 29·49
Rain Days.	16.	21	24.	12.	15	28	13.	16.	9	23	17	14	200

W. 8,000, VIII. 16

23

FORM A.
BRITISH RAINFALL

8.1.19

REGISTER OF RAINFALL IN 19 18

Kept at Sharnbrook
in the County of Bedford
by L. Stileman-Gibbard. M.A: D.L.

Lat. 52·13 N Long. 0·33 W
Time of Observation 7·45 a.m.
Nearest Railway Station Sharnbrook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	1	0	0	0	0	0	0	0	1	11	3	1
2	0	14	0	14	0	0	0	3	1	0	4	6	2
3	0	3	2	0	68	0	0	0	11	0	63	7	3
4	0	2	6	0	0	0	4	2	32	1	28	2	4
5	0	12	0	1	24	0	0	11	31	10	0	1	5
6	0	15	1	18	0	0	0	0	0	0	0	1	6
7	6	9	0	15	1	2	0	0	9	9	9	1	7
8	0	1	0	0	0	0	0	0	12	1	5	1	8
9	2	2	0	2	0	8	12	0	41	14	0	9	9
10	2	0	0	2	0	2	42	0	2	0	0	13	10
11	0	0	0	1	5	0	26	0	8	49	3	5	11
12	0	8	3	0	20	0	21	0	8	0	0	1	12
13	1	2	0	2	17	0	0	0	4	0	0	4	13
14	20	0	0	1	0	5	43	0	27	22	0	7	14
15	90	0	0	1·10	0	0	38	0	14	8	0	11	15
16	10	0	1	64	0	0	0	2	41	0	0	1	16
17	14	0	0	10	2	0	87	0	0	0	0	10	17
18	47	0	0	1	0	15	7	0	5	0	0	46	18
19	4	2	5	15	0	1	1	0	0	8	0	15	19
20	2	5		40	0	4	0	0	18	19	1	1	20
21	2	0		18	0	0	1	0	38	2	0	1	21
22	8	0		0	9	0	2	0	2	0	1	32	22
23	5	0		0	44	0	15	1	8	0	1	1	23
24	0	13		0	1	4	1	0	4	0	14	0	24
25	0	0		0	6	3	0	23	0	1	3	0	25
26	0	0		0	0	0	32	5	1	0	11	1	26
27	1	0	1	2	0	0	8	16	8	0	7	4	27
28	1	7	8	0	0	0	0	1	0	0	28	8	28
29	0		0	0	0	0	0	0	1·22	0	3	1	29
30	0	✕	32	0	0	0	0	5	5	1	7	11	30
31	0	✕	4	✕	0	✕	0	2	✕	6	✕	4	31
Total	2·15	·96	·63	3·16	1·97	·44	3·40	·71	4·52	1·52	1·99	2·08	YEAR'S TOTAL 23·53
Rain Days.	16	15	10	17	11	9	16	11	24	15	17	29	190

W, 6,500, VII. 18. W W O

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGIS

1100

SHEFFORD

1911 - 20

Kept at Shefford Coun

in the County of Bedfords

by George F. Alldrit

1 ft. - in.

134 ft.

Shefford

Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·23	—	—	·01	·06	—	—	—	—	1
2	·04	—	—	·06	·06	—	—	·04	—	—	·08	·06	2
3	·01	·02	—	—	·12	—	—	·03	—	—	·03	—	3
4	·04	—	·16	·11	—	—	—	—	—	·03	·10	·25	4
5	·01	·05	—	—	—	—	—	·09	—	·03	—	·07	5
6	·16	—	—	·02	—	—	—	—	—	—	·01	·23	6
7	·01	—	—	—	—	—	—	—	—	·16	·28	·06	7
8	·13	—	·11	—	—	—	—	—	—	·03	·07	·13	8
9	·14	—	—	·03	—	—	—	—	—	—	—	·02	9
10	·01	·08	·05	—	—	—	—	—	—	—	·06	·23	10
11	·28	—	—	—	·04	·02	—	—	—	—	·50	·01	11
12	·10	—	·41	—	—	—	—	·08	·09	·13	·22	—	12
13	—	—	·06	—	·13	—	—	—	·23	·18	—	·33	13
14	—	—	·04	—	·34	—	—	—	—	·01	—	·28	14
15	—	·03	·20	—	—	—	—	—	—	·03	·09	—	15
16	—	—	·04	—	—	·13	—	—	—	·01	·32	·03	16
17	·02	—	·02	—	—	·12	—	—	—	—	·04	·12	17
18	—	·20	—	—	—	·04	—	—	—	·02	·29	·03	18
19	·01	—	—	—	—	·10	·01	—	·05	·08	·37	·04	19
20	—	·03	·03	—	—	—	—	·37	·17	·03	—	·48	20
21	—	·12	—	—	—	—	—	·94	—	·26	—	·12	21
22	—	·04	·39	—	—	·04	—	·04	—	·07	·01	·46	22
23	—	·08	·25	—	—	1·00	·08	—	·25	—	—	·11	23
24	—	·03	·03	—	—	·15	—	·01	—	·26	—	·17	24
25	—	·18	·03	·03	—	·29	·02	·09	—	—	—	·01	25
26	—	·02	—	·14	·04	·03	—	—	—	·11	·05	·13	26
27	—	·17	·07	·05	—	—	—	—	·16	—	·01	·03	27
28	·01	·16	·02	·25	·07	—	—	·13	—	—	·08	·02	28
29	—		·01	·02	—	·19	·16	—	·27	·15	·01	—	29
30	—		—	·13	—	·01	—	·02	·02	·17	—	·01	30
31	—		—		·43		—	—		·01		—	31
Total	·97	1·21	1·92	1·07	1·23	2·12	·28	1·90	1·24	1·77	2·62	3·43	TOTAL for year 19·76
No. of Rain Days	14	14	17	11	8	12	5	12	8	19	19	25	164

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Shefford Council School

in the County of Bedfordshire 3

by George F. Alldritt

RAIN GAUGE
Pattern H
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 134 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Shefford
Distance ¼ m. Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·23	—	—	·01	·06	—	—	—	—	1
2	·04	—	—	·06	·06	—	—	·04	—	—	·08	·06	2
3	·01	·02	—	—	·12	—	—	·03	—	—	·03	—	3
4	·04	—	·16	·11	—	—	—	—	—	·03	·10	·25	4
5	·01	·05	—	—	—	—	—	·09	—	·03	—	·07	5
6	·16	—	—	·02	—	—	—	—	—	—	·01	·23	6
7	·01	—	—	—	—	—	—	—	—	·16	·28	·06	7
8	·13	—	·11	—	—	—	—	—	—	·03	·07	·13	8
9	·14	—	—	·03	—	—	—	—	—	—	—	·02	9
10	·01	·08	·05	—	—	—	—	—	—	—	·06	·23	10
11	·28	—	—	—	·04	·02	—	—	—	—	·50	·01	11
12	·10	—	·41	—	—	—	—	·08	·09	·13	·22	—	12
13	—	—	·06	—	·13	—	—	—	·23	·18	—	·33	13
14	—	—	·04	—	·34	—	—	—	—	·01	—	·28	14
15	—	·03	·20	—	—	—	—	—	—	·03	·09	—	15
16	—	—	·04	—	—	·13	—	—	—	·01	·32	·03	16
17	·02	—	·02	—	—	·12	—	—	—	—	·04	·12	17
18	—	·20	—	—	—	·04	—	—	—	·02	·29	·03	18
19	·01	—	—	—	—	·10	·01	—	·05	·08	·37	·04	19
20	—	·03	·03	—	—	—	—	·37	·17	·03	—	·48	20
21	—	·12	—	—	—	—	—	·94	—	·26	—	·12	21
22	—	·04	·39	—	—	·04	—	·04	—	·07	·01	·46	22
23	—	·08	·25	—	—	1·00	·08	—	·25	—	—	·11	23
24	—	·03	·03	—	—	·15	—	·01	—	·26	—	·17	24
25	—	·18	·03	·03	—	·29	·02	·09	—	—	—	·01	25
26	—	·02	—	·14	·04	·03	—	—	—	·11	·05	·13	26
27	—	·17	·07	·05	—	—	—	—	·16	—	·01	·03	27
28	·01	·16	·02	·25	·07	—	—	·13	—	—	·08	·02	28
29	—		·01	·02	—	·19	·16	—	·27	·15	·01	—	29
30	—		—	·13	—	·01	—	·02	·02	·17	—	·01	30
31	—		—		·43		—	—		·01		—	31
Total	·97	1·21	1·92	1·07	1·23	2·12	·28	1·90	1·24	1·77	2·62	3·43	TOTAL for year 19·76
No. of Rain Days	14	14	17	11	8	12	5	12	8	19	19	25	164

9,000, IX. '10.

Ex JL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
- 1 JAN 1913

Kept at Shefford Council School

in the County of Bedfordshire 3

by George F. Alldritt

RAIN GAUGE
Pattern [illegible]
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 134 ft.

Time of Observation 9 am.

Nearest Railway Station: Name Shefford (M.R.)
Distance ¼ ml Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·01	–	–	·01	·09	–	·10	·34	–	·09	1
2	–	–	·01	–	–	·17	·60	–	·08	–	–	–	2
3	·07	·01	–	–	·26	·09	·03	·16	·01	–	–	·06	3
4	·08	–	·39	–	·12	·16	–	·11	–	–	·21	–	4
5	·15	·10	·22	–	–	–	–	·09	·06	–	·08	–	5
6	·20	·02	–	–	·01	·25	·06	·36	–	–	–	·06	6
7	·01	–	–	–	·03	·76	–	·38	–	–	–	·02	7
8	·21	·18	·12	–	–	·03	–	1·06	·12	–	–	–	8
9	·02	·04	–	·06	–	·61	·02	–	–	·02	–	·21	9
10	–	·01	–	–	–	–	–	·20	·10	–	·16	·13	10
11	·09	·04	–	–	–	·01	–	·01	·03	–	–	·04	11
12	·11	·23	·07	–	·02	·17	·02	·08	–	–	·07	–	12
13	–	·03	–	–	–	·01	·02	·22	–	–	·20	·01	13
14	·04	–	–	–	·05	·02	–	·03	–	·02	·02	–	14
15	–	·02	·17	–	·32	·14	–	·01	–	–	–	·12	15
16	·33	–	·01	–	·07	·13	–	·02	–	·02	·10	–	16
17	·52	–	·15	–	–	·08	–	·05	–	–	–	·05	17
18	·03	–	·13	–	–	–	–	·18	–	·01	·03	·07	18
19	·15	·05	·15	–	–	–	·70	·46	–	–	–	–	19
20	–	–	·12	–	·18	·02	·19	·15	–	·16	–	–	20
21	·03	–	·33	–	·35	–	–	·50	–	·24	·05	–	21
22	·56	·05	·01	–	·04	–	·05	·23	–	·04	–	·02	22
23	·45	·36	·26	–	–	–	·95	·32	–	·03	·21	·15	23
24	·22	·01	–	–	–	–	·03	·23	–	–	–	·10	24
25	–	–	–	–	–	·04	–	·49	–	–	·31	·31	25
26	–	·01	–	–	–	·03	·11	·62	–	·34	·33	·25	26
27	–	–	–	–	–	·07	·13	·02	–	·22	–	·08	27
28	–	·03	–	–	–	·01	·02	·04	·06	·21	·20	·58	28
29	–	·02	·03	–	–	·04	·11	·19	·86	·24	·01	·01	29
30	·02		–	–	·15	·02	–	–	·48	·21	–	–	30
31	–		·03		·07		·20	·29		–		–	31
Total	3·29	1·21	2·21	·06	1·67	2·87	3·33	6·50	1·90	2·10	1·98	2·36	TOTAL for year 29·48
No. of Rain Days.	19	17	17	1	13	22	17	27	10	14	14	19	190

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Shefford Council School
in the County of Bedfordshire 3
by George F. Alldritt

Lat. 52° 2′ 30″ N Long. 0° 20′ W.
Time of Observation 9 a.m.
Nearest Railway Station Shefford (M.R.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·17	·05	·30	·07	–	–	–	·54	–	·06	–	1
2	·02	·14	–	–	·02	–	·07	–	·16	·03	–	–	2
3	–	·02	·14	·02	·66	–	–	–	–	–	–	·11	3
4	·13	–	·02	–	·02	–	·06	–	–	·10	·04	·33	4
5	·03	–	–	–	–	·02	·03	–	·01	·35	·01	·31	5
6	·02	·07	·09	–	·09	·22	·06	–	·04	·20	–	–	6
7	–	·10	–	–	·04	–	·07	–	–	·51	·04	–	7
8	·02	–	–	–	·11	·27	–	–	–	·11	·06	–	8
9	–	·22	·02	·02	·02	·04	–	–	·09	–	·02	·01	9
10	–	–	·03	·21	·10	–	·47	·01	–	–	·26	–	10
11	·47	–	–	·48	·03	–	–	–	–	·22	·21	–	11
12	–	–	–	–	·10	–	–	–	–	–	·30	–	12
13	–	·02	–	–	–	–	–	·02	·04	–	·35	–	13
14	·04	·02	·14	–	–	–	·23	·02	–	·21	·03	–	14
15	·16	·01	·30	·17	–	–	·17	–	·01	–	–	–	15
16	·03	–	·29	·10	–	–	–	–	·03	–	–	–	16
17	·06	·03	·05	·22	–	·23	·06	–	·02	–	–	·05	17
18	–	–	·07	·10	–	–	–	–	·32	–	–	–	18
19	·21	–	·09	–	·05	–	·15	–	·41	–	–	·08	19
20	·03	–	·11	–	–	–	–	–	·01	·19	–	–	20
21	·07	–	·13	·07	·07	–	–	–	–	·06	·20	–	21
22	·35	–	·14	·08	·01	–	·02	–	·14	–	–	–	22
23	–	–	–	–	–	·05	–	–	·04	–	·01	·05	23
24	–	–	–	·06	–	·03	–	·08	–	–	–	–	24
25	·03	–	–	·11	–	–	·01	–	·03	·01	·01	–	25
26	–	·05	·27	·04	–	–	–	–	·01	·50	·01	·15	26
27	–	–	·04	·02	–	–	–	·10	–	·01	–	–	27
28	·26	–	·22	·15	–	–	–	–	–	·03	–	·02	28
29	·05		·10	·98	·30	–	–	·09	–	·05	–	·05	29
30	·20		–	–	–	–	–	·10	–	·11	·13	–	30
31	–		–		–		–	·37		·01		–	31
Total	2·20	0·85	2·30	3·13	1·69	0·86	1·40	0·79	1·90	2·70	1·74	1·16	YEAR'S TOTAL 20·72
Rain Days.	19	11	19	17	15	7	12	8	16	17	16	10	167

W. 7,500, XI. ·12

Ex | McC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at Shefford Council School
in the County of Bedfordshire 3
by George F. Alldritt

Lat. 52° 2′ 30″ N. Long. 0° 20′ W
Time of Observation 9. am.
Nearest Railway Station Shefford (M.R.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·01	–	–	–	·12	·14	–	–	·08	–	1
2	·03	–	–	–	–	–	·02	·04	–	·03	·05	·11	2
3	–	–	·01	–	·28	–	·53	·17	–	–	·10	·01	3
4	·23	–	·01	·12	–	–	–	·30	–	–	·30	·30	4
5	·01	–	·01	·25	·01	·08	·53	·87	–	–	·01	–	5
6	–	·04	–	·01	·03	·02	·22	·01	–	–	·12	·08	6
7	–	·07	·22	·04	·25	–	·06	–	–	–	·01	·40	7
8	·08	·04	·45	·06	–	·61	·03	·06	–	–	–	·01	8
9	·25	–	·47	·03	·01	·54	–	–	·01	–	–	·67	9
10	·06	·10	–	·07	·08	–	–	·01	·15	–	–	·01	10
11	–	·06	·24	·07	·06	·50	–	–	–	–	·25	·25	11
12	–	·02	·09	–	–	–	·03	–	·50	·01	·03	·30	12
13	–	·19	{·41	–	–	–	–	–	·09	·22	·05	·15	13
14	–	·01		–	–	–	–	–	–	·84	·06	·45	14
15	·09	–	·21	–	–	–	·01	–	·04	·01	·03	·11	15
16	·01	–	·02	–	–	–	·05	–	–	–	·09	–	16
17	–	·30	·05	–	–	–	–	–	·05	–	·01	·15	17
18	–	–	·03	–	–	–	–	–	–	·01	–	·50	18
19	–	·05	·21	–	–	·02	·02	–	·03	–	·15	·02	19
20	–	·08	·32	–	–	–	·02	–	·01	·01	–	·05	20
21	–	·46	·08	–	–	·12	–	–	–	·03	·01	·10	21
22	–	·04	·05	·01	·15	·04	·05	·02	–	·31	–	–	22
23	–	–	·04	–	·06	–	–	–	–	·08	–	·01	23
24	–	·01	·04	·01	–	–	·20	–	–	·28	·13	–	24
25	·04	–	·12	–	–	–	–	·07	·01	·27	–	·07	25
26	–	–	·03	–	–	–	·01	·18	–	·02	·06	·36	26
27	·04	–	·02	–	–	–	–	–	–	·01	·01	·19	27
28	–	·04	–	–	·10	–	–	–	–	·10	·45	1·59	28
29	·01		·08	–	·01	–	–	–	–	·32	·06	·07	29
30	–		·03	–	–	–	–	–	–	·06	·25	·19	30
31	–		–		·17		·04	–		–		·01	31
Total	0·85	1·51	3·25	0·67	1·21	1·93	1·94	1·87	·89	2·61	2·31	6·10	YEAR'S TOTAL 25·14
Rain Days.	11	15	26	10	12	8	16	11	9	17	22	26	183

W.7,000, XI, 13

1271

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at the Council School, Shefford

in the County of Bedford 3

by George F. Alldritt

Lat. 52°2′30″ N Long. 0°20′ W.
Time of Observation 9 a.m.
Nearest Railway Station Shefford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	·03	·06	–	·09	–	·01	·01	·05	·03	·07	–	1
2	·10	·16	·24	·10	–	·02	–	·37	·03	·03	·01	·08	2
3	·26	·01	·01	·15	–	–	·03	·12	·10	–	·01	·15	3
4	·07	–	–	–	–	–	·32	·12	–	–	–	·52	4
5	·03	·30	–	–	–	–	·01	·01	–	·01	–	·22	5
6	·18	·01	–	·18	–	–	·79	·04	–	·04	–	·03	6
7	·04	·26	·16	–	–	–	·07	·07	–	–	·01	·13	7
8	–	·35	·02	·01	–	–	·01	·01	–	–	·01	–	8
9	–	·01	–	–	–	·08	–	–	–	–	·20	·55	9
10	·23	–	·03	–	–	–	–	·35	–	–	·04	·06	10
11	·01	–	·04	–	·04	–	–	·01	·02	–	·84	·01	11
12	·04	–	–	·36	·31	–	–	·33	–	·01	·85	·03	12
13	·01	·37	–	·01	1·37	–	–	·02	–	·01	·01	·03	13
14	–	·01	–	–	–	–	·35	·09	·07	–	–	·31	14
15	·08	·02	–	–	·03	–	·01	·45	–	–	·14	·12	15
16	–	·18	–	–	–	–	·43	·14	–	·03	–	·05	16
17	–	·17	–	–	·20	–	·29	·03	–	–	–	–	17
18	–	·08	·15	·01	–	–	–	–	–	–	·04	–	18
19	–	·01	·01	–	·01	–	·14	–	–	–	·01	–	19
20	·32	·01	–	·10	–	–	–	·01	–	–	–	·29	20
21	·15	·01	·01	–	–	–	·03	–	–	·01	–	·11	21
22	·69	–	·46	–	–	–	·49	–	·03	–	–	·11	22
23	·01	·21	·19	–	–	·10	·37	–	·08	·29	–	·20	23
24	–	–	·18	–	–	·05	·10	–	·28	·04	–	·06	24
25	·01	–	·01	·02	–	·01	·18	–	–	·01	–	·30	25
26	–	·12	–	–	–	–	·13	–	·01	–	–	·23	26
27	–	·04	–	–	–	·07	·12	–	–	·33	–	·02	27
28	–	·24	·01	–	–	–	·01	·04	·74	·05	–	–	28
29	–	✗	·01	–	–	·21	·02	·15	–	–	·09	·07	29
30	·03	✗	–	–	–	1·01	–	–	–	–	–	–	30
31	·03	✗	–	✗	–	✗	–	·04	✗	·31	✗	·14	31
Total	2·55	2·60	1·59	0·94	2·05	1·55	3·91	2·41	1·41	1·20	2·33	3·82	YEAR'S TOTAL 26·36
Rain Days.	19	21	16	9	7	8	21	20	10	14	14	24	183

W. 8,000. X. 14.

Exd. CJE

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at The Council School, Shefford
in the County of Bedford
by George F. Alldritt

Lat. 52°2'30"N Long. 0°20' W.
Time of Observation 9 a.m.
Nearest Railway Station Shefford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	·06	–	·07	–	·04	–	·02	–	·27	–	1
2	·32	–	·15	–	·23	·01	–	–	·08	·42	·02	–	2
3	–	·34	·03	–	–	·02	–	–	·09	·20	·05	–	3
4	·17	·12	·05	–	–	·25	–	–	–	·45	·25	–	4
5	·02	–	·01	·17	·05	·33	–	–	–	·05	·74	·01	5
6	–	·10	·28	·25	·02	·10	·22	–	–	·14	·29	–	6
7	·06	–	·29	–	·04	·05	·56	–	–	·15	·18	·04	7
8	–	–	·01	–	·26	·01	–	–	–	–	–	·01	8
9	·01	–	–	–	·19	·07	–	–	–	·04	–	·02	9
10	·01	·10	·19	·09	–	·28	·10	–	–	·13	–	·01	10
11	·04	·20	·06	·10	·03	·17	·01	–	–	·02	–	·04	11
12	·04	·02	·09	·02	·33	·23	·06	·05	–	·42	·09	·01	12
13	·01	·42	·20	·06	·22	·05	·21	·10	–	·01	–	–	13
14	–	·47	·02	·09	·01	–	–	·28	–	–	–	·01	14
15	–	·17	·45	·03	·01	–	·05		–	·01	–	–	15
16	–	·04	·21	·20	·01	–	·09	·06	–	·02	–	–	16
17	·06	·06	–	·16	–	–	·05	·42	·19	·23	–	–	17
18	·01	·10	·05	·07	–	–	–	·07	·15	–	·76	–	18
19	·04	·03	·23	·07	–	–	–	·10	·39	–	1·30	–	19
20	·11	–	·31	·01	–	–	–	·02	–	–	·02	·31	20
21	·01	–	·84	–	–	–	·46	–	–	–	·01	·78	21
22	–	·09	·02	–	·12	·01	–	–	–	·04	·01	·45	22
23	·01	·71	–	–	–	·05	·01	·05	–	·02	·02	·12	23
24	–	·07	·07	–	·01	·21	–	·01	–	·03	·28	·28	24
25	–	·26	·13	–	·02	–	–	·17	–	·13	·05	·01	25
26	–	·08	·04	–	–	·08	–	·01	–	·04	·03	–	26
27	·05	·15	·83	–	–	·71	–	·03	·04	·34	–	–	27
28	–	·33	·50	–	–	·20	–	–	·04	–	·01	·11	28
29	–	·08	–	–	–	·14	–	1·36	–	·21	–	·10	29
30	·01	X	–	–	·35	·06	–	·16	–	·30	–	–	30
31	–	X	–	X	·01	X	–	–	X	·20	X	·01	31
Total	1·01	3·94	5·12	1·32	1·98	3·03	1·86	2·89	1·00	3·60	4·38	2·32	YEAR'S TOTAL 32·45
Rain Days.	18	21	25	13	[illegible]	20	12	16	8	23	18	18	210

W. 8,000. X. 15.

1204

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Council School, Shefford

in the County of Bedford

by George F. Alldritt

Lat. 52° 2′ 30″ N Long. 0·20′ W.
Time of Observation 9 a.m.
Nearest Railway Station Shefford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·18	–	–	–	1·29	·05	–	·36	–	1
2	·03	–	–	·03	–	·01	–	·09	–	·02	·02	–	2
3	–	–	–	·01	–	–	–	·40	–	·31	·16	–	3
4	–	·13	·02	–	–	–	–	·06	–	·48	·01	–	4
5	·12	–	·01	·15	–	–	–	·01	·57	·07	·03	–	5
6	–	–	–	–	–	·02	–	–	·03	·08	·01	–	6
7	·18	–	·01	–	–	·47	·21	–	–	·30	–	–	7
8	·52	–	–	·06	–	–	1·21	·50	–	·19	·07	·02	8
9	·04	–	·12	·10	–	–	–	·18	–	–	·07	·08	9
10	·39	–	·16	·14	–	–	–	·03	–	·06	·02	·01	10
11	·12	–	·37	·16	–	–	–	–	–	·19	–	–	11
12	·11	·02	·01	–	·01	–	–	·48	–	·15	–	–	12
13	·16	–	·03	–	–	–	·01	·14	·02	·08	–	–	13
14	·02	–	–	·06	·04	–	–	·10	–	–	–	–	14
15	·03	–	–	–	–	–	·03	·01	–	·01	–	–	15
16	·02	·11	–	·17	·03	·47	·06	–	–	·68	–	·01	16
17	–	–	–	·16	·67	–	·28	·05	·31	·15	–	–	17
18	·05	·01	–	·12	·03	·17	·24	–	·77	–	–	–	18
19	–	·16	·06	–	·07	·05	–	·01	·24	–	·01	–	19
20	·05	·18	·09	–	1·22	–	–	–	–	–	·05	–	20
21	·01	·01	·01	·02	·02	–	–	–	–	–	·01	–	21
22	–	–	·14	–	–	–	–	·01	–	·18	–	–	22
23	–	·10	–	–	·07	–	–	·16	–	·07	–	·03	23
24	–	·02	–	–	–	·17	–	·13	–	·10	·01	–	24
25	–	·02	·07	–	–	–	–	–	–	·01	·05	–	25
26	–	·01	·05	–	–	–	–	·27	·07	–	·21	–	26
27	–	–	–	–	–	·12	–	·51	–	–	–	·31	27
28	–	·01	·06	–	–	·62	–	·08	–	·01	–	·07	28
29	–	X	·03	–	–	·56	·43	·03	–	·16	–	·21	29
30	·02	X	·03	–	–	–	·94	·17	–	–	–	–	30
31	–	X	·19	X	–	X	·38	·05	X	–	X	·01	31
Total	1·87	0·78	1·46	1·36	2·16	2·66	3·79	4·76	2·06	3·30	1·09	0·42	YEAR'S TOTAL 25·71
Rain Days.	16	12	18	13	9	10	10	23	8	20	15	9	163

3·53

W. 8,000, VIII. 16

Exd E.F.E.

15

FORM A. BRITISH RAINFALL.

4.1.19

REGISTER OF RAINFALL IN 1918

Kept at Shefford Council School

in the County of Bedfordshire

by George F. Alldritt

Lat. 52°2′30″ Long. 0°20′ W

Time of Observation 9 a.m.

Nearest Railway Station Shefford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	~~*Date.*~~
1	-	·03	·01	·04	-	-	-	-	-	-	·08	·03	1
2	-	·09	-	·14	-	-	-	·06	-	·01	·17	·10	2
3	-	·03	·03	-	·37	-	-	-	·17	-	·47	·03	3
4	-	·01	·05	-	-	-	-	·01	·96	·01	·27	-	4
5	-	·05	-	-	·10	-	-	·10		·01	-	-	5
6	·06	·03	-	·11	·01	-	-	·01	-	-	-	-	6
7	·04	·12	-	·11	·01	-	-	-	·02	·10	·16	·01	7
8	-	-	-	-	-	-	-	-	·25	·05		-	8
9	·02	·05	-	-	-	·04	·13	-	·42	·07	-	·01	9
10	·03	-	-	·01	-	·05	·30	-	·03	·03	-	·09	10
11	-	-	-	-	·07	-	·06	-	·03	·52	·05	·04	11
12	-	·12	-	-	·11	-	·18	-	·02	-	-	-	12
13	-	·02	-	-	·11	-	·10	-	·09	-	-	·16	13
14	·13	-	-	·01	-	·15	·04	-	·37	·14	-	·08	14
15	1·00	-	-	·85	-	-	·22	-	-	-	-	·02	15
16	·15	-	-	·13	-	-	-	-	·69	-	-	-	16
17	·10	-	-	·07	·80	-	·32	-	·01	-	-	·11	17
18	·04	-	-	-	-	·09	·23	-	·19	-	-	·35	18
19	-	·03	·04	·07	-	-	·18 ~~·23~~	-	·01	·05	-	·23	19
20	-	·03	-	·30	-	·03	·01 ~~·11~~	-	·11	·14	·03	-	20
21	·02	-	-	·01	-	·02	~~[illegible]~~ -	-	·54	·06	-	-	21
22	·05	-	-	-	·15	-	·07	-	·15	-	-	·25	22
23	-	-	-	-	·32	-	·37	·05	·13	-	·02	·03	23
24	-	·13	-	-	-	·02	·04	-	·04	-	·09	-	24
25	-	-	-	-	-	·12	·07	·20	-	·01	·05	-	25
26	-	·02	-	-	-	-	·14	·07	-	·01	·09	·01	26
27	-	-	-	·05	-	-	·07	·17	·06	-	·12	·02	27
28	-	·07	·08	-	-	-	-	·02	-	-	·28	·07	28
29	·02	X	-	-	-	-	-	-	1·17	-	-	-	29
30	-	X	·14	-	-	-	-	-	·03	-	·07	·05	30
31	-	X	·01	X	-	X	-	-	X	·05	X	·03	31
Total	1·66	0·83	·36	1·90	2·05	0·52	2·53	0·69	5·49	1·26	1·95	1·72	YEAR'S TOTAL 20·96
Rain Days.	12	15	7	13	10	8	17	9	23	15	15	20	164

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Rox. 1856

Kept at Shefford Council School
in the County of Bedford
by George F. Alldritt

Lat. 52° 2' 30" N. Long. 0° 20' W.
Time of Observation 9 a.m.
Nearest Railway Station Shefford (Mid. Ry.)
Diameter of Funnel of Rain Gauge 5 inches in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	-	~~·03~~	-										
1	}·40	·03	~~·22~~	-	·04	·27	·26	-	-	·02	·03	1·01	1
2		-	·02	-	·04	-	·05	·01	·18	·02	·25	·49	2
3	·49	-	·28	-	-	-	·02	-	·01	-	·12	·16	3
4	·07	-	·26	-	-	·06	·21	·05	·02	-	-	·08	4
5	·06	·34	·38	-	-	-	·40	·04	·94	-	-	·16	5
6	-	-	·05	-	·25	-	-	-	-	·02	·05	·18	6
7	·02	-	·25	-	-	-	·01	-	-	-	·10	·01	7
8	·02	-	{·08	·11	-	-	-	-	-	-	·02	-	8
9	-	-		·05	-	-	-	-	-	-	·03	-	9
10	-	-	·25	·04	-	-	-	-	-	·01	·02	·07	10
11	·06	-	·06	·08	·02	-	·55	-	-	-	-	·01	11
12	-	-	·22	-	-	·11	·07	-	-	·10	·11	-	12
13	·05	-	-	·15	-	-	-	-	·02	·02	-	-	13
14	·19	-	-	·10	-	-	·02	-	·07	·01	-	·01	14
15	·17	-	·08	·10	-	-	-	-	-	·01	·07	·13	15
16	·01	·58	-	·04	-	-	-	-	-	-	·13	·02	16
17	-	·53	-	-	-	-	-	-	-	-	·14	·02	17
18	-	·07	·05	-	-	-	·01	·18	-	-	·02	·05	18
19	·01	·08	·41	-	-	·29	·12	·26	-	·01	·03	·03	19
20	·25	·02	·02	-	-	·44	·56	·32	-	-	·03	·03	20
21	·27	·19	-	-	-	-	·62	-	-	·01	·02	·05	21
22	-	·14	·01	-	-	-	·03	-	·13	-	·01	·34	22
23	-	-	-	-	-	·06	·05	·02	·02	·04	·01	·04	23
24	-	-	-	·21	-	-	·05	-	-	·09	-	·01	24
25	·06	-	-	-	·04	·01	-	·28	-	-	-	·01	25
26	·16	·15	·05	·03	-	-	·13	·11	·04	-	-	·24	26
27	1·18	·10	·01	·71	-	-	-	·44	-	·01	·08	·05	27
28	-	-	·01	·04	-	-	·04	·48	·02	·01	·16	·20	28
29	·03	✕	-	·02	-	·02	·03	·27	-	·26	-	·06	29
30	-	✕	·04	·27	-	·20	-	·08	-	·03	·22	·21	30
31	-	✕	·01	✕	-	✕	·01	-	✕	·01	✕	-	31
Total	3·50	2·23	2·54	1·95	0·39	1·46	3·24	2·54	1·45	0·68	1·65	3·67	YEAR'S TOTAL 25·30
Rain Days.	19	11	21	14	5	9	20	13	10	17	21	26	186

W, 6,500, VII. 18. w w c

1077

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Shefford Council School

in the County of Bedford

by George F. Alldritt

Lat. 52°2'30"N Long. 0°20' W.

Time of Observation 9 a.m.

Nearest Railway Station Shefford (Midland Ry)

Diameter of Funnel of Rain Gauge 5 inches in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·61	·19	–	·14	·09	·02	·38	·02	·11	1
2	–	–	·03	·08	–	–	·09	·12	·07	·10	–	·06	2
3	–	·05	–	·10	–	–	·44	–	·07	·01	–	–	3
4	–	–	·16	·10	–	·01	·11	·24	·02	·04	–	·02	4
5	–	–	·07	–	·06	–	·58	·03	·03	–	–	·08	5
6	–	·01	·06	–	–	–	·60	–	–	–	–	·01	6
7	·01	–	·15	·10	·09	–	·14	–	–	–	–	·04	7
8	·21	·02	–	·46	–	–	·06	–	–	–	–	·01	8
9	·31	–	–	·14	–	–	–	·03	–	–	–	–	9
10	} ·50	·01	·05	–	–	·01	·05	–	–	–	–	–	10
11		–	·02	·29	·06	·03	·05	–	–	·01	–	–	11
12	·03	–	·03	·06	–	·15	·04	–	–	–	·03	·03	12
13	–	–	·07	·12	–	·02	–	–	–	–	–	·06	13
14	·01	–	·22	·21	–	·07	–	–	·14	·12	·20	·01	14
15	–	·03	·26	·05	–	–	–	–	·01	·05	·09	·01	15
16	–	–	–	·01	–	–	–	–	·10	·04	·01	·01	16
17	·01	–	·02	·02	·10	·16	·04	–	·27	–	–	·01	17
18	·10	–	–	–	·10	–	–	·27	·14	–	–	·04	18
19	·09	–	–	·20	–	·02	–	·16	–	–	–	–	19
20	·06	·19	–	·24	–	·57	–	–	·01	–	–	·01	20
21	–	–	–	–	–	–	·08	·10	·20	–	·01	·04	21
22	–	·01	–	·13	–	–	–	·03	·32	–	·01	·17	22
23	–	·01	–	–	–	–	·42	–	·01	–	–	·29	23
24	·05	–	·15	–	–	–	–	–	–	·02	–	·01	24
25	–	·03	·02	·01	–	–	·24	–	–	·01	–	–	25
26	·12	–	·03	·04	·15	·07	·04	–	–	·01	–	·01	26
27	·11	–	–	·15	–	·28	·13	–	–	·01	·58	·05	27
28	·41	–	·07	–	·29	–	·02	–	–	·01	·02	–	28
29	·04	–	·11	–	·35	–	·09	–	–	–	·04	·35	29
30	·03	×	·23	–	–	·07	·10	–	·44	–	·03	·18	30
31	–	×	–	×	·03	×	–	–	×	·27	×	·03	31
TOTAL	2·09	0·36	1·75	3·12	1·42	1·46	3·46	1·07	1·85	1·08	1·04	1·64	YEAR'S TOTAL 20·34
Days with ·01 in. or more	17	9	18	20	10	12	20	9	15	14	11	24	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

12 2 12 17 9 7 19 6 9 7 4 12 14.6

BEDFORD.

SHILLINGTON

1911 – 1920

REGIS

FORM A2. '11

BRITISH RAINFALL.

5 - JAN 1912

Kept at Shilling
mary
5 in. 1ft
Ground ~~10~~ ft. – in.
in the County of Bedf
Sea Level 182 ft.
A.M
by Kilham Ro
Name Henlow
Distance 3 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·22	·	·	·015	·10	·	·	·01	·	1
2	·045	·	·	·175	·08	·	·	·03	·		·105	·08	2
3	·	·04	·	·	·15	·	·	·	·		·	·025	3
4	·055	·02	·13	·10	·	·	·	·	·		·145	·32	4
5	·01	·	·	·035	·	·	·	·155	·	·07	·	·09	5
6	·21	·	·04	·	·	·	·	·	·	·035	·025	·41	6
7	·01	·	·	·	·	·	·	·	·	·185	·	·24	7
8	·13	·	·125	·	·	·	·	·	·	·03	·35	·14	8
9	·165	·	·	·03	·	·	·	·	·	·	·015	·01	9
10	·	·125	·06	·	·	·	·	·	·	·	·	·30	10
11	·31	·	·	·	·03	·	·	·	·	·	·435	·	11
12	·06	·	·42	·	·	·	·	·	·05	·185	·315	·015	12
13	·	·	·07	·	·17	·	·	·	·24	·07	·	·43	13
14	·	·01	·045	·	·33	·	·	·	·	·	·	·33	14
15	·	·035	·20	·	·	·	·	·	·	·04	·11	·02	15
16	·	·	·	·	·	·165	·	·	·	·01	·275	·025	16
17	·	·	·03	·	·	·10	·	·	·	·	·06	·125	17
18	·	·32	·	·	·	·13	·	·	·	·	·30	·035	18
19	·	·	·	·	·	·24	·	·	·07	·065	·33	·08	19
20	·015	·045	·03	·	·	·015	·	·43	·17	·01	·	·52	20
21	·	·	·	·	·	·	·	1·325	·	·325	·	·17	21
22	·	·13	·29	·	·	·035	·	·	·	·045	·	·54	22
23	·	·14	·305	·	·	·925	·	·	·17	·	·	·12	23
24	·	·045	·03	·	·	·14	·02	·	·	·395	·	·17	24
25	·02	·15	·035	·05	·135	·26	·01	·155	·	·	·015	·015	25
26	·	·02	·	·12	·02	·065	·01	·	·	·145	·03	·10	26
27	·	·17	·08	·04	·	·	·06	·02	·18	·	·	·03	27
28	·	·15	·	·	·	·	·	·105	·	·	·07	·03	28
29	·		·	·	·	·175	·12	·	·19	·165	·	·	29
30	·		·03	·06	·	·	·	·	·	·105	·	·015	30
31	·		·		·38		·	·		·01		·	31
Total	1·030	1·400	1·920	·830	1·295	2·250	·235 ·235	2·320	1·07	1·890	2·610	4·425 4·425	TOTAL for year 21·275
No. of Rain Days.	11	14	16	9	8	11	6	8	7	17	16	27	21·275

W. 8,000, X. '11.

150

FORM A2.11
BRITISH RAINFALL.
5 - JAN 1912

REGIS

W

Kept at Shillington
in the County of Bedford 3
by Kilham Robert

RAIN GAUGE
Pattern Ordinary
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 182 ft.

Time of Observation 9. A.M
Nearest Railway Station Name Henlow
Distance 3 miles Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·	·22	·	·	·015	·10	·	·	·01	·	1
2	·045	·	·	·175	·08	·	·	·03	·		·105	·08	2
3	·	·04	·	·	·15	·	·	·	·		·	·025	3
4	·055	·02	·13	·10	·	·	·	·	·		·145	·32	4
5	·01	·	·	·035	·	·	·	·155	·	·07	·	·09	5
6	·21	·	·04	·	·	·	·	·	·	·035	·025	·41	6
7	·01	·	·	·	·	·	·	·	·	·185	·	·24	7
8	·13	·	·125	·	·	·	·	·	·	·03	·35	·16	8
9	·165	·	·	·03	·	·	·	·	·	·	·015	·01	9
10	·	·125	·06	·	·	·	·	·	·	·	·	·30	10
11	·31	·	·	·	·03	·	·	·	·	·	·435	·	11
12	·06	·	·42	·	·	·	·	·	·05	·185	·315	·015	12
13	·	·	·07	·	·17	·	·	·	·24	·07	·	·43	13
14	·	·01	·045	·	·33	·	·	·	·	·	·	·33	14
15	·	·035	·20	·	·	·	·	·	·	·04	·11	·02	15
16	·	·	·	·	·	·165	·	·	·	·01	·275	·025	16
17	·	·	·03	·	·	·10	·	·	·	·	·06	·125	17
18	·	·32	·	·	·	·13	·	·	·	·	·30	·035	18
19	·	·	·	·	·	·24	·	·	·07	·065	·33	·08	19
20	·015	·045	·03	·	·	·015	·	·43	·17	·01	·	·52	20
21	·	·	·	·	·	·	·	1·325	·	·325	·	·17	21
22	·	·13	·29	·	·	·035	·	·	·	·045	·	·54	22
23	·	·14	·305	·	·	·925	·	·	·17	·	·	·12	23
24	·	·045	·03	·	·	·14	·02	·	·	·395	·	·17	24
25	·02	·15	·035	·05	·135	·26	·01	·155	·	·	·015	·015	25
26	·	·02	·	·12	·02	·065	·01	·	·	·145	·05	·10	26
27	·	·17	·08	·04	·	·	·06	·02	·18	·	·	·05	27
28	·	·15	·	·	·	·	·	·105	·	·	·07	·03	28
29	·		·	·	·	·175	·12	·	·19	·165	·	·	29
30	·		·03	·06	·	·	·	·	·	·105	·	·015	30
31	·		·		·38		·	·		·01		·	31
Total	1·030	1·400	1·920	·830	1·295	2·250	·235 ·235	2·320	1·07	1·890	2·610	4·425 4·425	TOTAL for year 21·275
No. of Rain Days.	11	14	16	9	8	11	6	8	7	17	16	27	21·275

W. 8,000, X. '11.

150

FORM A.
BRITISH RAINFALL.

11 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Shillington
in the County of Bedford 3
by Kilham Roberts

Lat. 51-57-40 Long. 0-20-0
Time of Observation 9 A.M.
Nearest Railway Station Henlow 3 m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.025	.045	.	.	.05	.02	.	.085	.365	.	.175	1
2	.	.02	.04	.025	.	.21	.72	.	.02	.	.	.	2
3	.08	.	.02	.	.35	.15	.01	.175	.02	.	.015	.04	3
4	.10	.	.485	.	.15	.20	.	.12	.	.	.23	.	4
5	.09	.085	.22	.	.	.01	.	.11	.025	.	.09	.	5
6	.24	.045	.	.	.02	.21	.	.305	.	.	.	.	6
7	.	.	.	.	.02	.89	.05	.285	.	.	.	.03	7
8	.295	.235	.15	.	.	.	.02	.30	.	.	.	.	8
9	.05	.085	.	.	.	.475	.	.015	.	.	.	.20	9
10	.	.03	.	.	.	.	.	.605	.135	.	.15	.05	10
11	.14	.07	.	.	.	.	.	.	.045	.	.01	.13	11
12	.09	.15	.095	.	.05	.14	.	.075	.	.	.09	.	12
13	.	.05	.	.	.	.025	.	.09	.	.075	.19	.	13
14	.035	.	.	.	.065	.025	.	.03	.	.	.02	.	14
15	.01	.	.16	.	.40	.145	.	.	.	.	.	.135	15
16	.205	.	.	.	.10	.14	.	.05	.	.035	.10	.	16
17	.56	.	.19	.	.	.08	.	.05	.	.	.	.08	17
18	.04	.	.165	.	.	.	.	.23	.	.01	.03	.09	18
19	.175	.105	.18	.	.	.	.25	.60	.	.	.01	.	19
20	.02	.	.13	.	.015	.	.05	.14	.	.235	.	.	20
21	.	.02	.535	.	.30	.	.	.36	.	.26	.045	.01	21
22	.66	.185	.065	.	.075	.	.	.16	.	.035	.	.03	22
23	.525	.30	.205	.	.	.	1.25	.385	.	.025	.30	.06	23
24	.19	.	.	.	.	.	.10	.17	.015	.	.	.19	24
25	.	.	.	.	.	.075	.	.49	.	.	.26	.35	25
26	.	.01	.	.	.	.	.15	.52	.	.43	.28	.20	26
27	.	.	.	.	.	.13	.	.015	.	.18	.	.135	27
28	.	.04	.	.	.	.	.03	.06	.05	.265	.28	.50	28
29	.	.015	.	.02	.	.28	.13	.27	1.04	.23	.	.02	29
30	.025		.	.	.135	.16	.	.075	.495	.165	.	.	30
31	.		.04		.05		.18	.20		.		.	31
Total	3.530	1.470	2.725	.045	1.730	3.395	2.96	5.885	1.930	2.300	2.030	2.425	YEAR'S TOTAL 30.425
Rain Days.	19	17	16	2	13	18	13	27	10	13	16	18	182

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3-JAN 1914

Kept at Shillington
in the County of Bedford 3
by Kilham Robert

Lat. 51-57-20 Long. 0-20-0
Time of Observation 9-A-M
Nearest Railway Station Henlow.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·16	·10	·16	·10	—	—	—	·45	—	·05	·01	1
2	·01	·17	—	—	—	—	·115	—	·16	·16	—	—	2
3	·02	—	·07	·045	·70	—	—	—	—	—	—	·03	3
4	·15	—	—	—	·05	—	—	—	—	·14	·025	·19	4
5	—	—	—	—	—	—	·11	—	—	—	—	·03	5
6	—	·04	·12	—	·095	·30	·095	—	·04	·255	—	·01	6
7	—	·08	—	—	·05	—	·155	—	—	·42	·05	—	7
8	—	—	—	—	·16	·035	—	—	—	·10	·08	—	8
9	—	·205	—	·03	·02	·08	—	—	·15	—	·015	·08	9
10	—	—	·03	·21	·04	—	·19	—	—	—	·205	—	10
11	·57	—	—	·40	·02	—	—	—	—	·235	·28	—	11
12	—	—	—	—	·105	—	—	·03	—	—	·30	—	12
13	—	—	—	—	—	—	—	·05	·04	—	·31	—	13
14	·13	·02	·12	—	—	—	·22	·05	—	·16	·02	—	14
15	·16	·02	·29	·10	—	—	·18	—	—	—	—	—	15
16	—	—	·285	·16	—	—	—	—	·04	—	—	—	16
17	·045	·04	·06	·12	—	·32	·04	—	—	—	—	·07	17
18	—	—	·05	·16	—	—	·05	—	·51	—	—	—	18
19	·33	—	·17	·13	—	—	·10	—	·47	—	—	—	19
20	·13	—	·12	—	—	·04	—	—	—	·265	—	·04	20
21	—	—	·17	·16	—	—	—	—	—	·085	·185	—	21
22	·38	—	—	·19	·07	—	·01	·06	·16	—	—	—	22
23	—	—	—	—	—	·06	—	—	·025	—	—	·05	23
24	—	—	—	·03	—	—	—	·03	—	—	—	—	24
25	·035	·04	—	·115	—	—	—	—	—	—	—	—	25
26	—	·03	·255	·085	—	—	—	·17	—	·50	—	·12	26
27	—	—	·045	·03	—	—	—	—	—	·02	·025	—	27
28	·28	—	·28	·105	—	—	—	—	—	·05	—	·07	28
29	·07		·12	·525	·24	—	—	·11	—	·05	—	·055	29
30	·20		—	—	—	—	—	·14	—	·06	·12	·01	30
31	—		—		—		—	·40		·06		—	31
Total	2·550	·805	2·285	2·755	1·650	·835	1·265	1·04	2·025	2·580	1·665	·785	YEAR'S TOTAL 20·240
Rain Days.	15	10	16	18	12	6	11	9	10	15	13	13	148

W.7,000, XI. 13

H LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Shillington

in the County of Bedford 3

by Kilham Roberts

Lat. 51-57-40 Long. 0-20-0

Time of Observation 9 A.M

Nearest Railway Station Henlow 3 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·		·	·25	·18	·	·	·075	·01	1
2	·	·	·	·035	·18	·	·03	·09	·	·03	·075	·09	2
3	·	·	·03	·	·02	·	·40	·14	·	·	·09	·01	3
4	·26	·	·	·15		·	·	·13	·	·	·345	·295	4
5	·	·	·045	·		·14	·75	·32	·	·	·	·	5
6	·	·04	·	·		·05	·33	·035	·	·	·20	·09	6
7	·	·105	·25	·10	·30	·	·10	·02	·	·	·	·30	7
8	·095	·06	·485	·07	·035	·52	·02	·06	·025	·	·	·	8
9	·235		·49	·07		·50	·	·	·14	·	·	·70	9
10	·085	·13	·02	·065	·025	·	·	·	·01	·	·	·02	10
11	·	·07	·32	·03	·11	·445	·	·	·	·	·26	·25	11
12	·	·02	·09	·		·015	·05	·	·44	·	·05	·38	12
13	·	·225	·18	·		·	·	·	·10	·38	·	·16	13
14	·	·01	·255	·		·	·01	·	·	·47	·155	·50	14
15	·14		·175	·		·	·	·	·02	·	·095	·095	15
16	·		·055	·		·	·	·	·	·	·	·	16
17	·	·345	·085	·		·	·	·	·035	·01	·	·18	17
18	·		·04	·		·	·	·	·	·	·	·46	18
19	·	·05	·26	·		·14	·01	·	·	·	·23	·045	19
20	·	·12	·29	·		·	·02	·	·065	·	·	·04	20
21	·	·485	·105	·		·105	·	·	·	·065	·025	·125	21
22	·	·035	·035	·015	·20	·075	·06	·05	·	·38	·	·	22
23	·	·	·05	·	·07	·	·	·	·	·105	·	·	23
24	·	·	·065	·		·	·08	·	·	·06	·125	·	24
25	·	·	·175	·		·	·	·08	·	·40	·	·095	25
26	·	·	·05	·		·	·	·035	·	·035	·075	·385	26
27	·	·	·01	·		·	·	·	·	·025	·	·185	27
28	·	·06	·	·	·10	·	·	·	·	·065	·395	1·79	28
29	·11		·105	·	·02	·	·	·	·	·36	·065	·	29
30	·	X	·06	·		·	·	·	·	·05	·35	·285	30
31	·	X	·	X	·105	X	·06	·	X	·	X	·025	31
Total	·925	1·755	3·725	·535	1·165	1·930	2·17	1·170	·835	2·415	2·61	6·515	YEAR'S TOTAL 25·750
Rain Days.	6	14	25	8	11	9	14	11	8	14	16	24	100

corr. by sum. stats for accts } 1.3.16 ~~W~~ 78.

1263

FORM A. BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Shillington

in the County of Bedford 3

by Kilham Robert

Lat. 51-57-40 Long. 0-20-0
Time of Observation 9 A.M.
Nearest Railway Station Henlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 182 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·07	·06		·10	·	·05	·	·04	·05	·07	·19	1
2	·10	·125	·16	·14	·	·035	·	·37	·095	·05		·09	2
3	·32	·	·02	·14	·	·	·	·325	·			·13	3
4	·06	·	·	·	·	·	·05	·01	·			·38	4
5	·025	·41	·	·	·	·	·26	·015	·			·21	5
6	·175	·02	·02	·145	·	·	·	·	·	·02		·02	6
7	·05	·24	·16	·	·	·	·75	·07	·			·15	7
8	·	·395	·055	·04	·	·	·10	·01	·		·025	·1	8
9	·	·	·	·	·	·095	·11	·	·		·185	·51	9
10	·20	·	·02	·	·	·	·	·23	·			·05	10
11	·	·	·	·	·02	·	·	·	·		·835	·02	11
12	·03	·015	·03	·34	·31	·	·	·35	·	·025	·715	·63	12
13	·015	·41	·	·	1·35	·	·	·	·	~~·185~~	·	·	13
14	·	·03	·	·	·	·	·	·045	·		·	·32	14
15	·115	·	·	·	·04	·	·26	·075	·	~~·835~~	·115	·115	15
16	·01	·21	·	·	·	·	·07	·165	·	~~·715~~	·	·05	16
17	·	·19	·	·	·25	·	·40	·	·		·	·	17
18	·	·205	·15	·	·	·	·25	·	·		·06	·	18
19	·	·015	·015	·	·	·	·07	·	·		·	·	19
20	·25	·	·	·14	·03	·	·15	·015	·		·	·28	20
21	·165	·	·	·	·	·	·	·	·	·02	·	·08	21
22	·72	·	·53	·	·	·	·62	·	·10		·	·12	22
23	·	·22	·18	·	·	·025	·45	·	·07	·21	·	·21	23
24	·	·	·095	·	·	·06	·27	·	·35	·03	·	·07	24
25	·	·	·	·035	·	·	·45	·	·		·	·34	25
26	·	·16	·	·	·	·	·14	·	·		·	·19	26
27	·	·	·	·	·	·165	·10	·	·	·305	·	·03	27
28	·	·155	·	·	·	·	·20	·	·77	·08	·	·	28
29	·		·02	·	·	·	·	·195	·		·07	·06	29
30	·03	✕	·	·	·	·	·	·	·		·	·	30
31	·03	✕	·	✕	·	✕	·	·045	✕	·45	✕	·135	31
Total	2·665	2·850	1·515	·980	2·100	·380	4·330	1·920	1·425	1·240	2·075	3·780 3·780	YEAR'S TOTAL 25·260 25 260
Rain Days.	17	16	14	7	7	5	19	14	6	16 10	8	24	150 147

W. 8,000. X. 15.

W W 1244

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
16. JAN 1917

Kept at Shillington
in the County of Bedford
by Killham Roberts

Lat. 51-57-40 Long. 0-20-0
Time of Observation 9. A. M
Nearest Railway Station Henlow Stat.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	·04	—	·08	·04	—	—	—	·01	·29	—	1
2	·335	·015	·12	—	·19	—	—	—	·03	·48	·02	—	2
3	·165	·445	—	—	·02	—	—	—	·225	·25	·06	—	3
4	—	·165	·07	—	—	·155	—	—	—	·10	·27	—	4
5	·035	·01	—	·105	·05	·14	—	—	—	·05	·43	·03	5
6	·01	·055	·32	·26	—	·13	·13	—	—	·04	·33	—	6
7	·055	—	·28	—	·05	—	·315	—	—	·175	·22	·03	7
8	—	—	·015	—	·29	·07	—	—	—	—	—	·195	8
9	—	—	—	—	·17	—	—	—	—	—	—	·04	9
10	—	·09	·15	·08	—	·30	·07	—	—	—	—	·02	10
11	·06	·15	·07	·105	·04	·20	—	—	—	—	—	—	11
12	·045	·05	·14	·025	·53	·23	·09	·06	—	·18	—	—	12
13	—	·40	·125	—	·19	·08	·215	·09	—	—	—	—	13
14	—	·53	—	·15	—	—	—	·08	—	·12	—	·075	14
15	—	·22	·565	—	—	—	·04	·10	—	—	—	—	15
16	·04	—	·25	·15	·085	—	·085	·33	—	·07	—	—	16
17	·065	·16	—	·17	—	—	·05	·16	·16	·24	—	—	17
18	—	·08	·045	·12	—	—	—	·05	·20	—	·72	—	18
19	·01	·04	·205	·05	—	—	—	·05	·44	—	·67	·08	19
20	·19	—	·385	·015	—	—	—	—	—	—	·03	·34	20
21	·01	—	·795	—	—	—	·33	—	—	—	—	·71	21
22	—	·07	·03	—	·14	—	—	—	—	—	·015	·51	22
23	—	·35	—	—	—	·115	—	·05	—	·015	·03	·12	23
24	—	·075	—	—	—	·345	—	·02	—	·05	·03	·32 ·31	24
25	—	·35	·14	—	—	—	—	·16	—	·125	·10	—	25
26	—	—	—	—	—	·08	—	·10	—	·05	—	—	26
27	·08	·145	1·075	—	—	·63	—	·06	·045	·38	—	—	27
28	—	·375	·345	—	—	·20	—	—	·035	—	—	·14	28
29	—	·145	—	—	—	·15	—	1·17	—	·26	—	·09	29
30	—	X	—	—	—	·025	—	·20	—	·29	—	·01	30
31	—	X	—	X	—	X	—	·015	X	·17	X	—	31
Total	1·130	3·920	5·165	1·230	1·835	2·890	1·325	2·695	1·135	3·055	3·215	2·710	YEAR'S TOTAL 30·105
Rain Days.	14	21	20	11	12.	16	9	16	7	19	14	15	174

W. 8,000, VIII. 16

1196

REGISTER ~~OF~~ RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
JAN 1918

Kept at Shillington
in the County of Bedford
by Killham Roberts

Lat. 51-57-40 Long. 0-20-0
Time of Observation 9 A.M
Nearest Railway Station Henlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·02	–	·15	–	–	–	1·39	·04	–	·25	·015	1
2	·02	·01	–	·07	–	–	–	·11	–	–	·04	–	2
3	–	–	–	–	–	–	–	·455	–	·44	·15	–	3
4	–	·14	–	–	–	–	–	·10	–	·65	–	–	4
5	·085	–	·02	·215	–	–	–	·09	1·21	·10	·04	–	5
6	·02	–	·02	–	–	·10	–	–	·02	·05	–	–	6
7	·20	–	·01	–	–	·65	(·40) ·395	–	–	·445	–	–	7
8	·38	–	–	·07	–	–	1·65	·46	–	·20	·105	–	8
9	·02	–	·08	·17	–	–	–	·275	·02	–	·055	·16	9
10	·20	–	·13	·16	–	–	–	·05	–	–	–	–	10
11	·06	–	·44	·13	–	–	–	–	–	·295	–	–	11
12	·03	·03	–	–	·065	–	–	·28	–	·185	–	–	12
13	·18	–	–	–	–	–	–	·13	·02	·03	–	·02	13
14	·015	–	–	·14	·01	–	–	·21	–	–	–	–	14
15	·03	–	–	–	–	–	–	·05	–	·03	–	–	15
16	·02	·13	–	·19	–	1·80	–	–	–	·73	–	·05	16
17	–	–	–	·13	·83	–	·26	·05	·305	·18	–	–	17
18	·06	–	–	·145	·05	·16	·27	–	·74	–	–	–	18
19	·04	·13	–	–	·07	·065	–	–	·28	–	–	–	19
20	·03	·12	·195	–	·875	–	–	·02	–	–	·11	–	20
21	–	·02	·02	–	·02	–	–	–	–	–	·03	–	21
22	–	–	·15	–	–	–	–	·02	–	·165	–	–	22
23	–	–	–	–	·10	–	–	·13	–	·06	–	–	23
24	·01	·02	–	–	–	·15	–	·09	–	·09	–	–	24
25	–	–	·05	–	–	–	·57	–	–	–	·10	–	25
26	–	–	·03	–	–	–	–	·33	·08	–	·21	·06	26
27	–	–	–	–	–	·22	–	·53	–	–	–	–	27
28	–	·015	·07	–	–	·84	–	·06	–	·01	–	·08	28
29	–		–	–	–	·93	·47	·05	–	·21	–	·19	29
30	·02		–	–	–	–	(1·19) 1·185	·07	–	–	–	·02	30
31	·01		·185		–		·37	·055		–		·05	30·475 31
Total	1·43	·635	1·40	1·57	2·02	4·915	5·18	5·005	~~2·675~~ 2·715	3·87	1·09	·645	YEAR'S TOTAL 30·435
Rain Days.	19	10	13	11	8	9	8	23	9	17	10	9	146

W. 8,000, IX. 17.

~~7·08~~
5·09

W.C.72 8

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Shillington

in the County of Bedford

by Dr Killer Roberts

Lat. 51-57-40 Long. 0-20-0.

Time of Observation 9. A. M

Nearest Railway Station Henlow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·03	·	·07	·	·	·	·	·02	·	·08	·045	1
2	·	·09	·	·12	·	·	·	·06	·	·075	·105	·10	2
3	·	·04	·055	·	·54	·	·	·	·115	·	·52	·025	3
4	·	·015	·05	·	·	·	·	·02	·65	·	·18	·	4
5	·	·	·	·	·22	·	·	·	·195	·04	·	·	5
6	·09	·09	·	·16	·02	·	·	·095	·	·	·	·	6
7	·05	·10	·	·10	·08	·	·	·	·	·03	·12	·	7
8	·	·	·	·	·	·	·07	·	·30	·10	·	·02	8
9	·	·05	·	·025	·	·03	·23	·	·44	·085	·	·04	9
10	·09	·	·	·035	·	·	·54	·	·085	·02	·	·095	10
11	·	·	·	·035	·035	·	·08	·	·045	·56	·08	·	11
12	·	·08	·	·	·35	·	·11	·	·09	·	·	·035	12
13	·	·01	·	·	·245	·	·04	·	·07	·	·	·	13
14	·04	·	·	·	·	·19	·07	·	·405	·095	·	·26	14
15	1·44	·	·	1·36	·	·	·	·	·	·	·	·08	15
16	·17	·	·	·67	·	·015	·	·	·69	·02	·	·	16
17	·12	·	·	·17	·475	·	·35	·	·075	·	·	·11	17
18	·40	·	·	·	·	·115	·36	·	·19	·07	·	·36	18
19	·015	·03	·05	·18	·	·04	·13	·	·075	·065	·	·15	19
20	·015	·055	·	·415	·	·03	·015	·	·10	·17	·	·04	20
21	·05	·	·	·18	·	·035	·	·	·	·055	·	·01	21
22	·04	·	·	·	·255	·	·06	·	·07	·	·04	·175	22
23	·02	·	·	·	·545	·015	·35	·	·03	·	·03	·035	23
24	·	·16	·	·	·03	·	·	·	·03	·	·12	·	24
25	·	·	·	·	·	·11	·22	·34	·	·	·07	·	25
26	·	·	·	·	·	·	·32	·08	·	·05	·10	·12	26
27	·	·015	·	·18	·	·	·07	·25	·04	·	·06	·02	27
28	·	·075	·	·03	·	·	·	·	·	·	·325	·085	28
29	·		·	·	·	·	·	·	1·49	·	·01	·	29
30	·	X	·27	·	·	·	·	·	·045	·02	·04	·085	30
31	·	X	·045	X	·	X	·	·	X	·05	X	·	31
Total	2·540	·840	·470	~~3·70~~ 3·53	2·815	·580	2·955	·845	~~5·040~~ 5·20	1·405	1·880	1·890	YEAR'S TOTAL 24·950 ~~25·010~~
Rain Days.	13	14	5	15	11	9	16	6	22	16	15	20	162

W, 6,500, VII. 15. W W C

W. 1706 coord for [illegible] 1128

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

19 JAN 20

Kept at Shillington
in the County of Bedford
by Killan Rothers

Lat. 51-57-40 Long 0 20 0
Time of Observation 9 A.M.
Nearest Railway Station Henlow
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·	·	·	·07	·04	·10	·	·	·025	·03	1·24	1
2	·13	·	·	·	·	·	·025	·	·18	·	·33	·375	2
3	·54	·	·12	·	·	·	·07	·	·05	·	·12	·195	3
4	·08	·	·30	·	·	·04	·095 ·345	·085	·02	·	·	·445	4
5	·	·335	·43	·	·	·	·345	·04	·87	·	·01	·49	5
6	·06	·	·03	·	·305	·	·	·	·	·	·07	·075	6
7	·055	·	·32	·	·015	·	·	·	·	·	·12	·	7
8	·09	·	·07	·24	·	·	·	·	·	·	·025	·	8
9	·	·	·	·03	·	·	·	·	·	·	·04	·	9
10	·	·	·36	·07	·	·	·	·	·	·	·04	·12	10
11	·045	·	·105	·08	·10	·	·55	·	·	·	·	·025	11
12	·	·	·22	·055	·	·13	·15	·	·	·15	·12	·	12
13	·04	·	·	·25	·	·	·	·	·	·05	·	·01	13
14	·21	·	·	·18	·	·	·045	·015	·13		·	·	14
15	·29	·03	·16	·115	·	·	·	·	·		·04	·18	15
16	·045	·64	·	·04	·	·	·	·	·		·12	·	16
17	·	·535	·	·	·	·	·	·	·		·15	·	17
18	·	·	·065	·	·	·	·	·19	·04		·04	·115	18
19	·03	·20	·495	·	·	·24	·19	·24	·14		·03	·025	19
20	·19	·	·07	·	·	·045	·38	·	·		·	·035	20
21	·27	·305	·025	·	·	·	·54	·	·		·025	·08	21
22	·	·175	·04	·	·	·	·13	·	·07		·01	·25	22
23	·	·	·	·	·	·07	·	·	·	·04	·	·035	23
24	·	·	·	·245	·	·	·045	·	·	·13	·	·	24
25	·02	·	·	·035	·	·	·	·225	·	·01	·	·035	25
26	·22	·20	·09	·	·	·	·015	·	·08	·	·	·35	26
27	1·34	·08	·05	1·35	·	·	·	·	·	·	·03	·175	27
28	·	·	·	·06	·	·	·05	·49	·01	·035	·145	·195	28
29	·		·045	·04	·	·	·01	·24	·	·14	·045	·	29
30	·06		·	·29	·	·25	·	·11	·	·145	·215	·325	30
31	·015		·		·		·	·		·02		·02	31
TOTAL	4·090	2·530	2995 ~~2·575~~	3·090	·49	1·455	2·740 ~~[illegible]~~	1·875	1·61	765 ~~·815~~	1·815	4·115	YEAR'S TOTAL 27·59 ~~27·270~~
Days with ·01 in. or more	20	9	18	15	4	7	~~11~~ 16	9	10	10	21	22	~~154~~ 161

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1069

JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Shillington
in the County of Bedford
by Kilham Robert

Lat. 51-57-40 Long. 0-20-0
Time of Observation
Nearest Railway Station Henlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 182 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·405	·18	·	·13	·08	·045	·295	·02	·15	1
2	·	·	·	·09	·	·	·01	·13	·045	·10	·	·07	2
3	·	·	·	·105	·	·	·38	·19	·	·05	·	·02	3
4	·	·045	·085	·12	·	·	·04	·	·055	·14	·	·04	4
5	·	·	·04	·015	·085	·	·47	·025	·	·01	·	·05	5
6	·	·	·13	·	·135	·	·45	·	·	·	·	·	6
7	·	·	·14	·045	·01	·	·13	·	·	·	·	·045	7
8	·20	·	·	·39	·01	·	·02	·	·	·	·	·	8
9	·27	·025	·	·27	·	·	·	·	·	·	·	·	9
10	·185	·04	·	·	·	·04	·07	·	·	·	·	·	10
11	·32	·	·04	·33	·075	·015	·03	·	·	·	·	·03	11
12	·	·	·04	·08	·	·33	·01	·	·	·	·015	·01	12
13	·01	·	·11	·18	·	·	·	·	·	·	·	·02	13
14	·	·	·31	·25	·	·31	·01	·	·095	·145	·205	·	14
15	·	·	·	·06	·	·	·	·	·055	·02	·09	·04	15
16	·	·	·02	·03	·015	·	·	·	·115	·05	·	·	16
17	·01	·	·	·03	·10	·	·03	·	·46	·01	·	·	17
18	·125	·	·	·	·125	·	·	·37	·04	·	·	·06	18
19	·095	·	·	·275	·	·035	·	·14	·	·	·	·	19
20	·07	·25	·	·29	·	·415	·	·	·	·	·	·	20
21	·	·	·	·	·	·	·145	·09	·38	·	·	·035	21
22	·	·	·	·19	·	·	·	·	·55	·	·	·155	22
23	·	·	·	·	·	·	·44	·	·	·	·	·285	23
24	·04	·	·17	·	·	·	·	·	·	·	·	·	24
25	·	·035	·	·015	·	·	·22	·	·	·	·	·	25
26	·10	·	·	·02	·125	·	·05	·	·	·	·	·03	26
27	·25	·	·05	·23	·	·29	·10	·	·	·	·60	·045	27
28	·425	·	·10	·	·35	·01	·10	·	·	·	·02	·015	28
29	·05	·	·13	·	·355	·	·05	·	·	·	·04	·245	29
30	·03	✕	·	·	·	·07	·08	·	·54	·	·125	·175	30
31	·02	✕	·	✕	·03	✕	·	·	✕	·30	✕	·075	31
Total	2·200	·395	1·385	3·640	1·595	1·535	3·405	1·025	2·440	1·120	1·135	1·655	Year's Total [illegible]
Days with ·01 in. or more	16	5	13	21	13	9	21	7	11	10	8	20	134
Days with ·04 in. or more	12	3	12	16	9	7	16	6	11	7	5	13	117

Total for year 21·530

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

STONDON
MANOR

BEDFORDSHIRE

1911 - 1920

REGIS

Kept at Upper Sto

in the County of Be

by Robert Long

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

1 ft. in.

vel 241 ft.

Henlow Mid

ce 1 mile Direction E

IMPORTANT NOTE.—Ra … esult entered to the previous day. If an Observer … rule, he is earnestly requested to add the reading at … the space provided for it at the end of this parag … of rain, the selection and placing of … Rainfall Organization are given in "*Rule* … ation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·10									1
2		·05		·24	·05			·05			·11	·07	2
3					·10					·07			3
4			·14	·12							·11	·25	4
5								·16				·15	5
6	·25		·13									·47	6
7										·17	·35	·11	7
8	·15										·05	·11	8
9	·15			·03							·02		9
10		·10									·06	·33	10
11	·30				·05	·02			·02		·47		11
12	·10		·42							·15	·35		12
13			·06						·30	·07		·38	13
14			·07		·40							·33	14
15			·15		·16						·05	·02	15
16			·05			·12					·31	·03	16
17						·18					·10	·09	17
18		·24									·26	·06	18
19						·40			·03	·07	·29	·09	19
20								·47	·18			·50	20
21		·13	·03					·75		·30	61	·07	21
22			·06									·53	22
23		·08	·54			1.10	·01		·19	·04		·16	23
24		·06				·18		·16		·31		·13	24
25		·13	·04			·20						·10	25
26				·06		·13				·12	·04		26
27		·20	·06	·22					·15			·04	27
28		·15				·18	·30			·11	·06	·03	28
29				·02	·02	~~1.10~~			·21				29
30				·06						·10			30
31					·40					151			31
Total	·95	1.15	1·75	·85	1.18	2·57	·31	1·59	1·08	1.57	2. 63	4.05	TOTAL for year 1956
No. of Rain Days.	5	10	12	8	7	9	2	5	7	11	15	22	113

W. 8,000, X. '11.

✓

REGIS

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Upper Stondon

in the County of Bedford 3

by Robert Long

RAIN GAUGE Pattern Snowdon
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 241 ft.

Time of Observation 9 a.m

Nearest Railway Station Name Henlow Mid
Distance 1 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·10									1
2		·05		·24	·05			·05			·11	·07	2
3					·10					·07			3
4			·14	·12							·11	·25	4
5								·16				·15	5
6	·25		·13									·47	6
7										·17	·35	·11	7
8	·15										·05	·11	8
9	·15			·03							·02		9
10		·10									·06	·33	10
11	·30				·05	·02			·02		·47		11
12	·10		·42							·15	·35		12
13			·06						·30	·07		·38	13
14			·07		·40							·33	14
15			·15		·16						·05	·02	15
16			·05			·12					·31	·03	16
17						·18					·10	·09	17
18		·24									·26	·06	18
19						·40			·03	·07	·29	·09	19
20								·47	·18			·50	20
21		·13	·03					·75		·30		·87	21
22			·06									·53	22
23		·08	·54			1.10	·01		·19	·04		·16	23
24		·06				·18		·16		·31		·13	24
25		·13	·04			·20						·10	25
26				·06		·13				·12	·04		26
27		·20	·06	·22					·15			·04	27
28		·15				·18	·30			·11	·06	·03	28
29				·02	·02	~~1.10~~			·21				29
30				·06						·10			30
31					·40					151			31
Total	·95	1.15	1·75	·85	1.18	2·57	·31	1·59	1·08	1.57	2.63	4.05	TOTAL for year 19.56
No. of Rain Days.	5	10	12	8	7	9	2	5	7	11	15	22	113

W. 8,000, X. '11.

Cod by own stats 11.11.13

W. J. C

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Upper Stondon

in the County of Bedford 3

by R Long

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 241 ft.

Time of Observation 9 a m

Nearest Railway Station { Name Henlow
Distance 1 mile Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02						.09	.50		.15	1
2			.02	.06		.21	.62		.07				2
3	.09	.04			.30	.12		.16		.02		.04	3
4	.10	.02	.48		.13	.11					.26		4
5	.03	.06	.22					.13			.05		5
6	.28					.28	.05	.36					6
7	.26				.04	.88	.01	.42	.03			.06	7
8	.03	.25	.13			.04		.61	07				8
9		.09				.60						.19	9
10				.06				.50	.03		.12	.05	10
11	.13	.07				.13	.06	.01	.07			.11	11
12		.23	.06		.04			.09			.08		12
13		.05				.8		.08			.20	.13	13
14	.04				.05	.07		.03					14
15		.03	.11		.39	.14							15
16	.21				.06	.11				.04	.12		16
17	.61		.15			.08		.09					17
18	.05		.12					.22			.02		18
19	.19	.11	.18			– ~~.41~~	.41	.43			.02		19
20			.15		.01			.12		.23			20
21	.01		.49		.33	– ~~.03~~	.03	.46		.24	.08		21
22	.62	.07	.04		.06	– ~~.07~~	.07	.07				.07	22
23	.47	.47	.24			– ~~1.21~~	1.21	.50			.23	.07	23
24	.19							.22				.24	24
25					~~.10~~	.10 ~~.10~~		.52			.27	.10	25
26							.12	.59		.33	.19	.15	26
27							.14	.01		.17		.40	27
28		.04			~~.02~~	.02 ~~.02~~		.05	.08	.26	.22	.13	28
29			.01		~~.25~~	25	.14	.35	1.00	.20		.57	29
30								.12	.35	.15			30
31					.17		.19	.28					31
Total	3.31	1.53	2.42	.12	1.58	3.16	3.05	6.42	1.79	2.14	1.83	2.33 2.33	TOTAL for year
No. of Rain Days.	16	13	15	2	11	16	12	25	9	10	13	14	29.68

W. 8,000, X. '11.

156 days.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 JAN 1914

Kept at Upper Stondon
in the County of Bedfordshire 3
by Robert Long

Lat. 52 Long. 1/2 W
Time of Observation 9 a.m.
Nearest Railway Station Henlow (Midland)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.16	.09	.16	.01				.59		.05	.03	1
2		.12			.07				.15	.16			2
3	.01	.05	.13	.04	.67		.10					.02	3
4	.15				.03		.06			.10	.03	.30	4
5	.04					.01	.08			.11		.03	5
6		.03	.12		.06	.09				.28			6
7		.07				.08	.08			.48			7
8					.15					.15	.10		8
9		.23	.03	.02	.02				.14			.08	9
10			.02	.23			.32						10
11	.53			.44						.25	.21		11
12											.27		12
13									.05		.28		13
14	.05		.09				.28	.04		.16	.28		14
15	.16		.26	.04			.06		.01		.05		15
16			.25	.15					.01				16
17	.08		.10	.09		.24	.06		.01			.09	17
18			.10	.13					.37				18
19	.28		.10				.14		.57	.21			19
20	.06		.09							.07			20
21	.06		.12	.12	.06						.18	.02	21
22	.40		.15	.12				.06	.08			.06	22
23													23
24								.02					24
25		.09		.13									25
26			.25	.02				.10		.54		.16	26
27				.06									27
28	.28		.26	.15 ~~.40~~						.09			28
29	.04		.12	.40	.24			.11		.05		.07	29
30	.15							.13			.16		30
31								.44		.10			31
Total	2.33	.75	2.28	2.30	1.31	.42	1.18	.90	1.52	2.72	1.61	.86	YEAR'S TOTAL 18.58 18.58
Rain Days.	15	7	17	16	9	4	9	7	10	14	10	10	128

W.7,000, XI. 13

Cord for arith 25.11.15 ~~W~~ UMcC.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

2 - JAN

Kept at Upper Stondon

in the County of Bedfordshire 3

by Robert Long.

Lat. 52 Long. 1 1/4 W.

Time of Observation 9. a m

Nearest Railway Station Henlow (Midland)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.02			.20	.30			.06		1
2				.04			.03	.08			.04		2
3					.18		.74	.05			.10	.11	3
4	.23	.02		.15				.20			.34	.29	4
5		.04		.12		.07	.60	.27					5
6		.02	.04		.03	.05	.14	.03			.19	.09	6
7		.26	.14	.07	.33			.04				.33	7
8	.12	.45		.06		.66		.05					8
9	.28	.48		.06	.03	.57				.05		.70	9
10	.05		.12	.08	.09				.14				10
11	.15	.27	.08	.03	.08	.42			.45		.37	.25	11
12		.10					.05		.11		.02	.31	12
13		.18	.20							.05	.08	.14	13
14		.10	.02							.69	.10	.53	14
15		.30							.02		.03	.08	15
16		.03							.08				16
17		.04	.30									.14	17
18		.04									.08	.46	18
19		.23	.04			.01	.01				.29	.04	19
20		.24	.13			.01	.04					.03	20
21		.10	.40			.19		.05		.10		.13	21
22		.05	.11		.28					.37			22
23		.04			.07		.02			.09			23
24	.03	.06	.03	.04			.06			.25	.14		24
25		.14								.23		.05	25
26		.08						.08		.04	.08	.42	26
27	.05											.20	27
28			.04		.10					.06	.41	1.43	28
29	.02	.11								.40	.06		29
30		~~.10~~								.03	.33	.28	30
31		X		X	.14	X			X		X	.02	31
Total	~~.89~~ .93	march 3.48	Feby ~~1.55~~ 1.65	~~.69~~ .64	1.33	1.92	~~1.89~~ 1.89	1.15	~~.72~~ .80	2.36	~~2.63~~ 2.72	6.03	YEAR'S TOTAL 24.96
Rain Days.	8	24	13	10	10	8	10	10	5	12	17	21	148

2493

W. 8,000. X. 14.

and fr auth 27·III·16

1265

FORM A. BRITISH RAINFALL

5. JAN

REGISTER OF RAINFALL IN 1915

Kept at Upper Stondon

in the County of Bedford 3

by Robert Long.

Lat. 52 Long. 1/4

Time of Observation 9 a.m

Nearest Railway Station Henlow (Midland)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	33		.05		.11			.02	.05 .05		.09	.16	1
2	.15	.12	.16	.12				.35		.08		.10	2
3	.29		.03	.15				.25	.08			.15	3
4							.20	.02				.42	4
5	.08	.35										.21	5
6	.19	.03					.73	.01					6
7	.06	.16	.11	.12			.12	.11					7
8		.38					.02						8
9	.01					.12					.22	.70	9
10	.21		.06	.03				.35			.06	.05	10
11					.03						.70		11
12	.07			.31	.42			.25		.03	.73	.09	12
13		.37			1.00								13
14	.14	.03			.06		.25	.08	.04			.24	14
15							.01	.04			.10	.13	15
16		.15					.40	.15			—		16
17		.25			.22		.20					.04	17
18		.09	.19								.05		18
19			.02				.17						19
20	.26			.12							~~.30~~	.30	20
21	.16										~~.07~~	.07	21
22	.72		.54				.49				~~.10~~	.10	22
23		.18	.20			.08	.41		.08	.22	~~.21~~	.21	23
24			.12			.06	.21		.28		~~.08~~	.08	24
25							.06				~~.23~~	.23	25
26		.11					.03				~~.21~~	.21	26
27		.21				.12	.36			.20	~~.03~~	.03	27
28								.03	.75	.19			28
29						.11		.09			.10	.07	29
30	.03	✕					.02					.13	30
31	.09	✕		✕		✕	.01	.10	✕	.39	✕		31
Total	2.79	2.43	1.48	.85	1.84	.49	3.69	1.85 1.85	1.28	1.11	2.05	3.72	YEAR'S TOTAL 23.58 23.58
Rain Days.	15	13	10	6	6	5	17	14	6	6	8	21	~~127.~~

W. 8,000. X. 14.

and [illegible]

REGISTER OF ~~the~~ RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Upper Stondon

in the County of Bedford

by Robert Long

Lat. 52 Long. 1/4·W.

Time of Observation 9 a.m

Nearest Railway Station Henlow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.03				.01				.15		1
2	.35		.11		.24			.09	}(·30)	.42	~~.05~~		2
3		.40				.02		.21		.22	.05		3
4	.21	.15	.08			.05				.10	.26		4
5	.03			.11	.07	.15					.33		5
6			.28	.27		.23				.10	.36		6
7	.09		.24		.03	.10	.10			.14	.23	.06	7
8					.30							.16	8
9												.06	9
10		.04	.13	.11		.22	.12						10
11	.03	.21	.05	.12	.04	.14							11
12			.07	.03	.32	.13	.11	.05		.03			12
13		.44	.19	.06	.14	.10	.20			.17		.03	13
14		.55								.10		.08	14
15		.20	.45	.05			.04	.04					15
16	.08	.12	.21	.15	.09		.09	.34		.05			16
17		.04		.22			.05		.15	.20			17
18	.06	.10	.05	.13				.03	.16		.45		18
19	.10		.21	.07				.17	.36		.64	.08	19
20	~~.07~~	.14	.37						.03		.~~30~~	.30	20
21							.46				~~.62~~	.62	21
22		.15	.02		.09	.02		.06			~~[illegible]~~	.40	22
23		.55				.06					.03 ·~~[illegible]~~	.11	23
24		.02	.02					.13		.03		.34	24
25		.18	.08			.25		.09		.22	.09		25
26		.04	.01		.02	.85		.06		.03	.03		26
27	.02	.05	1.30			.30				.11			27
28	.05	.22	.30			.11		1.04	.10	.05	~~.17~~	17	28
29		.10						.23	.02	.16			29
30		✕				.01				.29		11	30
31		✕		✕		✕			✕	.16	✕		31
Total	1.04 1.04	3.70	4.20 4.20	1.32	1.34	2.94	1.18.	2.54 2.54	1.12	2.58.	2.62 2.62	2.52	YEAR'S TOTAL 26.90
Rain Days.	11	19	20	11	10	16	9	13	8	18	11	13	159

W. 8,000, VIII. 16

1198

FORM A.
BRITISH RAINFALL.

3. JAN 1918

cord by mean stats of [illegible]

REGISTER OF RAINFALL IN 1917

Kept at Upper Stondon
in the County of Bedford
by Robert Long

Lat. 54 Long. 1/4 W.
Time of Observation 9 p.m
Nearest Railway Station Henlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.05		.07				.85	.05	.05	.30		1
2	.03	.01		.11				.26			.02		2
3								.40			.19		3
4		.06	.07					.13		1.12			4
5	.09			.18	.03			.10	.77	.07			5
6	.03			.04					.03		.05		6
7	.14					1.72	.05			.45	.01		7
8	.29						1.53	.65		.17	.07		8
9	.~~[illegible]~~		.14				.10	(.72)			.15	.14	9
10	.24		.03	.21				.11		.04			10
11	.07		.35	.02						.20			11
12	.12		.02	.05				.38		.08			12
13	.15			.03				.11		.12			13
14				.10				.32					14
15													15
16	.04	.29				1.12				.70		.02	16
17				.16	.72		.28	.10	.29	.19			17
18	.05			.20	.02	.15	.22		.68				18
19	.01	.12			.10	.05			.25				19
20					1.05						.10		20
21				.07	.03						.04		21
22		.03	.25					.02		.16			22
23		.20	.04		.09			.12		.09			23
24		.02			.03	.13		.06			.03		24
25			.05			.02	.10			.03	.04		25
26								.26			.21	.26	26
27	.03					.05		.57					27
28	.01		.02			.82	.45	.05					28
29			.02			.63		.02		.17			29
30		✕					1.13	.10					30
31	(.06)	✕	.25	✕		✕	.86	.05	✕		✕	.02	31
Total	1.38	.78	1.24	1.24	2.07	4.69	4.22	4.82	2.07	3.64 3.64	1.21	.44	YEAR'S TOTAL 27.80 27.80
Rain Days.	16	8	11	.12	8	9	.9	21	6	15	12	4	131

W. 8,000, IX. 17.

Ed. F.F.E.

10

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Upper Stondon

in the County of Bedford

by Robert Long

Lat. 54 Long. 1/6 W

Time of Observation 9 a.m

Nearest Railway Station Henlow (Midd)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
											.02		
1			.02	.02				.07			.03		1
2		.11		.13				.01			.77	.10	2
3					.53			.03	.15		.25	~~.03~~	3
4		.01			.19			.10	.72				4
5		.03						.02	.10	.05			5
6		.04		.16									6
7	.14	.09		.10	.05				.05		.01	~~.02~~	7
8									.25		.10	.02	8
9		.03					.07		.37	.22		.04	9
10	.10			.03			.57		.05			.10	10
11		.09		~~.43~~			.05		.05	.57		.06	11
12	.02				.37		.12		.09				12
13					.42		.02					.11	13
14	.14					.19	.07		.42	.14		.09	14
15	.75			1.45			.24		.02				15
16	.25			.47		.04	.02		.73			.16	16
17	.10			.19	.40		.30					.25	17
18	.28			02		.09	.37		.20			.10	18
19							.15		.03	.05		.06	19
20		.10		.17		.02			.07	.08		.02	20
21	.07		.10	.40					.62	.07			21
22	.04			.11	.21		.07		.06		.03	.20	22
23	.03				.42		.23		.19				23
24		.13			.03		.04		.05		.09		24
25						.16	.06	.10			.17		25
26		.06					.24	.15		.02		.11	26
27				.13			.10	.21	.06		.04	.02	27
28			.04	.04							.40	.10	28
29			.22						.85		.09		29
30		✕	.02						.07		.03	.06	30
31		✕	.60	✕		✕			✕	.05	✕	.03	31
Total	1.92	.69	.80	3.43	2.62	.50	2.65	.69	5.20	1.25	2.03	1.66	YEAR'S TOTAL 23.46
Rain Days.	12	10	6	15	9	5	17	8	22	9	13	19	145

W, 6,500, VII. 18. W W C

1150

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Upper Stondon

in the County of Bedford

by Robert Long

Lat. 54 Long. 1/4 W

Time of Observation 9 a.m

Nearest Railway Station Henlow (Mid.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28					.17	.09					1.28	1
2	.15				.06		.06		.21	.03		.43	2
3	.47		.25				.04		.03		.11		3
4	.08		.34				.05	.09	.01			.16	4
5	.03	.37	.41				.65		.60			.17	5
6					.30				.02	.01		.10	6
7	.10		.34										7
8	.09		.07										8
9			.04	.08									9
10			.25	.12									10
11	.06		.05	.24			.11					.05	11
12	.03		.21			.16	.55			.05	.35	.04	12
13				.11			.02			.07			13
14	.20		.09	.21			.02	.02	.11				14
15	.20			.08								.19	15
16	.06	.16		.12							~~.15~~		16
17		.05									.15	.12	17
18		.60	.05					.20			.05		18
19		.09	.40			.20	.27	.22	.08				19
20	.20		.06			.67	.45	.32	.04		.09	.05	20
21	.35	.30					.48						21
22		.18					.08						22
23				.02				.02				.34	23
24				.19		.05				.11			24
25	.06				.11	.04							25
26		.17		.15			.11	.19	.13		.11	.35	26
27	1.38	.11		1.07				.25				.03	27
28			.17	.14				.15			.06	.02	28
29	.03							.22		.35	.06	.18	29
30				.35				.12		.08	.19	.30	30
31												.01	31
TOTAL	3.77	2.03	2.73	2.88	.47	1.29	2.98	1.80	1.23	.70	1.17	3.82	YEAR'S TOTAL 24.87
Days with ·01 in. or more	17	9	14	13	3	6	14	11	4	7	9	17	129

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1071

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Stondon Manor

in the County of Bedford

by Robert Long

Lat. 52 Long. 1/2 West

Time of Observation 9 a m

Nearest Railway Station Henlow (Mid)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·64	·15		·15	·08				·12	1
2				·08				·13	·08	·34		·05	2
3				·02			·57		·03	·02			3
4			·08	·13			·03	·19		·17		·06	4
5			·06		·02		·57			·02			5
6			·12	·02	·13		·55						6
7			·17	·05			·15						7
8	·29			·40			·09						8
9	·26			·27				·04					9
10	·08 ·42	·04		·32			·07						10
11				·09	·09		·04						11
12						·30							12
13				·15							·03		13
14		·03	·35	·21		·36				·16	·18	·03	14
15		·02		·03			·03		·18	·06	·01	·05	15
16	·01			·01					·13		·01		16
17	·05			·03	·13	·03			·47				17
18								·32	·20				18
19	·20			·17	·07			·08				·02	19
20	·05	·16		·26		·54		·10				·01	20
21							·25		·35			·04	21
22				·16				·03	·55			·17	22
23							·37					·29	23
24	·03		·18									·03	24
25			·03				·23						25
26	·12			·03	·16	·01	·01						26
27	·20		·01	·20		·29	·02				·68	·08	27
28	·43		·06		·57		·13				·01	[illegible]	28
29		·25	·12		·26		·03				·07	·29	29
30	·03	✕				·05	·17		·38		·25		30
31	·02	✕		✕		✕			✕	·28	✕	·24	31
TOTAL	2·19	·50	1·18	3·27	1·52	1·58	3·40	·97	2·37	1·05	1·24	1·48	YEAR'S TOTAL 20·75
Days with ·01 in. or more	14 ~~4~~	5 ~~2~~	10 ~~1~~	20 ~~6~~	9 ~~2~~	7 ~~2~~	18 ~~5~~	8 ~~1~~	9 ~~1~~	7 ~~4~~	8 ~~4~~	14 ~~4~~	129 ~~33~~
Days with ·04 in. or more	10	3	~~6~~ 8	14	~~7~~ 8	5	13	7	8	~~6~~ 5	4	10	~~76~~ 95

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WOBURN

BEDFORDSHIRE

1911 - 1920

REC /.

FORM A2. BRITISH RAINFALL.

4 - JAN 1912

Kept at Woburn Expe
Royal agricu
in the County of B
by H. M. Fr

2. 411
in.
Ground 1 ft. — in. 1/65
Sea Level 292 ft.
Name Ridgmont Chu
Distance 1 Direction N.E

IMPORTANT NOTE. … the result entered to the previous day. If an Obse… …rsal rule, he is earnestly requested to add the readin… …ar in the space provided for it at the end of this … …ent of rain, the selection and placing … …tish Rainfall Organization are given in "… for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	—	·23	—	—	—	·02	—		—	·02	1
2	·05	—	—	·26	·10	—	—	·01	—		·14	·19	2
3	trace	·02	—	—	·14	—	—	—	—		·08	·05	3
4	·03	·03	·10	·04	—	—	—	—	—	·08	·10	·39	4
5	·02	·01	—	·01	—	—	—	·11	—	·02	—	·04	5
6	·31	—	—	—	—	—	—	—			·02	·26	6
7	·02	—	—	—	—	—	—	—	—	·04	·25	·21	7
8	·09	—	·13	—	—	—	—	—	—	·06	·14	·11	8
9	·15	—	—	·02	—	—	—	—	—	—	·02	·03	9
10	·02	·09	·16	—	—	—	—	—	—	—	·04	·35	10
11	·19	trace	·01	—	·02	—	—	—	—	—	·58	·01	11
12	·08	—	·40	—	—	—	—	—	·04	·02	·29	—	12
13	—	—	·08	—	·09	—	—	—	·23	·17	—	·48	13
14	trace	trace	·03	—	·12	—	—	—	—	—	—	·20	14
15	—	·06	·17	—	—	—	—	—	—	·03	·09	·02	15
16	trace	—	·10	—	—	·09	—	—	—	·01	·29	·07	16
17	—	—	—	—	—	·10	—	—	—	—	·04	·17	17
18	—	·23	·01	—	—	·02	—	—	—	—	·12	·11	18
19	trace	—	—	—	·03	·23	—	—	·15	·02	·25	·02	19
20	trace	·05	·03	—	—	—	—	·27	·25	·06	—	·49	20
21	·01	·06	—	—	—	—	—	·28	—	·24	—	·12	21
22	·02	Trace	·15	—	—	·05	—	·01	—	·12	·02	·40	22
23	trace	·12	·20	—	—	·58	·08	—	·13	—	—	·15	23
24	—	·07	·04	—	—	·22	—	·02	—	·40	—	·15	24
25	—	·17	—	·04	·10	·21	—	·11	·01	—	—	·02	25
26	—	·03	—	·16	·22	·02	—	—	—	·15	·04	·10	26
27	—	·21	·15	·02	—	—	·12	·02	·20	—	·01	·06	27
28	—	·18	—	·29	—	—	—	·14	—	—	·05	—	28
29	—	X	·01	·02	—	·23	·17	—	·31	·17	·01	—	29
30	—	X	·01	·02	·03	·01	—	—	—	·15	—	·01	30
31	—	X	—	X	·15	X	—	—	X	·02	X	trace	31
Total	1·01	1·33	1·78	1·11	1·00	1·76	·37	·99	1·32	1·76	2·58	4·23	TOTAL for year. 19·24
No. of Rain Days.	13	14	17	11	10	11	3	10	8	17	20	27	161

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
4 - JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Woburn Experim Farm of the Royal agricultural Sy of England
in the County of Beds
by H. M. Freear

RAIN GAUGE
Pattern M. O. 411
Diameter of top 5 in.
Height of top above Ground 1 ft. — in. 1165
" " " Sea Level 292 ft.

Time of Observation 9 a.

Nearest Railway Station
Name Ridgmont L.N.W.
Distance 1 Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	—	·23	—	—	—	·02	—		—	·02	1
2	·05	—	—	·26	·10	—	—	·01	—		·14	·19	2
3	trace	·02	—	—	·14	—	—	—	—		·08	·05	3
4	·03	·03	·10	·04	—	—	—	—	—	·08	·10	·39	4
5	·02	·01	—	·01	—	—	—	·11	—	·02	—	·04	5
6	·31	—	—	—	—	—	—	—	—		·02	·26	6
7	·02	—	—	—	—	—	—	—	—	·04	·25	·21	7
8	·09	—	·13	—	—	—	—	—	—	·06	·14	·11	8
9	·15	—	—	·02	—	—	—	—	—	—	·02	·03	9
10	·02	·09	·16	—	—	—	—	—	—	—	·04	·35	10
11	·19	trace	·01	—	·02	—	—	—	—	—	·58	·01	11
12	·08	—	·40	—	—	—	—	—	·04	·02	·29	—	12
13	—	—	·08	—	·09	—	—	—	·23	·17	—	·48	13
14	trace	trace	·03	—	·12	—	—	—	—	—	—	·20	14
15	—	·06	·17	—	—	—	—	—	—	·03	·09	·02	15
16	trace	—	·10	—	—	·09	—	—	—	·01	·29	·07	16
17	—	—	—	—	—	·10	—	—	—	—	·04	·17	17
18	—	·23	·01	—	—	·02	—	—	—	—	·12	·11	18
19	trace	—	—	—	·03	·23	—	—	·15	·02	·25	·02	19
20	trace	·05	·03	—	—	—	—	·27	·25	·06	—	·49	20
21	·01	·06	—	—	—	—	—	·28	—	·24	—	·12	21
22	·02	Trace	·15	—	—	·05	—	·01	—	·12	·02	·40	22
23	trace	·12	·20	—	—	·58	·08	—	·13	—	—	·15	23
24	—	·07	·04	—	—	·22	—	·02	—	·40	—	·15	24
25	—	·17	—	·04	·10	·21	—	·11	·01	—	—	·02	25
26	—	·03	—	·16	·22	·02	—	—	—	·15	·04	·10	26
27	—	·21	·15	·02	—	—	·12	·02	·20	—	·01	·06	27
28	—	·18	—	·29	—	—	—	·14	—	—	·05	—	28
29	—	X	·01	·02	—	·23	·17	—	·31	·17	·01	—	29
30	—	X	·01	·02	·03	·01	—	—	—	·15	—	·01	30
31	—	X	—	X	·15	X	—	—	X	·02	X	trace	31
Total	1·01	1·33	1·78	1·11	1·00	1·76	·37	·99	1·32	1·76	2·58	4·23	TOTAL for year 19·24
No. of Rain Days.	13	14	17	11	10	11	3	10	8	17	20	27	161

W. 8,000, X. '11.

~~W~~ DJ cordly over stats 11·11·13

FORM A2.
BRITISH RAINFALL.
11 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Woburn Exp. Farm of the Royal Agricultural S^y of England.
in the County of Beds. 3
by Harry M. Freear. F.C.S.

RAIN GAUGE
Pattern M.O.
Diameter of top 8 in.
Height of top above Ground 1 ft. – in. 1165
" " " Sea Level 292 ft.
Time of Observation 9 a.
Nearest Railway Station Name Ridgmont. L&NW.
Distance 1 Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·01	·02	–	–	·03	·03	–	·07	·32	–	·12	1
2	–	–	·08	·01	–	·10	·42	–	–	–	–	·01	2
3	·08	–	·02	–	·09	·13	·01	·28	·02	·01	trace	·06	3
4	·10	–	·56	–	·13	·15	·01	·02	–	–	·19	trace	4
5	·16	·06	·14	–	trace	·11	–	·33	·02	–	·08	trace	5
6	·26	·05	–	–	·01	trace	·03	·75	trace	–	trace	·07	6
7	trace	trace	trace	–	·01	·63	·01	·15	–	–	–	·03	7
8	·25	·18	·15	–	–	·02	–	·01	·09	–	–	trace	8
9	·03	·10	·04	·05	–	·15	trace	·01	–	·01	–	·24	9
10	trace	·02	trace	–	–	·25	–	·22	trace	–	·08	·03	10
11	·19	·09	trace	–	–	·04	–	–	–	–	·02	·21	11
12	·08	·16	·08	–	·02	·23	–	trace	–	–	·09	trace	12
13	trace	·07	trace	–	–	–	–	·02	–	–	–	trace	13
14	·01	trace	·03	–	·08	·02	–	·05	trace	·05	trace	·01	14
15	trace	·02	·22	–	·30	·15	–	·02	–	–	trace	·15	15
16	·35	trace	·06	–	·11	·14	–	·03	–	·04	·03	trace	16
17	·46	–	·14	–	–	·06	–	·18	–	–	trace	·09	17
18	·04	–	·22	–	–	–	–	·02	–	·01	·02	·05	18
19	·12	·05	·08	–	–	–	·13	·34	–	–	·01	trace	19
20	·02	trace	·12	–	·01	–	·15	·44	–	·19	trace	–	20
21	·01	·01	·22	–	·56	–	trace	·36	–	·14	·07	–	21
22	·53	·09	·13	–	·06	–	·06	·21	trace	·04	trace	·02	22
23	·37	·46	·23	–	–	–	·18	·30	–	·01	·15	·23	23
24	·16	·01	–	–	–	·01	·04	·17	–	trace	–	·13	24
25	trace	trace	–	–	–	·18	–	·42	–	–	·22	·31	25
26	–	·01	trace	–	–	·02	·23	·58		·38	·28	·20	26
27	·01	trace	·01	–	trace	·03	·09	trace		·35	trace	·16	27
28	·02	·05	–	–	–	trace	·01	·22	·07	·28	·14	·74	28
29	–	·12	·01	–	–	·32	·13	·06	·84	·40	–	·01	29
30	trace	×	–	–	·28	·04	trace	trace	·31	·20	–	–	30
31	–	×	·03	×	(·41)	×	·40	(·14)	×	trace	×	·02	31
Total	3.55	1.56	2.69	·06	1.77√	2.81	1.93	5.33√	1.42	2.43	1.38	2.89√	TOTAL for year 27·82
No. of Rain Days.	20	18	21	2	13	21	16	25	7	15	13	21√	192

W. 8,000, X. '11.

cord fr with 26.11.14 VV DL

1/65

BRITISH RAINFALL FORM A.

3 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Woburn Experimental Farm.

in the County of Beds.

by Harry M. Freear F. C. S 3
for Royal Agricultural Society of England.

Lat. 52. 1. 5. Long. 0. 35. 35. W.
Time of Observation 9 am
Nearest Railway Station Ridgmont L N W Ry.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·04	·25	·11	·10	·02		–		·92	–	·20	·02	1
2	·01	·16		–	–		·13		·23	·07		–	2
3	·04		·16	·01	·88		·01			·04		·09	3
4	·27		·04		·02		·08			·03	·04	·17	4
5	·01		–				·01			·18	·03	·15	5
6		·05	·08		·15	·06	·05		·01	·29		·05	6
7		·28	–		·12	·12	·03			·42	·07	–	7
8		·01	·03				–			·04	·08	–	8
9		·22	·03	01		–	·02		·18		·07	·05	9
10				06		·14	·14	·01			·40		10
11	·38			37	·01	·06				·27	·37		11
12					·19		–			–	·27		12
13	·01			·04				·01	·03		·30		13
14	·05	·01	12	·02			·10	·06		13	·02		14
15	·17	·01	23	·20			·45		·01		·01		15
16	·03		46	·16			–		·01				16
17	·11	·04	04	·09		·62	·04				·01	·04	17
18	·03		12	·10			·05		·01		·02	·02	18
19	·31		14	·01	·01		·13		·15			·05	19
20	·24		16			·07	–			·46	·03		20
21	·01		09	·08	·07		·03		·16	·03	·18		21
22	·41		22	·13			–	11	·04		·01	–	22
23	–		02		·01	·06	·02					·05	23
24	·03			·08		–	–	·04					24
25	·05		–	·19	–	·04	–		–	·01			25
26		·03	·20	·07				·06	–	·36	·03	·14	26
27			·02	·01					–				27
28	·35		·13	·15						·07	·18	·03	28
29	·02	X	·10	·57	27			·06		·13	–	·02	29
30	·27	X	–	–				·08		·12	–	·01	30
31	–	X	–	X	·03	X		·26	X	–	X	–	31
Total	2.84	1.06	2.50	2.39 2.39	1.78	1.17	1.29	0.69	1.75 1.75	2.65	2.32	0.89	YEAR'S TOTAL 21.33
Rain Days.	21	10	20	19 20	12	8	15	9	11	16	19	14	175

W. 7,500, XI. 12

Ex LMC

1165

FORM A.
BRITISH RAINFALL.
JAN 1915

REGISTER OF RAINFALL IN 1914.

Woburn Expt Pot Culture Station
Kept at Crawley Mill Farm, Beds
in the County of Bedfordshire 3
by E. J. Hobbs.

Lat. 52° - 1 - 5 Long. 0 35 35 W.
Time of Observation 9 a. m.
Nearest Railway Station Ridgmont L.N.W. Ry
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	—	—	trace	trace	·02	·16	—	—	·06	trace	1
2	·01	—	—	—	trace	—	·04	·03	—	—	·11	·18	2
3	—	—	—	—	·19	—	·61	·09	—	—	·04	·02	3
4	·26	—	—	·24	·05	—	—	·22	—	—	·32	·30	4
5	trace	—	·03	·29	·03	·08	·40	·12	—	—	trace	—	5
6	—	·05	trace	—	·04	·03	trace	·03	—	—	·19	·21	6
7	·07	·15	·27	·04	·15	·04	·12	·01	—	—	trace	·28	7
8	·23	·05	·41	·10	·09	·74	·16	·09	trace	—	—	trace	8
9	·05	trace	·43	·05	·02	·56	—	·01	·06	—	—	·27	9
10	—	·16	·02	·05	·04	—	—	trace	·20	trace	—	·01	10
11	—	·09	·34	·04	·05	·57	—	—	trace	—	·19	·43	11
12	—	·05	·07	—	—	·01	·02	—	·47	—	·02	·49	12
13	trace	·21	·15	—	—	—	—	—	·09	·22	·05	·18	13
14	—	·03	·41	—	—	—	—	—	—	·96	·09	·27	14
15	·04	—	·18	—	—	—	—	·02	·17	trace	·04	·12	15
16	·02	·01	·05	—	—	—	·01	—	·01	—	·02	trace	16
17	·02	·36	·05	—	—	—	—	—	·16	trace	trace	·25	17
18	trace	—	·04	—	—	—	·02	—	—	—	trace	·44	18
19	trace	·05	·13	—	—	·03	—	—	·02	—	·14	·02	19
20	—	·13	·33	—	—	·03	—	—	·04	trace	trace	·14	20
21	—	·34	·07	—	—	·02	·01	·02	—	·08	·02	·16	21
22	—	·02	trace	·02	·05	·05	·06	·05	—	·33	—	trace	22
23	—	·05	·11	—	·09	·01	trace	trace	—	·19	—	·01	23
24	trace	trace	·05	·02	—	—	·06	·02	—	·55	·11	—	24
25	·05	trace	·17	—	—	—	—	·08	—	·29	trace	·13	25
26	trace	—	·09	—	—	—	·04	·05	—	·03	·14	·39	26
27	·03	—	·04	—	—	—	—	—	—	·01	trace	·30	27
28	—	·04	·04	—	·04	—	—	—	—	·23	·35	1·28	28
29	·02	X	·14	—	·06	—	—	—	—	·34	·07	—	29
30	·02	X	·03	—	trace	—	—	—	—	·05	·26	·28	30
31	—	X	trace	X	·13	X	·03	—	X	trace	X	·02	31
Total	0·84	1·79	3·65	0·85	1·03	2·17	1·60	1·00	1·22	3·28	2·22	6·08	YEAR'S TOTAL 25·73
Rain Days.	13	16	24	9	14	12	14	15	9	17	18	24	180

W. 8,000. X. 14.

Exd LRV

1267
1165

FORM A.
BRITISH RAINFALL.
8 - JAN 1916

REGISTER OF RAINFALL IN 1915

3

Kept at Royal Agricultural Society's Woburn Experimental farm. Aspley Guise

in the County of Bedfordshire

by Jas. Crabtree M.Sc. A.I.C.

Lat. 52° 1' 5" N. Long. 0° 35' 35" W

Time of Observation 9 am

Nearest Railway Station Ridgmont L&NW. 1 mile

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47	·07	·02	-	·09	-	·03	·03	·09	·07	·04	·22	1
2	·11	·11	·20	·08	-	·01	-	·34	·36	·09	1	·08	2
3	·44	-	·01	·12	trace	-	·05	·34	·05	-	·04	·14	3
4	·03	-	-	trace	trace	-	·82	·03	trace	trace	-	·63	4
5	·03	·25	-	trace	·01	-	-	·01	-	·01	trace	·16	5
6	·18	·12	·02	·27	-	-	·57	·03	-	·01	trace	·05	6
7	·03	·23	·12	-	-	·07	·18	·02	-	-	trace	·14	7
8	trace	·26	·02	·03	-	-	trace	trace	-	-	trace	-	8
9	·01	-	trace	·04	-	·04	-	-	trace	-	·20	·47	9
10	·27	trace	·02	-	-	-	-	-	-	-	trace	·03	10
11	·01	-	·01	·02	·04	-	-	-	-	-	·85	·04	11
12	·05	·01	trace	·23	·44	-	-	·16	-	·02	1·06	·05	12
13	trace	·49	-	trace	1·22	-	-	·10	-	trace	·01	-	13
14	trace	·03	-	-	trace	-	·21	·05	·03	-	trace	·40	14
15	·09	-	-	[illegible]	·03	-	-	·14	-	-	·10	·14	15
16	·07	·29	-	trace	-	-	·61	·19	-	-	-	·19	16
17	-	·24	-	-	·19	-	·14	-	trace	-	trace	trace	17
18	-	·16	·15	-	-	-	trace	-	-	trace	·03	trace	18
19	-	·03	·02	-	-	-	·25	-	-	trace	-	trace	19
20	·32	-	trace	·05	-	-	-	-	-	-	-	·22	20
21	·08	trace	-	-	·01	-	·07	-	-	·01	-	·05	21
22	·36	·01	·47	trace	-	-	·56	-	·02	trace	-	·16	22
23	·03	·17	·10	-	-	·03	·52	-	·07	·31	trace	·22	23
24	trace	-	·05	trace	-	·09	·09	-	·68	·05	-	·07	24
25	-	trace	trace	·02	-	·01	·14	-	-	trace	·01	·25	25
26	-	·14	trace	-	-	-	·19	-	·02	-	trace	·24	26
27	-	·02	trace	-	-	·10	·12	-	-	·37	-	·03	27
28	-	·13	-	-	-	trace	trace	·01	·65	·02	-	trace	28
29	-	X	-	-	·01	-	·03	·21	-	trace	·11	·03	29
30	·02	X	-	-	-	·16	·01	-	-	·04	·07	·04	30
31	·08	X	-	X	-	X	-	·05	X	·55	X	·09	31
Total	2·68	2·76	1·21	0·86	2·04	0·51	4·59	1·71	1·97	1·55	2·53	4·17	YEAR'S TOTAL 26·58
Rain Days.	19	18	13	9	9	8	18	15	9	12	12	25	167

W. 8,000. X. 15.

1248

1165

FORM A.
BRITISH RAINFALL.
6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Royal Agricultural Society of England's Woburn Expt. Farm

in the County of Bedfordshire

by Jas. Crabtree MSc F.I.C.

Lat. 52° 1′ 5″ Long. 0° 35′ 35″

Time of Observation 9 am

Nearest Railway Station Ridgmont (Beds) L&NW.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	-	·02	-	·22	trace	·01	-	·01	·06	·31	-	1
2	·28	·04	·16	-	·13	trace	-	-	trace	·47	trace	-	2
3	-	·38	·02	-	-	-	-	-	·14	·21	·06	-	3
4	·22	·16	·02	-	·02	·22	-	-	trace	·06	·23	-	4
5	·03	trace	-	trace	·04	·26	·05	-	-	·04	·32	trace	5
6	-	·14	·22	·17	·15	·10	·34	-	-	·07	·29	trace	6
7	·04	-	·28	-	·08	·07	·15	-	-	·23	·14	·06	7
8	-	-	·02	-	·28	-	-	-	trace	-	trace	·20	8
9	·02	-	·02	-	·26	·01	-	-	-	trace	trace	·03	9
10	-	·10	·17	·07	trace	·07	·04	-	·03	·03	-	trace	10
11	·05	·08	·05	·12	·03	·19	trace	-	·01	-	trace	·04	11
12	·03	·10	·08	·02	·26	·13	·08	-	·02	·19	trace	trace	12
13	·01	·38	·11	·04	·06	·10	·55	·04	-	trace	trace	-	13
14	-	·39	-	·06	·01	-	trace	·01	-	·01	-	-	14
15	-	·15	·49	trace	·03	-	·02	·30	trace	·03	-	-	15
16	·01	·02	·28	·17	·06	-	·17	·05	-	·01	-	-	16
17	·07	·04	-	·23	-	-	·05	·21	·25	·24	-	-	17
18	-	·06	·05	·05	-	-	-	·05	·08	trace	·71	·01	18
19	·05	·03	·21	·05	-	-	-	·03	·03	-	·84	trace	19
20	·13	-	·18	·02 ~~trace~~	-	-	-	·01	-	-	trace	·43	20
21	-	-	·62	trace	-	-	·21	-	-	-	trace	·71	21
22	-	·07	·01	-	·18	·01	-	-	-	·03	trace	·48	22
23	·02	·48	-	-	-	·44	trace	·04	-	·07	·02	·11	23
24	-	·03	·02	-	trace	·43	-	trace	-	·05	·02	·23	24
25	-	·33	·17	-	·01	trace	-	·16	-	·04	·04	·05	25
26	-	·12	·03	-	-	·01	-	trace	-	·03	·02	-	26
27	·05	·03	1·02	-	-	·28	-	·07	·08	·24	-	-	27
28	-	·25	·66	-	-	·34	-	-	·06	trace	-	·14	28
29	-	·07	-	-	-	·11	-	1·20	-	·20	-	·10	29
30	trace	╳	-	-	-	·05	-	·07	-	·24	-	·01	30
31	trace	╳	-	╳	-	╳	-	·01	╳	·12	╳	trace	31
Total	1·06	3·45	4·91	1·00	1·82	2·82	1·67	2·25	0·71	2·67	3·00	2·60	YEAR'S TOTAL 27·96
Rain Days.	15	22	24	11	16	17	11	14	10	22	12	14	188

1200

1165

FORM A.
BRITISH RAINFALL.

Rec'd R.D.

REGISTER OF RAINFALL IN 1917

Kept at Royal Agricultural Society of England's Woburn Experimental Farm

in the County of Bedfordshire

by James Crabtree M.Sc. F.I.C.

Lat. 52° 1' Long. 0° 35'

4 JAN 1918

Time of Observation 9.0 am.

Nearest Railway Station Ridgmont L. & N.W. Ry

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	trace	trace	-	·15	-	trace	-	1·17	·05	-	·28	trace	1
2	·02	·02	-	·01	-	trace	-	·12	-	·01	·05	-	2
3	trace	-	-	trace	-	-	-	·52	-	·37	·16	-	3
4	-	·32	·05	-	-	-	-	·29	-	·52	-	-	4
5	·15	-	·01	·16	-	-	-	·01	·18	·10	·09	-	5
6	trace	-	·01	-	-	·11	-	-	·05	·04	·02	·02	6
7	·29	-	·02	-	-	·05	·22	-	-	·49	trace	trace	7
8	·45	-	-	·09	-	-	·87	·43	-	·24	·06	·02	8
9	·03	-	·05	·07	trace	-	trace	·11	·04	-	·05	·02	9
10	·23	-	·20	·19	-	-	-	·13	-	-	·03	·01	10
11	·02	·03	·24	·24	-	-	-	·05	·01	·29	-	-	11
12	·06	-	·01	·02	·01	-	-	·37	-	·16	trace	-	12
13	·02	-	·35	-	-	-	-	·16	·02	·02	trace	trace	13
14	·03	-	·01	·03	-	-	-	·24	-	·01	trace	-	14
15	·01	-	-	·06	·01	-	·01	trace	-	·02	-	-	15
16	·02	·13	-	·19	·04	·09	·10	-	-	·83	-	·06	16
17	trace	trace	-	·15	·89	-	·26	·06	·49	·37	-	·02	17
18	·04	trace	-	·08	·06	·14	·33	-	·87	·02	-	-	18
19	·02	·11	·11	-	·09	trace	-	-	·14	-	-	-	19
20	·02	·13	·07	-	·76	-	-	trace	-	-	·06	-	20
21	·02	·02	·01	·02	·02	trace	-	-	-	trace	·01	-	21
22	-	-	·06	trace	-	·03	-	·13	·01	·17	-	-	22
23	-	·09	-	-	·08	-	-	~~·23~~ ·20	-	·10	-	·01	23
24	trace	·01	-	-	-	·19	-	~~·20~~ ·11	-	·13	·06	·01	24
25	-	·02	·05	-	-	trace	-	-	trace	-	·05	-	25
26	-	-	·02	-	-	-	-	·47	·09	-	·17	·02	26
27	-	-	trace	-	-	·37	-	·64	-	-	-	·01	27
28	-	-	·08	-	trace	1·01	-	·09	-	·02	-	·04	28
29	-	×	·03	-	-	·61	·35	·17	-	·24	-	·24	29
30	·01	×	·03	-	-	-	1·04	·15	-	-	-	·01	30
31	·01	×	·15	×	-	×	·29	·03	×	-	×	·05	31
Total	1·45	·88	1·56	1·46	1·96	2·60	3·47	5·65	1·95	4·15	1·09	·54	YEAR'S TOTAL 26·76
Rain Days.	18	16	20	14	9	9	9	22	11	20	13	14	169

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL

1165

8.1.19

REGISTER OF RAINFALL IN 1918

Kept at Woburn Experimental Farm Aspley Guise Beds

in the County of Bedfordshire

by Jas Crabtree for Royal Agric Soc of England.

Lat. 52° 1' Long. 0° 35'

Time of Observation 9.0 am.

Nearest Railway Station Ridgmont L&NW Beds

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Trace	.02	-	.06	-	-	-	-	-	tr	.13	.02	1
2	.02	.07	-	.20	-	-	-	.06	-	.01	.08	.09	2
3	-	.03	.03	.01	.50	-	-	tr	0.18	-	.59	.03	3
4	-	.01	.06	-	-	-	.01	.01	.51	.02	.53	.03	4
5	-	.05	tr	-	.19	-	-	.10	.01	.11	-	.01	5
6	.07	.08	tr	.17	tr	-	-	-	tr	tr	-	.02	6
7	.02	.09	-	.11	.06	.01	-	-	.12	.11	.17	-	7
8	-	-	-	.05	-	-	-	-	.25	.06	.02	.01	8
9	trace	.15	-	.02	-	.02	.23	-	.68	.08	-	.06	9
10	.04	-	-	.05	-	.03	.31	-	.14	.07	-	.14	10
11	-	-	-	.02	.09	-	.09	-	.02	.55	.06	.04	11
12	.04	.04	.01	tr	.29	-	.16	-	.09	-	tr	.01	12
13	trace	.02	-	.02	.13	.03	.06	-	.16	-	-	.22	13
14	.20	-	-	.02	-	.11	.35	-	.43	.08	-	.13	14
15	.82	-	-	1.34	-	.04	.27	-	.02	-	.01	.10	15
16	.16	-	-	.40	-	-	-	.02	.68	.01	-	.03	16
17	.11	-	-	.07	.23	-	1.60	.01	tr	-	-	.11	17
18	.49	-	-	.01	-	.17	.14	-	.17	.01	-	.32	18
19	.01	.03	.01	.12	-	tr	.18	-	-	.06	-	.25	19
20	.02	.06	-	.53	-	.04	-	-	.13	.21	.01	.03	20
21	.03	-	-	.18	-	.04	-	-	.50	.03	.01	.01	21
22	.05	tr	-	-	.28	-	.05	-	.05	-	.01	.22	22
23	.04	-	-	-	.54	.03	.26	.02	.07	tr	.01	.01	23
24	-	.16	-	-	-	tr	.02	-	.04	-	.15	-	24
25	-	-	-	-	.07	.09	.05	.25	-	.02	tr	-	25
26	-	-	-	-	-	-	.10	.02	-	.03	.10	.13	26
27	trace	.01	.01	.06	-	-	.13	.19	.11	-	.09	.02	27
28	.01	.06	.13	.03	-	-	-	.09	-	-	.25	.08	28
29	trace	X	-	-	-	-	-	-	1.54	-	.01	-	29
30	trace	X	.30	-	-	-	-	-	.06	.01	.04	.18	30
31	-	X	.04	X	-	X	-	-	X	.08	X	.22	31
Total	2.13	0.88	0.59	3.45	2.38	0.61	4.01	0.77	5.96	1.55	2.27	2.32	YEAR'S TOTAL 26.92
Rain Days.	16	15	8	20	10	11	17	10	22	18	18	27	192

W. 6,500, VII.·18. w w c

B. made ✓

Ex. C&B. 4/2/20 Ca. fa auth.

1131

1165

5 FEB 20

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wobwn (Crawley Mill Farm) [M.O.]

in the County of Bedford

by James Crabtree M. Sc.

Lat. 52° 1' Long. 0° 35' W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7.1	0.8	0.4	1.4	1.0	1.0	2.9	-	-	0.7	0.6	26.2	1
2	4.9	0.3	0.5	-	1.3	-	2.9	0.3	6.9	3.4	6.8	10.6	2
3	19.3	-	5.3	-	0.3	-	1.5	-	1.9	-	3.9	4.1	3
4	1.7	-	8.1	-	-	1.9	3.9	1.0	0.6	0.2	0.2	3.6	4
5	1.6	7.2	9.3	-	-	-	2.0	-	19.4	0.2	-	4.2	5
6	0.3	-	-	-	12.3	-	-	-	0.2	0.9	1.4	2.0	6
7	1.0	-	8.1	-	-	-	-	-	-	-	0.6	-	7
8	2.9	-	1.6	3.9	0.3	-	-	-	-	-	0.3	-	8
9	-	-	0.6	1.7	0.6	-	-	-	0.3	-	0.3	0.5	9
10	-	-	9.0	0.3	-	-	-	-	0.2	0.3	1.9	2.2	10
11	2.7	-	3.1	2.4	-	-	13.1	-	0.1	-	0.2	0.7	11
12	-	-	9.1	0.9	-	4.3	1.7	-	0.3	4.0	1.3	-	12
13	1.8	-	-	7.1	-	-	0.5	-	1.1	2.5	-	0.3	13
14	6.4	-	-	4.2	-	-	1.5	-	2.9	-	-	-	14
15	3.6	1.2	4.0	3.4	-	-	-	-	-	0.3	1.6	7.2	15
16	0.9	14.4	-	-	-	-	-	-	-	-	3.4	0.1	16
17	-	15.3	-	0.3	-	-	-	-	0.2	-	3.2	0.5	17
18	-	0.8	2.4	-	-	-	-	4.3	0.7	-	0.9	2.2	18
19	1.3	5.7	20.0	-	-	6.5	9.8	5.7	3.3	0.3	0.7	0.2	19
20	8.9	0.7	2.6	-	-	8.6	10.7	9.4	-	-	0.5	0.3	20
21	5.1	10.3	0.8	-	-	0.3	11.0	-	-	0.3	0.4	2.8	21
22	-	4.1	0.4	-	-	-	0.6	-	2.4	0.2	-	5.2	22
23	0.3	-	-	-	-	1.1	-	-	0.6	5.6	0.3	2.1	23
24	-	-	-	3.7	-	-	4.3	-	-	8.8	0.2	0.5	24
25	0.1	-	-	1.1	-	0.8	-	4.6	-	-	-	2.0	25
26	4.3	1.7	3.0	3.6	-	-	2.3	2.5	1.6	-	-	9.3	26
27	22.6	1.3	1.2	22.1	-	-	-	12.1	-	-	0.1	1.3	27
28	-	-	1.4	1.1	-	-	0.5	16.3	-	0.3	3.2	6.6	28
29	1.4	✗	-	2.1	-	0.7	0.2	4.5	-	8.1	0.2	1.1	29
30	-	✗	2.5	6.1	-	5.3	-	2.9	-	1.5	6.1	5.7	30
31	0.2	✗	-	✗	-	✗	1.0	0.2	✗	0.8	✗	0.5	31
TOTAL	98.4	63.8	93.4	65.4	15.8	30.5	~~71.4~~ 70.4	63.8	42.7	38.4	38.3	102.0	YEAR'S TOTAL 722.9
Days with 0·2 mm. or more	21	13	21	17	6	10	18	12	16	18	23	26	201

722

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202.

1072
1165
2 MAR 1921

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Woburn (MO)

in the County of Bedford

by J. Crabtree, M.Sc. A.I.C., for the 'Royal' Agricultural Soc.

Lat. 52° 1' N Long. 0° 35' W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	0.4	4.0	5.0	-	8.3	6.2	-	8.8	5.4	3.0	1
2	-	-	0.3	1.4	0.3	-	1.0	4.2	1.4	1.5	-	2.3	2
3	-	1.0	-	0.3	-	0.5	11.4	-	0.2	0.8	-	0.3	3
4	0.4	-	2.9	2.1	0.1	-	1.8	7.4	1.1	4.3	-	0.1	4
5	-	0.1	1.5	0.1	1.5	-	18.0	0.8	-	-	-	0.6	5
6	-	-	2.5	-	3.0	-	10.9	0.2	-	-	-	0.5	6
7	-	-	0.3	1.8	0.1	-	4.5	0.1	-	-	-	-	7
8	3.6	0.7	-	10.0	0.5	-	0.7	-	-	0.1	-	-	8
9	6.4	0.1	-	3.5	-	-	-	3.0	-	-	-	-	9
10	2.5	1.0	0.6	-	-	0.5	1.7	0.1	-	-	0.2	0.2	10
11	6.7	-	0.8	9.5	4.5	0.5	1.9	-	-	0.2	0.3	1.5	11
12	0.8	-	3.2	2.4	0.2	10.9	0.3	-	-	-	0.5	0.4	12
13	-	0.2	2.0	4.0	-	-	-	-	0.2	0.1	0.3	0.7	13
14	0.4	0.1	9.0	4.6	-	6.8	0.8	-	4.3	1.5	5.4	0.4	14
15	-	1.0	0.6	4.7	-	-	0.1	-	0.8	0.7	2.5	0.2	15
16	-	-	-	1.5	0.3	0.2	-	-	4.2	2.4	0.3	-	16
17	0.3	-	0.3	0.4	2.4	-	0.6	-	2.4	0.4	0.1	1.8	17
18	2.4	-	-	0.2	1.6	-	0.3	5.2	2.9	0.1	-	2.0	18
19	2.0	-	-	4.9	-	1.5	0.1	4.0	0.1	-	-	0.3	19
20	1.7	7.5	0.1	5.3	0.2	8.7	-	-	-	-	0.5	0.1	20
21	-	0.1	-	6.4	-	-	1.9	1.4	5.4	-	-	1.7	21
22	-	-	-	4.1	-	-	0.2	0.1	19.0	0.1	-	4.5	22
23	0.2	0.3	-	0.2	-	-	8.0	-	0.1	-	-	9.0	23
24	1.2	0.2	4.2	0.3	-	-	-	-	-	0.4	0.5	0.6	24
25	-	1.5	0.9	1.3	24.2	-	10.0	-	-	0.2	-	0.1	25
26	3.1	-	2.5	0.5	0.5	0.3	1.8	-	-	0.3	-	0.5	26
27	5.3	0.2	-	8.0	0.1	8.9	1.6	-	0.2	0.2	14.5	1.9	27
28	10.4	-	7.0	0.1	4.3	0.2	0.8	-	-	-	0.4	0.1	28
29	1.8	-	0.8	-	7.3	0.4	3.5	-	-	-	2.0	6.4	29
30	0.3		9.7	0.8	0.3	1.7	1.7	-	9.1	-	3.1	3.5	30
31	0.2		-		0.6		0.2	-		4.9		2.9	31
TOTAL	49.7	14.0	49.6	76.4	57.0	41.1	92.1	32.7	51.4	27.0	36.0	45.6	YEAR'S TOTAL 572.6
Days with 0·2 mm. or more	19	10	19	25	17	13	24	9	13	14	14	23	200

17 9 6 16 7 9 6 6 12 115

(44,284). W[illegible] 958—21S. 500. [illegible] Gp.132. [illegible]&E.W.

Copied from 19 3202.

✓ WD cmd 3.IV.12

REC … 1.

FORM A2.
BRITISH RAINFALL.
29 JAN 1912

WOBURN
FRUIT FARM
BEDFORDSHIRE

1911 - 1920

… owdon

Kept at Woburn Exper… Rid…

… in.

in the County of …

… Ground 1 ft. … in.

… Sea Level 270 ft.

by W. H. Zeild…

… m.

… ame Ridgmont via Bletchley

… istance 100 yds. Direction N

IMPORTANT NOTE.… the result entered to the previous day. If an Obse… …ersal rule, he is earnestly requested to add the readi… …r in the space provided for it at the end of this … …nt of rain, the selection and placing … …ish Rainfall Organization are given in "~~Rules for Rainfall Observers~~," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·00	0·00	0·20	0·00	0·00	0·14	0·02	Trace	0·00	Trace	0·03	0·00	1
2	0·01	0·00	Trace	0·22	0·05	0·00	0·01	0·03	0·00	0·00	Trace	0·03	2
3	0·05	0·00	0·00	0·21	0·10	0·00	0·00	0·02	0·00	0·00	0·12	0·19	3
4	0·00	0·03	0·00	0·00	0·14	0·01	0·00	0·01	0·00	0·11	0·09	0·03	4
5	0·03	0·03	0·10	0·03	0·00	0·00	0·00	0·00	0·00	0·10	0·13	0·41	5
6	0·01	0·02	0·00	0·02	0·00	0·00	0·00	0·12	0·00	0·03	Trace	0·03	6
7	0·31	0·00	0·01	0·01	0·00	0·00	0·00	Trace	0·00	0·00	0·02	0·30	7
8	0·02	0·00	0·02	0·01	0·00	0·00	0·00	0·00	0·00	0·04	0·27	0·22	8
9	0·10	0·00	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·04	0·15	0·11	9
10	0·15	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·02	0·03	10
11	0·03	0·10	0·15	0·02	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·40	11
12	0·20	0·00	0·02	0·00	0·01	0·00	0·00	0·00	0·00	Trace	0·61	0·02	12
13	0·04	0·00	0·39	0·00	0·00	Trace	0·00	0·00	0·05	0·03	0·29	0·01	13
14	0·00	0·00	0·08 X	0·00	0·09	0·00	0·00	0·00	0·24	0·10	0·00	0·52	14
15	0·00	Trace	0·04	0·00	0·22	0·00	0·00	0·00	0·00	Trace	0·00	0·22	15
16	0·00	0·06	0·17	0·00	Trace	0·00	Trace	0·00	Trace	0·03	0·10	0·02	16
17	0·01	Trace	0·11	0·00	0·00	0·10	0·00	0·00	0·00	0·01	0·48	0·05	17
18	0·00	0·00	0·01	0·00	Trace	0·10	0·00	0·00	0·00	0·00	0·04	0·18	18
19	0·00	0·20	0·01	0·00	0·00	0·02	0·00	0·00	0·00	0·01	0·11	0·10	19
20	Trace	0·02	0·00	0·01	0·02	0·23	0·00	0·00	0·16	0·03	0·27	0·02	20
21	〃	0·05	0·03	Trace	0·00	Trace	0·00	0·22	0·24	0·05	Trace	0·52	21
22	0·01	0·06	Trace	0·00	0·00	0·00	0·00	0·61	0·01	0·20	0·00	0·10	22
23	0·01	0·02	0·14	Trace	0·00	0·03	0·00	0·02	0·00	0·15	0·02	0·43	23
24	0·00	0·07	0·22	0·00	0·00	0·60	0·07	0·00	0·12	0·00	0·00	0·16	24
25	Trace	0·07	0·04	0·00	0·00	0·22	0·00	Trace	0·00	0·43	0·00	0·16	25
26	0·01	0·17	0·03	0·02	0·16	0·20	0·00	0·20	0·02	0·00	Trace	0·02	26
27	0·00	0·02	Trace	0·18	0·34	0·03	0·00	0·01	0·00	0·15	0·05	0·11	27
28	0·00	0·21	0·12	0·03	0·00	0·01	0·12	0·01	0·21	0·00	0·00	0·06	28
29	0·00		0·01	0·31	0·02	0·00	Trace	0·14	Trace	0·00	0·07	0·01	29
30	0·00		0·01	0·02	0·00	0·23	0·11	0·00	0·28	0·17	Trace	0·00	30
31	0·00	·20 ~~1·13~~	0·01	–	0·92 4	·02	0·00	0·00		0·15 ·03	–	0·01 –	31
Total	~~0·99~~ 99	~~1·13~~ 1·33	~~2·03~~ 1·83	~~1·10~~ 1·10	~~1·22~~ 1·36	~~1·92~~ 1·80	~~0·33~~ ·31	~~1·39~~ 1·39	~~1·33~~ 1·33	~~1·83~~ 1·86	~~2·90~~ 2·87	~~4·47~~ 4·47	TOTAL 20·64 20·64
No. of Rain Days	15	~~16~~ 16 ~~15~~	~~23~~ 22	14	~~11~~ 12	13 ✓	~~5~~ 4	11 ✓	9 ✓	~~18~~ 19	~~19~~ 18	29 ✓	~~182~~ 182

X Water in gauge of a dark colour.

7,000. X. '09.

✓ WD cnd 3.IV.12

REC 1.

FORM A2. BRITISH RAINFALL.
29 JAN 1912

Kept at Woburn Experimental Fruit Farm
Ridgmont, Aspley Guise
in the County of Beds: 3
by W. H. Zeild.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 270 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Ridgmont via Bletchley
Distance 100 yds. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·00	0·00	0·20	0·00	0·00	0·14	0·02	Trace	0·00	Trace	0·03	0·00	1
2	0·01	0·00	Trace	0·22	0·05	0·00	0·01	0·03	0·00	0·00	Trace	0·03	2
3	0·05	0·00	0·00	0·21	0·10	0·00	0·00	0·02	0·00	0·00	0·12	0·19	3
4	0·00	0·03	0·00	0·00	0·14	0·01	0·00	0·01	0·00	0·11	0·09	0·03	4
5	0·03	0·03	0·10	0·03	0·00	0·00	0·00	0·00	0·00	0·10	0·13	0·41	5
6	0·01	0·02	0·00	0·02	0·00	0·00	0·00	0·12	0·00	0·03	Trace	0·03	6
7	0·31	0·00	0·01	0·01	0·00	0·00	0·00	Trace	0·00	0·00	0·02	0·30	7
8	0·02	0·00	0·02	0·01	0·00	0·00	0·00	0·00	0·00	0·04	0·27	0·22	8
9	0·10	0·00	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·04	0·15	0·11	9
10	0·15	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·02	0·03	10
11	0·03	0·10	0·15	0·02	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·40	11
12	0·20	0·00	0·02	0·00	0·01	0·00	0·00	0·00	0·00	Trace	0·61	0·02	12
13	0·04	0·00	0·39	0·00	0·00	Trace	0·00	0·00	0·05	0·03	0·29	0·01	13
14	0·00	0·00	0·08 X	0·00	0·09	0·00	0·00	0·00	0·24	0·10	0·00	0·52	14
15	0·00	Trace	0·04	0·00	0·22	0·00	0·00	0·00	0·00	Trace	0·00	0·22	15
16	0·00	0·06	0·17	0·00	Trace	0·00	Trace	0·00	Trace	0·03	0·10	0·02	16
17	0·01	Trace	0·11	0·00	0·00	0·10	0·00	0·00	0·00	0·01	0·48	0·05	17
18	0·00	0·00	0·01	0·00	Trace	0·10	0·00	0·00	0·00	0·00	0·04	0·18	18
19	0·00	0·20	0·01	0·00	0·00	0·02	0·00	0·00	0·00	0·01	0·11	0·10	19
20	Trace	0·02	0·00	0·01	0·02	0·23	0·00	0·00	0·16	0·03	0·27	0·02	20
21	"	0·05	0·03	Trace	0·00	Trace	0·00	0·22	0·24	0·05	Trace	0·52	21
22	0·01	0·06	Trace	0·00	0·00	0·00	0·00	0·61	0·01	0·20	0·00	0·10	22
23	0·01	0·02	0·14	Trace	0·00	0·03	0·00	0·02	0·00	0·15	0·02	0·43	23
24	0·00	0·07	0·22	0·00	0·00	0·60	0·07	0·00	0·12	0·00	0·00	0·16	24
25	Trace	0·07	0·04	0·00	0·00	0·22	0·00	Trace	0·00	0·43	0·00	0·16	25
26	0·01	0·17	0·03	0·02	0·16	0·20	0·00	0·20	0·02	0·00	Trace	0·02	26
27	0·00	0·02	Trace	0·18	0·34	0·03	0·00	0·01	0·00	0·15	0·05	0·11	27
28	0·00	0·21	0·12	0·03	0·00	0·01	0·12	0·01	0·21	0·00	0·00	0·06	28
29	0·00		0·01	0·31	0·02	0·00	Trace	0·14	Trace	0·00	0·07	0·01	29
30	0·00		0·01	0·02	0·00	0·23	0·11	0·00	0·28	0·17	Trace	0·00	30
31	0·00	·20 ~~1·13~~	0·01	–	0·92 ·14	·02	0·00	0·00		0·15 ·03		0·01	31
Total	~~0·99~~ ·99	~~1·13~~ 1·33	~~2·03~~ 1·83	~~1·10~~ 1·10	~~1·22~~ 1·36	~~1·92~~ 1·80	~~0·33~~ ·31	~~1·39~~ 1·39	~~1·33~~ 1·33	~~1·83~~ 1·86	~~2·90~~ 2·87	~~4·47~~ 4·47	TOTAL 20·64 20·64
No. of Rain Days	15	~~16~~ 16 ~~15~~	~~23~~ 22	14	~~11~~ 12	13	~~5~~ 4	11	9	~~18~~ 19	~~19~~ 18	29	~~183~~ 182

7,000. X. '09. X Water in gauge of a dark colour.

CW 11.11.13 W DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
6 JAN 1913

Kept at Woburn Experimental Fruit Farm
in the County of Ridgmont, Aspley Guise 3 Bedfordshire
by W. H. Leild.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ridgmont (100 yds).
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.00	0.01	0.02	Trace	0.00	0.02	0.03	0.00	0.06	0.32	0.00	0.12	1
2	0.00	Trace	0.08	"	Trace	0.10	0.42	0.00	0.00	Trace	0.00	Trace	2
3	0.07	0.10	0.03	0.01	0.08	0.10	0.02	0.32	0.03	0.00	0.00	0.07	3
4	0.10	0.00	0.11	0.00	0.15	0.16	0.00	0.03	0.00	0.00	0.18	0.01	4
5	0.15	0.05	0.12	0.00	0.01	0.09	0.00	0.24	0.02	0.00	0.08	0.01	5
6	0.31	0.05	0.01	0.00	0.01	0.00	0.04	0.72	0.00	0.00	0.00	0.06	6
7	0.01	0.02	0.00	0.00	0.02	0.63	0.02	0.08	0.00	0.00	0.00	0.04	7
8	0.28	0.20	0.16	0.00	0.00 Trace	0.02	Trace	0.00	0.08	0.00	0.00	0.00	8
9	0.03	0.10	0.04	0.03	0.00	0.15	0.01	0.01	Trace	0.00	0.00	0.23	9
10	0.00	0.02	0.00	0.01	0.00	0.21	0.00	0.28	"	0.00	0.10	0.03	10
11	0.20	0.10	Trace	0.00	0.02	0.05	Trace	0.02	0.01	0.00	0.02	0.20	11
12	0.09	0.16	0.09	0.00	0.00	0.26	"	0.00	0.00	0.00	0.09	0.00	12
13	Trace	0.06	Trace	0.00	0.08	0.00	0.00	0.05	0.00	0.00	0.11	Trace	13
14	"	0.01	0.04	0.00	0.30	0.02	0.00	0.04	0.00	0.03	Trace	0.01	14
15	0.01	0.01	0.19	0.00	0.13	0.15	0.00	0.02	0.00	0.00	"	0.13	15
16	0.61	Trace	0.06	0.00	Trace	0.21	0.00	0.02	Trace	0.04	0.03	0.00	16
17	0.47	0.00	0.14	0.00	Trace	0.05	0.00	0.18	0.00	0.00	Trace	0.09	17
18	0.06	0.00	0.22	0.00	0.00	0.00	Trace	0.02	0.00	0.02	0.03	0.05	18
19	0.18	0.04	0.07	0.00	Trace	0.00	0.13	0.41	0.00	0.00	0.01	0.01	19
20	0.02	0.01	0.08	0.00	0.60	0.03	0.20	0.49	0.00	0.20	0.00	0.00	20
21	0.02	0.02	0.21	0.00	0.06	Trace	0.00	0.45	0.00	0.14	0.09	0.00	21
22	0.48	0.09	0.06	0.00	Trace	0.00	0.04	0.21	0.00	0.02	0.00	0.02	22
23	0.40	0.47	0.34	0.00	0.00	Trace	0.15	0.29	0.00	0.02	0.17	0.22	23
24	0.25	0.01	Trace	0.00	0.00	0.01	0.05	0.16	0.00	0.00	Trace	0.13	24
25	0.01	0.00	"	0.00	0.00	0.20	0.00	0.41	0.00	0.00	0.24	0.34	25
26	0.00	Trace	"	0.00	0.01	0.05	0.34	0.57	0.00	0.41	0.32	0.17	26
27	0.00	0.01	0.00	0.00	0.00	0.02	0.15	Trace	0.00	0.36	0.00	0.17	27
28	0.00	0.05	0.00	0.00	0.00	0.00	0.04	0.21	0.07	0.27	0.15	0.73	28
29	0.00	0.12	0.01	Trace	0.30	0.21	0.13	0.06	0.82	0.40	0.00	0.02	29
30	0.01		0.00	0.00		0.05	0.00	Trace	0.29	0.20	0.00	0.00	30
31	Trace		0.02		0.09		0.35	0.15		Trace		0.03	31
Total	3.68	1.71	2.10	0.05	1.86	2.79	2.12	5.44	1.38	2.43	1.62	2.89	YEAR'S TOTAL 28.07 28.07
Rain Days.	21	22	21	3	14	22	16	25	8	13	14	23	202

W. 7,500, XI. 12

cnd. 26.11.14

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.

9 JAN 1914

Kept at Woburn Experimental Fruit Farm, Ridgmont

in the County of Bedfordshire. 3

by W. H. Neild.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Ridgmont, L.&N. Rly

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	0.24	0.12	0.10	0.02	—	—	—	0.91	—	0.21	0.03	1
2	0.01	0.17	trace	trace	—	—	0.12	—	0.26	0.13	0.01	trace	2
3	0.03	—	0.18	0.01	0.87	—	0.01	—	0.01	0.07	—	0.11	3
4	0.27	trace	0.06	—	0.02	trace	0.04	—	—	0.02	0.04	0.29	4
5	0.01	trace	—	—	trace	0.03	0.01	—	0.01	0.25	0.03	0.10	5
6	trace	0.05	0.08	trace	0.12	0.20	0.03	—	0.01	0.24	0.01	0.05	6
7	0.01	0.30	—	—	0.15	0.02	0.03	—	—	0.48	0.06	0.01	7
8	x—	0.01	0.03	trace 0.02	0.17	0.12	—	—	—	0.02	0.09	—	8
9	—	0.21	0.03	0.06	—	0.06	0.05	trace	0.12	—	0.08	0.05	9
10	—	—	—	0.40	—	—	0.12	trace	0.01	—	0.39	trace	10
11	0.47	—	trace	trace	0.01	—	—	trace	—	0.26	0.40	—	11
12	trace	—	trace	0.03	0.21	—	—	—	—	trace	0.29	—	12
13	0.02	trace	—	0.03	—	—	—	0.02	0.04	—	0.32	—	13
14	0.03	trace	0.12	0.22	—	—	0.06	0.06	—	0.14	0.01	—	14
15	0.16	0.01	0.23	0.21	—	—	0.39	—	0.01	trace	0.01	—	15
16	0.02	trace	0.52	0.08	—	—	trace	—	0.03	—	—	—	16
17	0.06	0.03	0.04	0.10	—	0.55	0.05	—	—	—	trace	0.03	17
18	0.02	—	0.12	0.01	—	—	0.01	—	0.06	—	0.04	—	18
19	0.32	—	0.13	—	trace	0.02	0.15	trace	0.13	—	trace	0.0[illegible]	19
20	0.20	—	0.12	0.12	—	0.02	—	—	trace	0.50	0.03	—	20
21	0.02	—	0.11	0.11	0.08	—	0.03	—	—	0.03	0.20	—	21
22	0.48	—	0.25	—	0.01	—	0.01	0.11	0.15	—	—	trace	22
23	trace	—	0.01	0.08	—	0.06	0.02	trace	0.03	—	0.02	0.04	23
24	0.05	—	trace	0.15	—	0.01	trace	0.01	—	—	trace	trace	24
25	0.04	trace	—	0.08	—	0.03	trace	—	—	—	0.01	trace	25
26	trace	0.02	0.21	0.02	—	—	trace	0.04	—	0.37	0.03	0.16	26
27	—	trace	0.02	0.15	—	—	—	—	—	0.01	trace	0—	27
28	0.35	—	0.12	0.53	—	—	—	—	—	0.06	—	0.03	28
29	0.02		0.10	—	0.27	—	—	0.06	trace	0.13	trace	0.01	29
30	0.25		—		—	—	—	0.05	—	0.10	0.14	0.01	30
31	trace		0.02		0.03		—	0.23		—		—	31
Total	2.87	1.04	2.62	2.51	1.95 6 1.96	1.12	1.13	0.58	1.78	2.81	2.42	0.97	YEAR'S TOTAL 21.86 21.81
Rain Days.	22	9	21	20	12	11	16	8	14	16	21	14	184

W. 7,500, XI. 12 x — = 0.00

Ex LMcl

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

12 JAN 1915

Woburn Experimental Fruit Farm.

Kept at Ridgmont, Aspley Guise

in the County of Bedfordshire 3

by W. H. Neild.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Ridgmont, via Bletchley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	trace	—	—	0·01	0·01	0·03	0·17	—	—	0·12	trace	1
2	0·01	—	—	0·01	—	—	0·02	0·03	—	—	0·13	0·24	2
3	trace	—	0·02	—	0·20	—	0·68	0·10	—	—	0·03	0·01	3
4	0·23	—	0·01	0·24	0·07	—	0·01	0·32	—	—	0·32	0·32	4
5	trace	—	0·03	0·36	0·02	0·08	0·45	0·09	—	—	0·01	—	5
6	—	0·05	—	0·01	0·04	0·02	trace	0·02	—	—	0·20	0·20	6
7	—	0·17	0·28	0·04	0·30	0·02	0·17	0·02	—	—	0·01	0·29	7
8	0·07	0·05	0·39	0·06	0·06	0·73	0·07	0·09	trace	—	trace	trace	8
9	0·24	—	0·47	0·05	trace	0·57	—	0·01	0·06	—	—	0·26	9
10	0·04	0·19	0·02	0·05	0·05	trace	—	—	0·20	—	—	0·01	10
11	—	0·11	0·38	0·05	0·05	0·57	—	—	0·02	—	0·32	0·55	11
12	—	0·05	0·08	—	—	0·01	0·02	—	0·44	—	0·03	0·49	12
13	0·01	0·20	0·16	—	—	—	—	—	0·16	0·20	0·05	0·19	13
14	—	0·05	0·40	—	—	—	0·02	—	trace	0·98	0·09	0·30	14
15	0·04	0·02	0·20	—	—	—	—	0·02	0·21	0·01	0·03	0·11	15
16	0·02	—	0·05	—	—	—	0·04	—	0·05	—	—	trace	16
17	0·02	0·34	0·05	—	—	—	—	—	0·11	—	—	0·25	17
18	trace	trace	0·04	—	—	—	0·03	—	—	—	—	0·46	18
19	trace	0·05	0·15	—	—	0·03	0·01	—	0·02	—	0·13	0·01	19
20	—	0·13	0·25	—	—	0·04	—	—	0·05	0·01	trace	0·12	20
21	—	0·37	0·06	—	—	0·02	0·01	0·06	—	0·08	0·01	0·16	21
22	—	0·02	0·01	0·02	0·05	0·12	0·05	0·04	—	0·34	—	trace	22
23	—	0·05	0·11	—	0·08	0·01	0·02	trace	—	0·20	—	0·01	23
24	trace	0·01	0·05	0·02	trace	—	0·05	0·02	—	0·58	0·10	—	24
25	0·06	—	0·16	—	—	—	trace	0·09	—	0·30	0·01	0·13	25
26	—	—	0·15	—	—	—	0·04	0·04	—	0·03	0·15	0·42	26
27	0·02	—	0·05	—	—	—	—	—	—	0·01	trace	0·22	27
28	—	0·05	trace	—	0·05	—	trace	—	—	0·18	0·34	1·45	28
29	—		0·17	—	0·07	—	—	—	—	0·35	0·08	—	29
30	0·05	✕	0·02	trace	~~trace~~	trace	—	—	—	0·03	0·28	0·30	30
31	0·02	✕	—	✕	0·10	✕	0·04	—	✕	trace	✕	0·02	31
Total	0·85	1·91	3·76	0·91	1·15	2·23	1·76	1·12	1·26	3·30	2·44	6·52	YEAR'S TOTAL 27·21
Rain Days.	14	17	26	11	14	13	18	15	10	14	20	24	196

W. 8,000. X. 14.

1268

FORM A.
BRITISH RAINFALL.

12 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Woburn Experimental Fruit Farm

in the County of Bedfordshire. 3

by W. H. Lewis.

Lat. 52°1′ Long. 0°36′

Time of Observation 9 a.m.

Nearest Railway Station Ridgmont

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.53	0.07	0.04	—	0.09	—	0.02	0.02	0.10	0.06	0.04	0.27	1
2	0.10	0.11	0.22	0.09	—	0.01	—	0.42	0.30	0.09	—	0.07	2
3	0.44	—	0.02	0.12	—	—	0.05	0.33	0.05	—	0.03	0.17	3
4	0.04	—	—	—	—	—	0.98	0.08	—	0.01	—	0.64	4
5	0.03	0.29	—	—	0.03	—	—	0.02	—	0.01	—	0.18	5
6	0.19	0.15	0.02	0.29	—	—	0.56	0.03	—	0.01	—	0.11	6
7	0.01	0.25	0.07	—	—	0.07	0.23	0.02	—	—	—	0.14	7
8	—	0.27	0.02	0.03	—	—	0.01	—	—	—	0.01	—	8
9	—	—	—	—	—	0.04	—	—	—	—	0.20	0.50	9
10	0.30	—	0.02	—	—	—	—	0.01	—	—	—	0.01	10
11	0.01	—	0.01	0.03	0.05	—	—	—	—	—	0.92	0.04	11
12	0.05	0.01	—	0.24	0.40	—	—	0.15	—	0.02	1.25	0.05	12
13	0.02	0.55	—	—	1.15	—	—	0.08	—	—	—	—	13
14	—	0.02	—	—	0.01	—	0.19	0.06	0.05	—	—	0.44	14
15	0.11	—	—	—	0.03	—	—	0.22	—	—	0.10	0.16	15
16	0.05	0.35	—	—	—	—	0.60	0.17	—	—	—	0.20	16
17	—	0.26	—	—	0.16	—	0.15	0.01	—	—	—	0.01	17
18	—	0.16	0.12	—	0.02	—	—	—	—	—	—	—	18
19	—	0.05	0.02	—	—	—	0.26	—	—	—	—	—	19
20	0.35	—	—	0.04	—	—	—	—	—	—	—	0.23	20
21	0.08	—	—	—	0.01	—	0.09	—	—	0.02	—	0.05	21
22	0.33	—	0.50	—	—	—	0.58	—	0.02	—	—	0.17	22
23	0.02	0.15	0.11	—	—	0.02	0.87	—	0.08	0.32	—	0.22	23
24	—	—	0.07	—	—	0.10	0.07	—	0.67	0.05	—	0.07	24
25	—	—	—	0.02	—	0.01	0.21	—	—	0.01	0.04	0.26	25
26	—	0.18	—	—	—	—	0.20	—	0.01	—	—	0.24	26
27	—	0.03	—	—	—	0.10	0.13	—	—	0.40	—	0.02	27
28	—	0.15	—	—	—	0.01	0.02	0.01	0.62	0.02	—	—	28
29	—		—	—	0.01	—	—	0.17	—	—	0.11	0.03	29
30	0.02	╳	—	—	—	0.09	0.02	0.01	—	0.04	0.01	0.02	30
31	0.08	╳	—	╳	—	╳	—	0.04	╳	0.51	╳	0.11	31
Total	2.76	3.05	1.24	0.86	1.96	0.45	5.24	1.85	1.90	1.57	2.71	4.43	YEAR'S TOTAL 28.02
Rain Days.	19	17	13	8	11	9	19	18	9	14	10	26	173

W. 8,000. X. 15.

cor.d for WD

1249

REGISTER OF RAINFALL IN 1916

FORM A2.
BRITISH RAINFALL.

1917

Kept at Woburn Expt. Fruit Farm

in the County of Bedfordshire.

by W. H. Neale.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 270 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Ridgmont.
Distance 100 yards Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers ~~not~~ to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, ~~following~~.
4 2nd 1917.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	·08	—	—	—	·06	—	·02	—	·12	—	1
2	·05	—	·02	—	·16	—	·02	—	·01	·04	·35	—	2
3	·33	·04	·10	—	·14	·01	—	—	·01	·54	·01	—	3
4	—	·41	·02	—	—	·02	—	—	·13	·22	·08	—	4
5	·23	·17	·02	—	·02	·23	·02	—	—	·06	·26	—	5
6	·04	—	—	—	·04	·32	·02	—	—	·05	·34	—	6
7	—	·15	·24	·18	·13	·08	·32	—	—	·07	·33	—	7
8	·02	—	·22	—	·09	·05	·08	—	—	·22	·15	·04	8
9	—	—	·06	—	·30	—	—	—	—	—	—	·24	9
10	·02	—	·04	—	·29	·06	—	—	—	—	—	·03	10
11	—	·08	·10	·07	—	·11	·04	—	·02	·07	—	·01	11
12	·05	·13	·05	·13	—	·20	—	—	—	—	—	·04	12
13	·01	·09	·11	·02	·29	·14	·08	—	·02	·21	—	—	13
14	·03	·41	·11	·05	·06	·11	·53	·06	—	·02	—	—	14
15	—	·43	·02	·03	·02	—	·01	—	—	·02	—	—	15
16	·01	·15	·55	—	·01	—	·02	·33	·01	·03	—	—	16
17	·01	·04	·27	·16	·08	—	·16	·05	—	·03	—	—	17
18	·08	·04	—	·23	—	—	·03	·30	·25	·25	—	—	18
19	·01	·07	·05	·06	—	—	—	·05	·07	—	·74	—	19
20	·05	·01	·22	·06	—	—	—	·04	·04	—	·83	—	20
21	·16	—	·20	·02	—	—	—	·02	—	—	·03	·52	21
22	—	—	·65	—	—	—	·36	—	—	—	—	·69	22
23	—	·04	·01	—	·04	·03	—	—	—	·04	·01	·51	23
24	·01	·13	·01	—	—	·43	—	·04	—	·07	·02	·13	24
25	—	·27	·01	—	—	·49	—	·01	—	·03	·05	·30	25
26	—	·15	·14	—	·01	—	—	·16	—	·07	·03	—	26
27	—	·13	·04	—	—	·02	—	—	—	·04	·04	—	27
28	·05	·11	1·10	—	—	·14	—	·06	·07	·27	—	—	28
29	—	·24	·53	—	—	·21	—	·01	·12	·01	—	·14	29
30	—		—	—	—	·13	—	·96	·01	·22	—	·13	30
31	—		—		—		—	·08		·25		—	31
Total	~~1·27~~	·08 ~~3·29~~	~~4·97~~	~~1·01~~	~~1·68~~	·06 ~~2·78~~	~~1·75~~	·02 ~~2·17~~	~~0·78~~	·12 ~~2·83~~	~~3·39~~	~~2·78~~	TOTAL for year ~~28·70~~
No. of Rain Days.	1·16 18	3·37 22	4·89 26	1·01 11	1·68 15	2·84 19	1·69 18	2·19 15	·76 12	2·95 24	3·27 15	2·78 12	28·59 201

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL. 9 JAN 1917

Kept at Woburn Experimental Fruit Farm

in the County of Bedfordshire.

by W. H. Neild.

Lat. 52.1 Long. 0.36

Time of Observation 9 A. M.

Nearest Railway Station Ridgmont.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	----	0.24	----	----	----	0.13	----	0.08	0.01	0.25	----	1
2	0.11	----	0.08	----	----	----	0.06	----	0.02	----	0.12	----	2
3	0.05	----	0.02	----	0.16	----	0.02	----	0.01	0.04	0.35	----	3
4	0.33	0.04	0.10	----	0.14	0.01	----	----	0.01	0.54	0.01	----	4
5	----	0.41	0.02	----	----	0.02	----	----	0.13	0.22	0.08	----	5
6	0.23	0.17	0.02	----	0.02	0.23	0.02	----	----	0.06	0.26	----	6
7	0.04	----	----	----	0.04	0.32	0.02	----	----	0.05	0.34	----	7
8	----	0.15	0.24	0.18	0.13	0.08	0.32	----	----	0.07	0.33	----	8
9	0.02	----	0.22	----	0.09	0.05	0.08	----	----	0.22	0.15	0.04	9
10	----	----	0.06	----	0.30	----	----	----	----	----	----	0.24	10
11	0.02	----	0.04	----	0.29	0.06	----	----	----	----	----	0.03	11
12	----	0.08	0.10	0.07	----	0.11	0.04	----	0.02	0.07	----	0.01	12
13	0.05	0.13	0.05	0.13	----	0.20	----	----	----	----	----	0.04	13
14	0.01	0.09	0.11	0.02	0.29	0.14	0.08	----	0.02	0.21	----	----	14
15	0.03	0.41	0.11	0.05	0.06	0.11	0.53	0.06	----	0.02	----	----	15
16	----	0.43	0.02	0.03	0.02	----	0.01	----	----	0.02	----	----	16
17	0.01	0.15	0.55	----	0.01	----	0.02	0.33	0.01	0.03	----	----	17
18	0.01	0.04	0.27	0.16	0.08	----	0.16	0.05	----	0.03	----	----	18
19	0.08	0.04	----	0.23	----	----	0.03	0.30	0.25	0.25	----	----	19
20	0.01	0.07	0.05	0.06	----	----	----	0.05	0.07	----	0.74	----	20
21	0.05	0.01	0.22	0.06	----	----	----	0.04	0.04	----	0.83	----	21
22	0.16	----	0.20	0.02	----	----	----	0.02	----	----	0.03	0.52	22
23	----	----	0.65	----	----	----	0.36	----	----	----	----	0.69	23
24	----	0.04	0.01	----	0.04	0.03	----	----	----	0.04	0.01	0.51	24
25	0.01	0.13	0.01	----	----	0.43	----	0.04	----	0.07	0.02	0.13	25
26	----	0.27	0.01	----	----	0.49	----	0.01	----	0.03	0.05	0.30	26
27	----	0.15	0.14	----	0.01	----	----	0.16	----	0.07	0.03	----	27
28	----	0.13	0.04	----	----	0.02	----	----	----	0.04	0.04	----	28
29	0.05	0.11	1.10	----	----	0.14	----	0.06	0.07	0.27	----	----	29
30	----	✕	0.53	----	----	0.21	----	0.01	0.12	0.01	----	0.14	30
31	----	✕	----	✕	----	✕	----	0.96	✕	0.22	✕	0.13	31
Total	1.29	3.05	5.21	1.01	1.68	2.65	1.88	2.09	0.69 ·85	2.59	3.64	2.78	YEAR'S TOTAL 28.56 28.72
Rain Days.	19	20	28	11	15	17	15	13	13	23	17	12	203

1201

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Woburn Experimental Fruit Farm
in the County of Bedfordshire
by W. H. Zeila.

Lat. 52°1' Long. 0°36'
Time of Observation 9 a.m.
Nearest Railway Station Ridgmont, L. & N. W. Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·12	—	—	—	1·15	·06	—	·28	—	1
2	·03	·04	—	·01	—	—	—	·10	—	·01	·04	—	2
3	—	—	—	·01	—	—	—	·48	—	·34	·20	—	3
4	—	·21	·09	—	—	—	—	·21	—	·61	—	·01	4
5	·15	—	·01	·17	—	—	—	—	·19	·11	·10	—	5
6	—	—	·01	—	—	·05	—	—	·05	·01	·01	—	6
7	·31	—	—	—	—	·04	·25	—	—	35 ·53	—	—	7
8	·27	—	—	·09	—	—	·84	·44	—	·22	·07	·02	8
9	·02	—	·10	·10	—	—	—	·11	·02	—	·05	·01	9
10	·25	—	·22	·23	—	—	—	·12	—	—	·03	·01	10
11	·02	·04	·21	·27	—	—	—	·05	·01	·31	—	—	11
12	·06	·01	—	·03	·03	—	—	·42	—	·18	—	—	12
13	·03	—	·03	—	—	—	—	·15	·02	·03	—	·01	13
14	·02	—	·01	(03)	—	—	—	·27	—	—	—	—	14
15	·01	—	—	·06	—	—	—	—	—	·02	—	—	15
16	·01	·14	—	·22	·05	·08	·11	—	—	·85	—	·05	16
17	·01	·01	—	·15	·86	—	·28	·06	·52	·35	—	·01	17
18	·04	—	—	·10	·07	·14	·33	—	·90	·01	—	—	18
19	·01	·11	·09	—	·20	·01	—	—	·16	—	—	—	19
20	·03	·12	·06	—	·68	—	—	—	—	—	·07	—	20
21	—	·02	·01	·02	·01	—	—	—	—	—	·01	—	21
22	·01	—	·03	—	—	—	—	·13	·01	·07	—	—	22
23	—	·10	—	—	·09	—	—	·22	—	·06	—	·02	23
24	—	·01	—	—	—	·20	—	·12	—	·14	·07	·02	24
25	—	·02	·04	—	—	—	—	—	—	·01	·04	—	25
26	—	—	·01	—	—	—	—	·46	·08	—	·19	—	26
27	—	—	—	—	—	·30	—	·67	—	—	—	·02	27
28	—	—	·11	—	—	·90	—	·08	—	·01	—	—	28
29	—		·04	—	—	·48	·35	·14	—	·25	—	·26	29
30	·03	╳	·04	—	—	—	·94	·14	—	—	—	·01	30
31	—	╳	·14	╳	—	╳	·30	·06	╳	—	╳	—	31
Total	1·31	·83	1·27	1·60	1·99	2·20	3·40	5·58	2·02	(3·94) 3·94	1·16	·45	YEAR'S TOTAL 25·75
Rain Days.	18	12	18	15	8	9	8	21	11	20	13	12	165

W. 8,000, IX. 17.

Ansd. 2.III.17

TELEGRAMS: RIDGMONT,
WOBURN.

STATION: RIDGMONT,
L. N. W. RY.

Woburn Experimental Fruit Farm,

Accounts to
SPENCER PICKERING, F.R.S.,
HARPENDEN, HERTS.

Reply to
W. H. NEILD,
RIDGMONT,
ASPLEY GUISE, BEDS.

Carle Salter, Esq.,

Feb: 28th: 1917.

Dear Sir,

I much regret to have caused you any inconvenience re rainfall returns.

Enclosed please find a copy of our rainfall returns for 1916, the readings are entered up to the date on which they are taken, and not to the previous day, which I understand is the correct method. If may memory does not play me false, I believe that I entered them up to the previous day in the returns which I sent you in Jan; last, but even then I cannot understand your note which says the total for September (as entered) should apparently be .85 & not .69, for on the enclosed returns for September are .78, (corrected .76) which as you will see does not agree with the figures which you give as being on my previous return.

I shall be pleased to receive a line from you at your convenience, just to let me know if you are able to clear this matter up satisfactorily.

I shall be delighted to give you any further information which may be required.

I shall be pleased to receive a few spare Form A. 2. & B. forms if you will kindly oblige.

Yours faithfully,

W. H. Neild.

TELEGRAMS: RIDGMONT,
WOBURN.

STATION: RIDGMONT,
L. N. W. RY.

Woburn Experimental Fruit Farm,

Accounts to
SPENCER PICKERING, F.R.S.,
HARPENDEN, HERTS.

Reply to
W. H. NEILD,
RIDGMONT,
ASPLEY GUISE, BEDS.

March, 7th; 1917.

Carle Salter, Esq.,

Dear Sir,

Many thanks for returning my original copy of rainfall returns (enclosed). I can plainly see the error now, in making out my returns. I carried each days rain one day forward instead of backward, as you will see by comparing this sheet with a leaf torn out of our daily reading book.

I much regret having put you to so much trouble & inconvenience, but think this will now clear it up.

Many thanks for blank forms received.

Yours faithfully,

W. H. Neild,

8.III.17

W ML

12

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

14.1.19

Kept at Woburn Experimental Fruit Farm.

in the County of Bedfordshire.

by W. H. Neild. W. H. Neild.

Lat. 52.1 Long. 0.36
Time of Observation 9 A. M.
Nearest Railway Station Ridgmont
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	.04	-	-	-	-	-	-	.13	.02	1
2	.02	.11	-	.06	-	-	-	.07	-	-	.08	.10	2
3	-	.01	.03	.20	.53	-	-	-	.17	.01	.58	.03	3
4	-	.01	.04	.01	-	-	-	-	.47	.01	.65	.02	4
5	-	.08	.01	-	.19	-	-	.10	-	.12	-	.01	5
6	.06	.11	-	-	.05	-	-	-	-	-	-	.01	6
7	.01	.16	-	.17	-	-	-	-	.14	.13	.16	-	7
8	-	-	-	.11	-	-	-	-	.27	.08	.04	.01	8
9	-	.17	-	.05	-	.01	.24	-	.74	.09	-	.07	9
10	-	-	-	.02	-	.02	.28	-	.05	.09	-	.15	10
11	-	-	-	.03	.16	-	.14	-	.02	.52	.06	.03	11
12	.05	.06	.01	.03	.14	-	.19	-	.08	.01	-	.01	12
13	-	.01	-	.01	.14	-	.12	-	.18	-	-	.24	13
14	.25	-	-	-	-	.17	.28	-	.45	.07	-	.12	14
15	1.21 x	-	-	1.29	-	-	.30	-	.02	-	-	.11	15
16	.20 x	-	-	.42	-	-	-	-	.69	.01	-	.03	16
17	.12	-	-	.07	.77	-	1.62	.02	-	-	-	.10	17
18	.57	-	-	-	-	.14	.17	-	.18	.01	-	.34	18
19	.01	.02	.01	.05	-	.01	.21	-	-	.06	-	.27	19
20	-	.07	-	.67	-	.05	-	-	(.15)	.22	.01	.02	20
21	.01	-	-	.20	-	.03	-	-	.57	.03	.01	.02	21
22	.08	-	-	-	.25	-	.04	-	.07	-	.01	.23	22
23	.05	-	-	-	.64	-	.26	.01	.14	-	.02	.02	23
24	-	.15	-	-	.03	.04	.02	-	-	-	.14	-	24
25	-	-	-	-	-	.14	.03	.25	-	.01	-	-	25
26	-	-	-	-	-	-	.12	.04	.01	.03	.09	.15	26
27	-	.01	-	.04	-	-	.14	.18	.14	-	.10	.02	27
28	-	.05	.16	-	-	-	-	.09	-	-	.27	.09	28
29	-	-	-	-	-	-	-	-	1.51	-	.01	.15	29
30	-	×	.36	-	-	-	-	-	.05	.01	.03	-	30
31	-	×	.05	×	-	×	-	-	×	.08	×	.02	31
Total	2.64	1.02	0.67	3.47	2.90	0.61	4.16	0.76	6.08	1.59	2.39	2.39	YEAR'S TOTAL 28.68
Rain Days.	13	14	8	18	10	9	16	8	21	19	17	27	180

W. 8,000, IX. 17.

x Snow 8 - 9 in, deep on the 15th & 2 in, deep on the 16th;

Ex Rl

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Woburn Experimental Fruit Farm

in the County of Bedfordshire

by W. H. Neild

Lat. 52·1 N Long. 0·36

Time of Observation 9 a.m.

Nearest Railway Station Ridgmont

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·04	·01	·06	·04	·05	·12	—	—	·01	·05	1·05	1
2	·19	—	·01	—	·03	—	·10	—	—	·15	·18	·41	2
3	·78	—	·22	—	—	—	·06	—	—	—	·16	·20	3
4	·06	·01	·30	—	—	·07	·11	·08	·02	—	—	·11	4
5	—	·31	·33	—	—	—	·17	—	·77	—	—	·19	5
6	·01	—	·07	—	·49	—	—	—	—	·04	·04	·06	6
7	·03	—	·37	—	—	—	—	—	—	—	·02	—	7
8	·13	—	·07	·14	—	—	—	—	—	—	·01	—	8
9	—	—	·01	·11	·03	—	—	—	—	—	—	—	9
10	—	—	·40	·01	—	—	—	—	—	—	·05	·11	10
11	·10	—	·18	·10	—	—	·49	—	—	—	·01	·02	11
12	·01	—	·25	·07	—	·19	·08	—	—	·11	·06	—	12
13	·06	—	—	·28	—	—	—	—	—	10	—	·01	13
14	·27	—	—	·22	—	—	·09	—	·16	—	—	—	14
15	·14	·06	·13	·15	—	—	—	—	—	·01	·03	·30	15
16	·03	·62	—	—	—	—	—	—	—	—	·14	—	16
17	—	·38	—	·01	—	—	—	—	—	—	·14	·01	17
18	—	·03	·09	—	—	—	—	·21	·02	—	·03	·13	18
19	·05	·23	·98	—	—	·17	·38	·19	·14	—	·02	·02	19
20	·40	·03	·14	—	—	·43	·41	·42	—	—	·02	·02	20
21	·20	·44	·02	—	—	—	·35	—	—	—	·01	·10	21
22	—	·14	·01	—	—	—	·09	—	·10	—	—	·26	22
23	—	—	—	—	—	·06	—	·01	·04	·20	·01	·06	23
24	—	—	—	·13	—	—	·19	—	—	·35	—	01	24
25	·07	—	—	·03	—	·03	—	·19	—	—	—	·05	25
26	·15	·06	13	·07	—	—	·10	·08	·06	—	—	·40	26
27	·75	·05	·05	·72	—	—	—	·37	—	—	—	·05	27
28	·01	—	·05	·04	—	—	·01	·82	—	·01	·08	·26	28
29	·05		—	·07	—	·01	·01	·17	—	34	·07	·03	29
30	—		·10	·28	—	·21	—	·10	—	·04	·29	·25	30
31	·01		—		—		·03	—		·02		·01	31
TOTAL	3·80	2·40	3·92	2·49	·59	1·22	2·79	2·64	1·31	1·38	1·42	4·12	YEAR'S TOTAL 28·08
Days with ·01 in. or more	22	13	22	17	4	9	17	11	8	12	20	25	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1073

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Woburn Expl Fruit Farm

in the County of Bedfordshire

by W. H. Neild

Lat. 52·1 N. Long. 0·36

Time of Observation 9 a. m

Nearest Railway Station Ridgmont

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·48	·20	—	·24	—	—	37	·02	·13	1
2	—	—	—	·05	—	—	·02	·17	·05	·05	—	·10	2
3	—	·03	—	·01	—	·01	·39	—	·08	·04	—	—	3
4	—	—	·11	·08	—	—	·05	·30	·02	·19	—	—	4
5	—	—	·06	—	·08	—	·85	·04	·04	—	—	·02	5
6	—	—	·13	—	·12	—	·37	—	—	—	—	·01	6
7	·01	—	·01	·06	—	—	·15	—	—	—	—	—	7
8	·16	·03	—	·42	·01	—	·03	—	—	—	—	—	8
9	·30	—	—	·15	—	—	—	·07	—	—	—	—	9
10	·25	·06	·02	—	—	·02	—	—	—	—	—	·03	10
11	·24	—	·03	48	·17	·02	·14	—	—	—	—	·02	11
12	·03	—	·14	·11	—	·38	·01	—	—	—	—	·02	12
13	·01	—	·08	·18	—	—	—	—	—	—	—	03	13
14	·01	·01	·29	·21	—	·16	·02	—	·21	·06	·26	—	14
15	—	·05	·33	·23	—	—	—	—	·03	.02	·10	·01	15
16	—	—	—	·05	·01	—	—	—	·16	·08	·02	—	16
17	·01	—	·02	·02	·10	—	·02	—	·10	·02	—	·03.	17
18	·11	—	—	—	·08	—	—	·21	10	—	—	·07	18
19	·07	—	—	15	·01	·11	—	·31	—	—	—	·01	19
20	·08	29	—	·26	—	·31	—	—	—	—	—	—	20
21	—	—	—	·01	—	—	·09	·05	22	—	—	·08	21
22	—	—	—	·17	—	—	—	—	·77	—	·01	·18	22
23	01	01	—	—	—	—	·30	—	—	—	—	·37	23
24	·05	—	·20	—	—	—	—	—	—	—	—	·04	24
25	·01	07	·04	·06	·89	—	·35	—	—	—	—	—	25
26	13	—	11	·02	·02	—	·09	—	—	·01	—	·02	26
27	·26	—	—	·24	—	·34	·08	—	—	—	·59	·09	27
28	·44	—	·29	—	·18	—	·02	—	—	—	·01	—	28
29	·11	—	·03	—	·32	·02	—	—	—	—	·10	·27	29
30	·03		·55	·03	—	·06	·10	—	·36	—	·12	·17	30
31	—		·01		·02		·05	—		·23		·10	31
TOTAL	2·32	0·55	2·47	3·47	2·21	1·43	3·37	1·15	2·14	1·07	1·23	1·80	YEAR'S TOTAL 23·21
Days with ·01 in. or more	20	8	19.	22	14	10	20	7.	12.	10.	9.	21.	172
	12	4	12	[illegible]	9	6	14	7	10	7	5	11	114

(44,293). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

WRESTLINGWORTH

BEDFORD

1911

REG

Kept at Wrestl

in the County of Bed

by Henry J

elds

in.

round 1 ft. – in.

ea Level 119 ft.

S.M.

ame Potton

istance 3 Direction N.W

IMPORTANT NOTE.- he result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the readin ar in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in " pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.08	—	—	.13	.09	—	—	—	—	1
2	.07	—	—	.06	.05	—	.03	.02	—	—	.23	.23	2
3	—	.08	—	.025	.09	—	. —	.02	—	.03	.02	.03	3
4	—	.07	.13	.235	—	—	. —	—	—	—	.07	—	4
5	.06	—	—	.025	—	—	. —	.06	—	.05	—	.29	5
6	.18	—	.02	.015	—	—	—	—	—	.03	.03	.18	6
7	.03	—	—	—	—	—	. —	—	—	.13	.26	.17	7
8	.05	—	.10	—	—	—	—	—	—	—	.05	.16	8
9	.28	—	—	.04	—	—	—	—	—	—	—	.10	9
10	—	.08	.07	.03	—	—	—	—	—	—	.10	.02	10
11	.38	—	—	—	—	—	—	—	.10	—	.20	.16	11
12	.135	—	.205	—	—	—	—	—	.25	.20	.28	.02	12
13	—	—	.115	—	.25	—	—	—	—	.13	.02	.19	13
14	—	—	.185	—	.22	—	—	—	—	—	—	.32	14
15	—	.04	.195	—	—	—	—	—	—	.02	.08	.02	15
16	—	—	.02	—	—	.12	—	—	—	—	.30	. —	16
17	—	—	—	—	—	.04	—	—	—	—	.04	.03	17
18	—	.22	.01	—	—	.12	—	—	.05	—	.35	.09	18
19	—	.01	—	—	—	.26	.02	—	.17	.03	.21	.03	19
20	—	—	.02	—	—	—	—	.28	—	.03	.14	.04	20
21	—	.06	—	—	—	—	—	.25	—	.26	—	.22	21
22	—	—	.28	—	—	.04	—	—	—	.08	—	.11	22
23	—	.04	.26	—	—	.53	.07	—	.26	.30	—	.20	23
24	—	.04	—	—	—	.35	—	—	—	—	—	.12	24
25	—	.05	.055	.03	—	.18	—	.21	—	.14	—	.18	25
26	—	—	—	.11	.07	.08	.05	.01	—	—	.055	.04	26
27	—	.18	.09	.12	—	—	—	—	.14	—	—	.22	27
28	—	.13	—	.25	.05	.02	—	.12	—	—	.07	.05	28
29	—		—	.07	—	.25	.12	—	.23	.18	—	.05	29
30	—		—	.01	—	.02	—	—	—	.12	—	—	30
31	—		—		.02		—	—		.03		—	31
Total	1.18	1.00	1.93	1.08	.95	2.41	.42	1.06	1.20	1.96	2.50	3.60	TOTAL for year 19.69
No. of Rain Days.	8	12	15	14	7	12	6	9	7	16	18	26	150

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REG

Kept at Wrestlingworth

in the County of Bedford 3

by Henry J Fairy

RAIN GAUGE
Pattern Casella
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 119 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Potton
Distance 3 Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	.08	—	—	.13	.09	—	—	—	—	1
2	.07	—	—	.06	.05	—	.03	.02	—	—	.23	.23	2
3	—	.08	—	.025	.09	—	—	.02	—	.03	.02	.03	3
4	—	.07	.13	.235	—	—	—	—	—	—	.07	—	4
5	.06	—	—	.025	—	—	—	.06	—	.05	—	.29	5
6	.18	—	.02	.015	—	—	—	—	—	.03	.03	.18	6
7	.03	—	—	—	—	—	—	—	—	.13	.26	.17	7
8	.05	—	.10	—	—	—	—	—	—	—	.05	.16	8
9	.28	—	—	.04	—	—	—	—	—	—	—	.10	9
10	—	.08	.07	.03	—	—	—	—	—	—	.10	.02	10
11	.38	—	—	—	—	—	—	—	.10	—	.40	.16	11
12	.135	—	.405	—	—	—	—	—	.25	.40	.28	.02	12
13	—	—	.115	—	.25	—	—	—	—	.13	.02	.19	13
14	—	—	.185	—	.42	—	—	—	—	—	—	.34	14
15	—	.04	.195	—	—	—	—	—	—	.02	.08	.02	15
16	—	—	.02	—	—	.12	—	—	—	—	.30	—	16
17	—	—	—	—	—	.04	—	—	—	—	.04	.03	17
18	—	.22	.01	—	—	.12	—	—	.05	—	.35	.09	18
19	—	.01	—	—	—	.26	.02	—	.17	.03	.41	.03	19
20	—	—	.02	—	—	—	—	.28	—	.03	.14	.04	20
21	—	.06	—	—	—	—	—	.25	—	.26	—	.42	21
22	—	—	.28	—	—	.04	—	—	—	.08	—	.11	22
23	—	.04	.26	—	—	.93	.07	—	.26	.30	—	.40	23
24	—	.04	—	—	—	.35	—	—	—	—	—	.12	24
25	—	.05	.055	.03	—	.18	—	.21	—	.14	—	.18	25
26	—	—	—	.11	.07	.08	.05	.01	—	—	.055	.04	26
27	—	.18	.09	.12	—	—	—	—	.14	—	—	.22	27
28	—	.13	—	.25	.05	.02	—	.12	—	—	.07	.05	28
29	—		—	.07	—	.25	.12	—	.23	.18	—	.05	29
30	—		—	.01	—	.02	—	—	—	.12	—	—	30
31	—		—		.02		—	—		.03		—	31
Total	1.18	1.00	1.93	1.08	.93	2.41	.42	1.06	1.20	1.96	2.90	3.60	TOTAL for year 19.69
No. of Rain Days.	8	12	15	14	7	12	6	9	7	16	18	26	150

W. 8,000, X. '11.